



For assistance with completing this form contact:

The Planning Service
3 Knowsley Place, Duke Street, Bury BL9 0EJ

Phone: 0161 253 5432 **Email:** development.control@bury.gov.uk

Summary of Amended Application

Please Note

It is always advisable to check the progress of your application with the Local Planning Authority to ensure that an amendment will be accepted by them.

Proposal Name

0202-NEW Double Sided FSU

Reference

PP-12727668

Version Number

2

Submission Date

Tuesday, March 12, 2024

Amendments to the Application Form

Site Location - Address Line 1

Previous Answers:

Outside the entrance to Millgate Shopping Centre

Updated Answers:

Mill Gate Shopping Centre, Union Street.

Site Location - Address Line 2

Previous Answers:

Market Parade

Updated Answers:

O/S Santander/OXFAM

Site Location - Town/city

Previous Answers:

Bury

Updated Answers:

Bury, Greater Manchester

Site Location - Postcode

Previous Answers:

BL9 0QE

Updated Answers:

BL9 0NY

Site Location - Description

Previous Answers:

Replace existing double-sided Free-Standing Advertising Unit (FSU) featuring a double internally illuminated 6-sheet display with an FSU featuring double-sided digital displays.
The digital displays will portray static, sequentially changing advertising images, changing instantaneously every 10 seconds.

Updated Answers:

Replace existing double-sided Free-Standing Advertising Unit (FSU) featuring a double internally illuminated 6-sheet display with an FSU featuring double-sided digital displays.
The digital displays will portray static, sequentially changing advertising images, changing instantaneously every 10 seconds.
RAL 204 (the colour we are going to powder coat the steel cladding of the frame is BLACK)

Type of Proposed Advertisement(s) - Please describe the proposed advertisement(s)

Previous Answers:

ADD A NEW double internally illuminated 6-sheet display with an FSU featuring double-sided digital displays in proposed location
The digital displays will portray static, sequentially changing advertising images, changing instantaneously every 10 seconds.

Updated Answers:

ADD A NEW double internally illuminated 6-sheet display with an FSU featuring double-sided digital displays in proposed location
The digital displays will portray static, sequentially changing advertising images, changing instantaneously every 10 seconds.
RAL 204 (the colour we are going to powder coat the steel cladding of the frame is BLACK)

Type of Proposed Advertisement(s) - Please describe each of the 'Other type(s)' of advertising proposed

Previous Answers:

Proposed Free-Standing Advertising CIP unit featuring double-sided digital displays measuring 1635mm (H) x 924mm (W) to replace existing/recently removed Free-Standing Advertising CIP unit featuring double-sided internally illuminated 6-sheet displays.

Updated Answers:

Proposed Free-Standing Advertising CIP unit featuring double-sided digital displays measuring 1635mm (H) x 924mm (W) to replace existing/recently removed Free-Standing Advertising CIP unit featuring double-sided internally illuminated 6-sheet displays.

RAL 204 (the colour we are going to powder coat the steel cladding of the frame is BLACK)

Type of Proposed Advertisement(s) - What materials will the advertisement be made of?

Previous Answers:

Steel frame, powder coated steel cladding, LCD display panel recessed behind toughened, laminated safety glass.

Updated Answers:

Steel frame, powder coated steel cladding, LCD display panel recessed behind toughened, laminated safety glass.

RAL 204 (the colour we are going to powder coat the steel cladding of the frame is BLACK)

Declaration - Date

Previous Answers:

19/02/2024

Updated Answers:

12/03/2024

Declaration - Amendments Summary

Previous Answers:

Updated Answers:

Amended location details and specified the colour of FSU

Amendments to the Fee Calculation

Calculation - Fee for previous version

Previous Answers:

0

Updated Answers:

578

Calculation - Subtotal

Previous Answers:

578

Updated Answers:

0

Calculation - Service Charge

Previous Answers:

64

Updated Answers:

0

Calculation - Total

Previous Answers:

642

Updated Answers:

0

Calculation - Total:

Previous Answers:

642

Updated Answers:

0

Amendments to the Location Plan

Polygon / Site Boundary

Has the polygon / site boundary changed?

False

Amendments to the Supporting Documents - Added

Supporting Documents Added

No supporting documents added

Amendments to the Supporting Documents - Updated

Supporting Documents Updated

No supporting documents updated

Amendments to the Supporting Documents - Deleted

Supporting Documents Deleted

No supporting documents deleted