



The Coal
Authority



INVESTOR IN PEOPLE



RTPI

Learning Partner

200 Lichfield Lane
Berry Hill
Mansfield
Nottinghamshire
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: planningconsultation@coal.gov.uk

Web: www.gov.uk/coalauthority

For the Attention of: Mr S. Gunn Russell – Case Officer
Bury Metropolitan Borough Council

[By Email: development.control@bury.gov.uk]

20 April 2022

Dear Mr Gunn Russell

PLANNING APPLICATION: 67922

Single storey infill extension to front elevation corner, entrance road to be altered to cater for new extension at Chantlers County Primary School, Foulds Avenue, Bury, BL8 2SF

Thank you for your consultation letter of 7 April 2022 seeking the views of the Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department of Business, Energy & Industrial Strategy. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: Material Consideration

I have reviewed the site location plans and the proposals and supporting information submitted and available to view on the LPA website and can confirm that the application site falls partly within the defined Development High Risk Area.

The Coal Authority's information indicates that the potential zones of influence of two off-site recorded mine entries (shafts 378410-003 and 378410-004) extend into the north eastern corner of the application site. We hold no details of any past treatment of these former coal mining related features.

As you will be aware, the Coal Authority's general approach in cases where development is proposed within the Development High Risk Area (DHRA) is to recommend that the

applicant obtains coal mining information for the application site and submits a Coal Mining Risk Assessment to support the planning application.

However, in this particular instance we note that the proposed extension will be located outside the DHRA, and whilst the revised alignment of the internal access road will encroach marginally within the zones of influence of the off-site shafts, we consider that this element of the scheme is unlikely to require substantial foundations or earthworks. On this basis we do not consider that requiring a Coal Mining Risk Assessment would be proportionate to the scale and nature of the development proposed in this particular case and **do not object** to this planning application.

However, the Coal Authority does recommend that, should planning permission be granted for this proposal, the following wording is included as an Informative Note on any planning permission granted:

The proposed development lies within an area that has been defined by the Coal Authority as containing potential hazards arising from former coal mining activity at the surface or shallow depth. These hazards can include: mine entries (shafts and adits); shallow coal workings; geological features (fissures and break lines); mine gas and former surface mining sites. Although such hazards are seldom readily visible, they can often be present and problems can occur in the future, particularly as a result of new development taking place.

Any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) requires a Coal Authority Permit. Such activities could include site investigation boreholes, excavations for foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Failure to obtain a Coal Authority Permit for such activities is trespass, with the potential for court action.

If any coal mining feature is unexpectedly encountered during development, this should be reported immediately to the Coal Authority on 0800 288 4242. Further information is available on the Coal Authority website at:
www.gov.uk/government/organisations/the-coal-authority

Please do not hesitate to contact me if you would like to discuss this matter further.
Yours sincerely

James Smith

James Smith *BSc. (Hons), Dip.URP, MRTPI*
Planning and Development Manager

Disclaimer

The above consultation response is provided by the Coal Authority as a Statutory Consultee and is based upon the latest available coal mining data on the date of the response, and electronic consultation records held by the Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to the Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by the Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the applicant for consultation purposes.