


PLOT SCALE @ A3: 1:5,500




NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2



CLIENT:



www.waterco.co.uk

SCHEME:

**EAST LANCASHIRE PAPER MILL,
RADCLIFFE**

PLOT TITLE:

**MAXIMUM WATER DEPTH
1% AEP FLUVIAL EVENT
EXISTING SITE LAYOUT (EXG)
NORMAL FLOW CONDITIONS**

PLOT STATUS:

FINAL

DATE:

05-Jun-18

DRAWN:

AP

CHECKED:

DH

APPROVED:

LS

PLOT SCALE @ A3:

1:12,000


(UNLESS STATED OTHERWISE)

PLOT NAME:



w3280-Q100_EXG_NFC_V

REV:

-



PLOT SCALE @ A3: 1:5,500



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2

CLIENT:





www.waterco.co.uk

SCHEME:

**EAST LANCASHIRE PAPER MILL,
RADCLIFFE**


PLOT TITLE:

**MAXIMUM WATER DEPTH
1% AEP FLUVIAL EVENT
DEVELOPMENT LAYOUT 4 (DEV4)
NORMAL FLOW CONDITIONS**



PLOT STATUS: **FINAL** DATE: 05-Jun-18

DRAWN: AP CHECKED: DH APPROVED: LS PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)

PLOT NAME: w3280-Q100_DEV4_NFC_V REV: -



PLOT SCALE @ A3: 1:5,500




NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2





CLIENT:

www.waterco.co.uk

SCHEME:
**EAST LANCASHIRE PAPER MILL,
RADCLIFFE**

PLOT TITLE:
**MAXIMUM WATER DEPTH
1% AEP + 35% CC FLUVIAL EVENT
EXISTING SITE LAYOUT (EXG)
NORMAL FLOW CONDITIONS**

PLOT STATUS: FINAL		DATE: 05-Jun-18	
DRAWN: AP	CHECKED: DH	APPROVED: LS	PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)
PLOT NAME: w3280-Q100CC1_EXG_NFC_V			REV: -



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2

CLIENT:

waterco consultants

www.waterco.co.uk

SCHEME:

EAST LANCASHIRE PAPER MILL, RADCLIFFE


PLOT TITLE:

MAXIMUM WATER DEPTH
1% AEP + 35% CC FLUVIAL EVENT
DEVELOPMENT LAYOUT 4 (DEV4)
NORMAL FLOW CONDITIONS



PLOT STATUS: **FINAL** DATE: 05-Jun-18

DRAWN: AP CHECKED: DH APPROVED: LS PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)

PLOT NAME: w3280-Q100CC1_DEV4_NFC_V REV: -



PLOT SCALE @ A3: 1:5,500




NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2





CLIENT:

www.waterco.co.uk

SCHEME:
**EAST LANCASHIRE PAPER MILL,
RADCLIFFE**

PLOT TITLE:
**MAXIMUM WATER DEPTH
1% AEP + 70% CC FLUVIAL EVENT
EXISTING SITE LAYOUT (EXG)
NORMAL FLOW CONDITIONS**

PLOT STATUS: FINAL			DATE: 05-Jun-18
DRAWN: AP	CHECKED: DH	APPROVED: LS	PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)
PLOT NAME: w3280-Q100CC2_EXG_NFC_V			REV: -



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2

CLIENT:

waterco consultants

www.waterco.co.uk

SCHEME:

EAST LANCASHIRE PAPER MILL, RADCLIFFE



PLOT TITLE:

MAXIMUM WATER DEPTH
1% AEP + 70% CC FLUVIAL EVENT
DEVELOPMENT LAYOUT 4 (DEV4)
NORMAL FLOW CONDITIONS

PLOT STATUS: **FINAL** DATE: 05-Jun-18

DRAWN: AP	CHECKED: DH	APPROVED: LS	PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)
-----------	-------------	--------------	---

PLOT NAME: w3280-Q100CC2_DEV4_NFC_V REV: -



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2

CLIENT:

waterco consultants
www.waterco.co.uk

SCHEME:

**EAST LANCASHIRE PAPER MILL,
RADCLIFFE**



PLOT TITLE:

**MAXIMUM WATER DEPTH
0.1% AEP FLUVIAL EVENT
EXISTING SITE LAYOUT (EXG)
NORMAL FLOW CONDITIONS**

PLOT STATUS: **FINAL** DATE: 05-Jun-18

DRAWN: AP CHECKED: DH APPROVED: LS PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)

PLOT NAME: w3280-Q1000_EXG_NFC_V REV: -



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Velocity (m/s)

- 0.0 - 0.3
- 0.3 - 0.6
- 0.6 - 0.9
- 0.9 - 1.2
- > 1.2

CLIENT:

waterco consultants
www.waterco.co.uk

SCHEME:
EAST LANCASHIRE PAPER MILL, RADCLIFFE

PLOT TITLE:
MAXIMUM WATER DEPTH
0.1% AEP FLUVIAL EVENT
DEVELOPMENT LAYOUT 4 (DEV4)
NORMAL FLOW CONDITIONS

PLOT STATUS: FINAL			DATE: 05-Jun-18
DRAWN: AP	CHECKED: DH	APPROVED: LS	PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)
PLOT NAME: w3280-Q1000_DEV4_NFC_V			REV: -



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Flood Hazard Rating (FD2320)

- < 0.75 (Caution)
- 0.75 - 1.25 (Danger for Some)
- 1.25 - 2 (Danger for Most)
- > 2.0 (Danger for All)

CLIENT:

waterco consultants
www.waterco.co.uk

SCHEME:

**EAST LANCASHIRE PAPER MILL,
RADCLIFFE**



PLOT TITLE:

**MAXIMUM WATER DEPTH
5% AEP FLUVIAL EVENT
EXISTING SITE LAYOUT (EXG)
NORMAL FLOW CONDITIONS**

PLOT STATUS: **FINAL** DATE: 05-Jun-18

DRAWN: AP CHECKED: DH APPROVED: LS PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)

PLOT NAME: w3280-Q20_EXG_NFC_HZ REV: -



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Flood Hazard Rating (FD2320)

< 0.75 (Caution)

0.75 - 1.25 (Danger for Some)

1.25 - 2 (Danger for Most)

> 2.0 (Danger for All)

CLIENT:

waterco consultants

www.waterco.co.uk

SCHEME:

EAST LANCASHIRE PAPER MILL, RADCLIFFE


PLOT TITLE:

MAXIMUM WATER DEPTH
5% AEP FLUVIAL EVENT
DEVELOPMENT LAYOUT 4 (DEV4)
NORMAL FLOW CONDITIONS



PLOT STATUS: **FINAL** DATE: 05-Jun-18

DRAWN: AP CHECKED: DH APPROVED: LS PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)

PLOT NAME: w3280-Q20_DEV4_NFC_HZ REV: -




PLOT SCALE @ A3: 1:5,500



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

-  Site Boundary
- Maximum Flood Hazard Rating (FD2320)**
-  < 0.75 (Caution)
-  0.75 - 1.25 (Danger for Some)
-  1.25 - 2 (Danger for Most)
-  > 2.0 (Danger for All)



CLIENT:





www.waterco.co.uk

SCHEME:
**EAST LANCASHIRE PAPER MILL,
RADCLIFFE**

PLOT TITLE:
**MAXIMUM WATER DEPTH
1% AEP FLUVIAL EVENT
EXISTING SITE LAYOUT (EXG)
NORMAL FLOW CONDITIONS**

PLOT STATUS: FINAL		DATE: 05-Jun-18	
DRAWN: AP	CHECKED: DH	APPROVED: LS	PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)
PLOT NAME: w3280-Q100_EXG_NFC_HZ			REV: -



NOTES:
1) ALL DIMENSIONS ARE IN METRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS STATED OTHERWISE

LEGEND

Site Boundary

Maximum Flood Hazard Rating (FD2320)

< 0.75 (Caution)

0.75 - 1.25 (Danger for Some)

1.25 - 2 (Danger for Most)

> 2.0 (Danger for All)

CLIENT:

waterco consultants

www.waterco.co.uk

SCHEME:

EAST LANCASHIRE PAPER MILL, RADCLIFFE

PLOT TITLE:

MAXIMUM WATER DEPTH
1% AEP FLUVIAL EVENT
DEVELOPMENT LAYOUT 4 (DEV4)
NORMAL FLOW CONDITIONS

PLOT STATUS: **FINAL** DATE: 05-Jun-18

DRAWN: AP CHECKED: DH APPROVED: LS PLOT SCALE @ A3: 1:12,000 (UNLESS STATED OTHERWISE)

PLOT NAME: w3280-Q100_DEV4_NFC_HZ REV: -