

SMOKE DETECTORS/ALARMS
AT FOOT & HEAD OF STAIRS
INTERLINKED, WIRED TO
MAINS WITH SEPARATE
FUSE & BATTERY BACK UP

DOWN
↑

LANDING

(S/D)

WALK IN
WARDROBE

BATHROOM

MOVE
STUD
WALL

BEDROOM

SOIL PIPE CONNECTED
TO EXISTING. RODDING
EYES AT CHANGE OF
DIRECTION

NEW OPENING
3 NO. PRE-CAST
CONCRETE LINTELS
ABOVE

BLOCK UP
WINDOW

ROOF BELOW

EN
SUITE

VELUX

RIDGE

BEDROOM

4A PROPOSED FIRST FLOOR PLAN

38MM UPVC BASIN & SHOWER WASTES, 75MM DEEP SEAL ANTI-VAC TRAPS

MECHANICAL VENTILATION TO EN SUITE MIN 15 LITRES/SEC SUBJECT
TO EFFICIENCY TEST, 20 MINUTE OVERRUN.

26/10/2020 - WINDOW ADDED
15/06/2020

20/SS4/04A

0 METRES 5

SCALE 1:50 @ A3

FIRST FLOOR SIDE EXTENSION

41, ARTHUR LANE, AINSWORTH