

- All plumbing to be carried out by a competent plumber.
- Existing Boiler to be confirmed if the unit can except the additional radiators and fittings. Any associated works to the central heating system to be carried out by Gas Safe & Hetas registered engineers.
- Proposed radiators to be connected/ feed off existing central heating piping system ,fitted with Thermostatic radiator valves and all proposed pipe work is be 15mm copper.
- Location of proposed radiators ,type & design be confirmed by client.
- Any pipes in vulnerable location are to be protected using 25mm thick walled insulation.
- All plumbing to be in accordance with Building Regulation Document H.

D.P.Bertram Building & Planning Solutions		
15 Willow Drive, Charnock Richard, Chorley , Lancashire. PR7 5NL T:- 01257 793222 M:- 07751 324431 , E-mail bertypat@yahoo.co.uk		
Client:-	Mr .D. Silvera 31 Hillingdon Road, Whitefield, Bury. M45 7QQ	
Project:- Proposal :- Ground Floor Side Extension with Internal Alterations at 31 Hillingdon Road, Whitefield, Bury. M45 7QQ		
Drawing Title :- General Notes 2 of 2		
Scale :- N.T.S	Drawn By :- DPB	Date :- Mar 2022
Drawing No :- DPB/ DS /22 /04		Rev No :-