




Notes
The Contractor is to check all dimensions and conditions on site before commencing. Do not scale from this drawing.
This drawing remains the copyright of POZZONI Architecture Ltd.

Scale Bars TO BE USED ONLY AS GUIDANCE

1:100	mm	0	1000	mm	0	1000	mm
1:200	mm	0	1000	mm	0	1000	mm
1:500	m	0	10	m	0	10	m
1:1000	m	0	10	m	0	10	m

Indicative Roof Types
ROOF 1,2 & 3: GF Terrace, Marley Hall & 2nd Floor Plant Area (TBC)
Concrete Paviors on
Slopes on
Enerflex WCL on
200mm Enerflex XPS on
PermaTEC hotmelt waterproofing on
Reinforced concrete slab to S-ENG details.
ROOF 4: 2nd Floor Roof (TBC)
K10 Knaufceiling PVC on
100mm K10 Enerflex GOLD FR insulation on
Spectraply PE Air & Vapour Control Layer
Metal deck and steelwork laid to fall, all to S-ENG details.
ROOF 5: Chambers Building Roof (TBC)
Steel Deck on battens on
breathable sarking felt on
or rafters, min. 35 mm ventilated rafter cavity & 60mm thick
Kingspan Kooltherm K107 between rafters
Kingspan Kooltherm K118 insulated plasterboard (call 62.5mm
thick) fixed to underside of rafters
Plaster skim finish.



P07	Issued for Planning	LY	28.02.23
P06	Updated to last client comment	DAS	19.01.23
P05	Balcory reduced in length	AT	14.10.22
P04	General Layout Updates	AT	09.09.22
P03	Wey Updated	DAS	17.08.22
P02	General updates to comments	LM	12.08.22
P01	Indicative roof types added	SB	15.06.22
Rev	Description	By	Date

Vinci Construction UK Ltd

Radcliffe Market Chambers & Basement

Proposed Roof Plan

P5860_2004 **P07**

RADHUB- PAL- ZZ- RF- DR- A-2004

Date	02/10/22	Scale	1 : 100	Sheet	@ A0
Author	DAS	Check	DAS	Drawn	
Phase	Planning	Tender	Construction	Design	Contract
As Built					

pozzoni

Woodville House
2 Woodville Road
Altrincham
WA14 7PH
+44 161 920 7040
www.pozzoni.co.uk
architect@pozzoni.co.uk

C:\Users\pjohn\Documents\RADHUB\PO2-21-ZZ-M0-A-2001_drawing.pptx 21/03/2023 15:28:24