

















PATIO AREA DETAILS





PATH & RAMP DETAILS



PipeØ	Trench Width	Uniform Soil (A)	Rock (A)
100	550	100	200
150	600	100	200
225	700	150	200
300	750	150	200
375	1050	150	200
450	1150	150	200

Sizing Of Bedding Material		
Nominal Bore Of Pipe, mm	Size, mm Single Sized	Size, mm Graded
150-200	10 or 14	14 to 5
225-300	10, 14 or 20	14 to 5 or 20 to 5
375-500	14 or 20	14 to 5 or 20 to 5
500+	14, 20 or 40	14 to 5, 20 to 5 or 40 to 5

All granular material to be single sized or graded in accordance with BS882:1992, unsteril pulverised fuel ash to BS3707:1990 and air-cooled blast furnace slags to BS1047:1993 are suitable



Notes

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT HDB, ARCHITECTS, SERVICE ENGINEERS AND SUBCONTRACTOR DRAWINGS.

REVIEW ALL DRAWINGS AND REPORT ANY DISCREPANCIES TO HDB PRIOR TO COMMENCEMENT.

DO NOT SCALE FROM THIS DRAWING. ALL DIMENSIONS AND LEVELS INCLUDING ANY ABUTMENT TO EXISTING STRUCTURES TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT.

WORK FROM FIGURED DIMENSIONS ONLY. DO NOT SCALE FROM THIS DRAWING.

ALL DIMENSIONS IN MILLIMETRES AND LEVELS IN METRES, TO BE CHECKED ON SITE

NO DEVIATION FROM DETAILS SHOWN ON THIS DRAWING IS ALLOWED WITHOUT HDB PRIOR PERMISSION IN WRITING.

ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE RELEVANT SPECIFICATIONS ISSUED BY HDB, BRITISH STANDARD CODES OF PRACTICE, STATUTORY REQUIREMENTS AND THE CONTRACT DOCUMENTS.

A	25.04.24	ISSUED FOR PLANNING
N°	DATE	DESCRIPTION
REVISION		

CLIENT:					
CONTRACT:					
DRAWING TITLE: PROPOSED NEW HIGHWAY DETAILS					
PROJECT N°:	25.372	Drq N°:	C.19B	Rev:	A
PLANNING:	SCALE:		1/100		
BUILDING REGS:	DATE:		25.04.24		
TENDER:	DRAWN:		AG		
CONSTRUCTION:	CHECKED:				

