



MECHA WORKS

Suite 10, Europa House, Barcroft St, Bury, BL9 5BT -
0161 763 8759 / hello@mechaworks.co.uk

This drawing (or any part thereof) is not to be copied, transmitted or disclosed to any third party or unauthorised person without the prior written consent of MECHA Works Ltd.



This Drawing is to be read in coincidence with all other relevant drawings prepared by consultants and sub-contractors.

Do not scale from this document. Work only in accordance to printed dimensions.

Report any discrepancies to the drawing author or representatives thereof.

© ALL RIGHTS RESERVED. no part of this drawing may be reproduced or transmitted in any form or by any means without the written consent of the copyright holder.

Once printed & distributed this document is assumed 'Uncontrolled'.



Upgrad to floor with the addition of rockwool, is to help with the airborne sound from the ground floor, there will be no changes to the build up of the ceiling on the ground floor.

The rock wool is rated to Rw 41dB.

To further mitigate the noise there will be a use of Mute matt 2 which is an under flooring matting which is rated to reductions of ΔL_w 30dB. this product choice is also used as it is 100% recycleable.

Please see product data sheet for more information.

Rev #: Issue Date: Description: Issued By:

CLIENT:

Taiyub Khan

PROJECT:

Change of Elevation to the rear of property
28, Bolton steet,
Ramsbottom, BL0 9HX

DRAWING TITLE:

Floor upgrade detail
MW05

THIS DRAWING HAS BEEN PRODUCED UNSING AUTODESK™ REVIT

DRAWN: SP	CHECKED: HA	APPROVED: SP
SCALE: PER VIEW	DATE:	SHEET SIZE: A4
PROJECT NUMBER: MW0082	SUITABILITY CODE: Planning :	
DRAWING CLASSIFICATION:		