

5, WALTER STREET, PRESTWICH, M25 3HJ

Order Details

Date: 26/04/2023
Your ref: A5417
Our Ref: GS-IK2-65M-OAU-AFA

Site Details

Location: 380757 403886
Area: 0.02 ha
Authority: [Bury Metropolitan Borough Council](#) ↗



Summary of findings

[p. 2 >](#) **Aerial image**

[p. 8 >](#)

OS MasterMap site plan

[p.12 >](#) groundsure.com/insightuserguide ↗

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Summary of findings

Page	Section	Past land use >	On site	0-50m	50-250m	250-500m	500-2000m
13 >	1.1 >	Historical industrial land uses >	0	0	14	42	-
16 >	1.2 >	Historical tanks >	0	0	0	16	-
17 >	1.3 >	Historical energy features >	0	0	3	13	-
18 >	1.4 >	Historical petrol stations >	0	0	0	0	-
18 >	1.5 >	Historical garages >	0	0	0	5	-
18 >	1.6 >	Historical military land >	0	0	0	0	-
Page	Section	Past land use - un-grouped >	On site	0-50m	50-250m	250-500m	500-2000m
19 >	2.1 >	Historical industrial land uses >	0	0	20	76	-
23 >	2.2 >	Historical tanks >	0	0	0	24	-
24 >	2.3 >	Historical energy features >	0	0	7	19	-
25 >	2.4 >	Historical petrol stations >	0	0	0	0	-
26 >	2.5 >	Historical garages >	0	0	0	7	-
Page	Section	Waste and landfill >	On site	0-50m	50-250m	250-500m	500-2000m
27 >	3.1 >	Active or recent landfill >	0	0	0	0	-
27 >	3.2 >	Historical landfill (BGS records) >	0	0	0	0	-
28 >	3.3 >	Historical landfill (LA/mapping records) >	0	0	0	0	-
28 >	3.4 >	Historical landfill (EA/NRW records) >	0	0	0	0	-
28 >	3.5 >	Historical waste sites >	0	0	0	2	-
29 >	3.6 >	Licensed waste sites >	0	0	0	0	-
29 >	3.7 >	Waste exemptions >	0	0	0	2	-
Page	Section	Current industrial land use >	On site	0-50m	50-250m	250-500m	500-2000m
30 >	4.1 >	Recent industrial land uses >	0	1	2	-	-
31 >	4.2 >	Current or recent petrol stations >	0	0	0	0	-
31 >	4.3 >	Electricity cables >	0	0	0	0	-
31 >	4.4 >	Gas pipelines >	0	0	0	0	-
31 >	4.5 >	Sites determined as Contaminated Land >	0	0	0	0	-



31 >	4.6 >	Control of Major Accident Hazards (COMAH) >	0	0	0	0	-
32 >	4.7 >	Regulated explosive sites >	0	0	0	0	-
32 >	4.8 >	Hazardous substance storage/usage >	0	0	0	0	-
32 >	4.9 >	Historical licensed industrial activities (IPC) >	0	0	0	0	-
32 >	4.10 >	Licensed industrial activities (Part A(1)) >	0	0	0	0	-
32 >	4.11 >	Licensed pollutant release (Part A(2)/B) >	0	0	1	0	-
33 >	4.12 >	Radioactive Substance Authorisations >	0	0	0	0	-
33 >	4.13 >	Licensed Discharges to controlled waters >	0	0	6	0	-
34 >	4.14 >	Pollutant release to surface waters (Red List) >	0	0	0	0	-
34 >	4.15 >	Pollutant release to public sewer >	0	0	0	0	-
35 >	4.16 >	List 1 Dangerous Substances >	0	0	0	0	-
35 >	4.17 >	List 2 Dangerous Substances >	0	0	0	0	-
35 >	4.18 >	Pollution Incidents (EA/NRW) >	0	0	0	2	-
35 >	4.19 >	Pollution inventory substances >	0	0	0	0	-
36 >	4.20 >	Pollution inventory waste transfers >	0	0	0	0	-
36 >	4.21 >	Pollution inventory radioactive waste >	0	0	0	0	-
Page	Section	Hydrogeology >	On site	0-50m	50-250m	250-500m	500-2000m
37 >	5.1 >	Superficial aquifer >	Identified (within 500m)				
38 >	5.2 >	Bedrock aquifer >	Identified (within 500m)				
40 >	5.3 >	Groundwater vulnerability >	Identified (within 50m)				
41 >	5.4 >	Groundwater vulnerability- soluble rock risk >	None (within 0m)				
41 >	5.5 >	Groundwater vulnerability- local information >	None (within 0m)				
42 >	5.6 >	Groundwater abstractions >	0	0	0	0	22
48 >	5.7 >	Surface water abstractions >	0	0	0	0	3
49 >	5.8 >	Potable abstractions >	0	0	0	0	0
49 >	5.9 >	Source Protection Zones >	0	0	0	0	-
50 >	5.10 >	Source Protection Zones (confined aquifer) >	0	0	0	0	-
Page	Section	Hydrology >	On site	0-50m	50-250m	250-500m	500-2000m
51 >	6.1 >	Water Network (OS MasterMap) >	0	0	0	-	-



51 >	6.2 >	Surface water features >	0	0	0	-	-
52 >	6.3 >	WFD Surface water body catchments >	1	-	-	-	-
52 >	6.4 >	WFD Surface water bodies >	0	0	0	-	-
52 >	6.5 >	WFD Groundwater bodies >	1	-	-	-	-
Page	Section	River and coastal flooding >	On site	0-50m	50-250m	250-500m	500-2000m
54 >	7.1 >	Risk of flooding from rivers and the sea >	None (within 50m)				
54 >	7.2 >	Historical Flood Events >	0	0	0	-	-
54 >	7.3 >	Flood Defences >	0	0	0	-	-
55 >	7.4 >	Areas Benefiting from Flood Defences >	0	0	0	-	-
55 >	7.5 >	Flood Storage Areas >	0	0	0	-	-
56 >	7.6 >	Flood Zone 2 >	None (within 50m)				
56 >	7.7 >	Flood Zone 3 >	None (within 50m)				
Page	Section	Surface water flooding >					
57 >	8.1 >	Surface water flooding >	Negligible (within 50m)				
Page	Section	Groundwater flooding >					
58 >	9.1 >	Groundwater flooding >	Moderate (within 50m)				
Page	Section	Environmental designations >	On site	0-50m	50-250m	250-500m	500-2000m
59 >	10.1 >	Sites of Special Scientific Interest (SSSI) >	0	0	0	0	0
60 >	10.2 >	Conserved wetland sites (Ramsar sites) >	0	0	0	0	0
60 >	10.3 >	Special Areas of Conservation (SAC) >	0	0	0	0	0
60 >	10.4 >	Special Protection Areas (SPA) >	0	0	0	0	0
60 >	10.5 >	National Nature Reserves (NNR) >	0	0	0	0	0
61 >	10.6 >	Local Nature Reserves (LNR) >	0	0	0	1	2
61 >	10.7 >	Designated Ancient Woodland >	0	0	0	2	3
62 >	10.8 >	Biosphere Reserves >	0	0	0	0	0
62 >	10.9 >	Forest Parks >	0	0	0	0	0
62 >	10.10 >	Marine Conservation Zones >	0	0	0	0	0
62 >	10.11 >	Green Belt >	0	0	1	0	4
63 >	10.12 >	Proposed Ramsar sites >	0	0	0	0	0




63 >	10.13 >	Possible Special Areas of Conservation (pSAC) >	0	0	0	0	0
63 >	10.14 >	Potential Special Protection Areas (pSPA) >	0	0	0	0	0
63 >	10.15 >	Nitrate Sensitive Areas >	0	0	0	0	0
64 >	10.16 >	Nitrate Vulnerable Zones >	1	0	0	0	1
65 >	10.17 >	SSSI Impact Risk Zones >	1	-	-	-	-
66 >	10.18 >	SSSI Units >	0	0	0	0	0
Page	Section	Visual and cultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
67 >	11.1 >	World Heritage Sites >	0	0	0	-	-
68 >	11.2 >	Area of Outstanding Natural Beauty >	0	0	0	-	-
68 >	11.3 >	National Parks >	0	0	0	-	-
68 >	11.4 >	Listed Buildings >	0	0	0	-	-
68 >	11.5 >	Conservation Areas >	0	0	1	-	-
69 >	11.6 >	Scheduled Ancient Monuments >	0	0	0	-	-
69 >	11.7 >	Registered Parks and Gardens >	0	0	0	-	-
Page	Section	Agricultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
70 >	12.1 >	Agricultural Land Classification >	Urban (within 250m)				
71 >	12.2 >	Open Access Land >	0	0	0	-	-
71 >	12.3 >	Tree Felling Licences >	0	0	0	-	-
71 >	12.4 >	Environmental Stewardship Schemes >	0	0	0	-	-
71 >	12.5 >	Countryside Stewardship Schemes >	0	0	0	-	-
Page	Section	Habitat designations >	On site	0-50m	50-250m	250-500m	500-2000m
72 >	13.1 >	Priority Habitat Inventory >	0	0	13	-	-
73 >	13.2 >	Habitat Networks >	0	0	0	-	-
73 >	13.3 >	Open Mosaic Habitat >	0	0	0	-	-
73 >	13.4 >	Limestone Pavement Orders >	0	0	0	-	-
Page	Section	Geology 1:10,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
75 >	14.1 >	10k Availability >	Identified (within 500m)				
76 >	14.2 >	Artificial and made ground (10k) >	0	0	2	2	-
78 >	14.3 >	Superficial geology (10k) >	1	0	0	2	-

79 >	14.4 >	Landslip (10k) >	0	0	1	4	-
80 >	14.5 >	Bedrock geology (10k) >	1	0	5	6	-
81 >	14.6 >	Bedrock faults and other linear features (10k) >	0	0	2	1	-
Page	Section	Geology 1:50,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
82 >	15.1 >	50k Availability >	Identified (within 500m)				
83 >	15.2 >	Artificial and made ground (50k) >	0	0	0	0	-
83 >	15.3 >	Artificial ground permeability (50k) >	0	0	-	-	-
84 >	15.4 >	Superficial geology (50k) >	1	0	0	2	-
85 >	15.5 >	Superficial permeability (50k) >	Identified (within 50m)				
85 >	15.6 >	Landslip (50k) >	0	0	0	0	-
85 >	15.7 >	Landslip permeability (50k) >	None (within 50m)				
86 >	15.8 >	Bedrock geology (50k) >	1	0	5	6	-
87 >	15.9 >	Bedrock permeability (50k) >	Identified (within 50m)				
87 >	15.10 >	Bedrock faults and other linear features (50k) >	0	0	2	1	-
Page	Section	Boreholes >	On site	0-50m	50-250m	250-500m	500-2000m
89 >	16.1 >	BGS Boreholes >	0	1	1	-	-
Page	Section	Natural ground subsidence >					
90 >	17.1 >	Shrink swell clays >	Negligible (within 50m)				
91 >	17.2 >	Running sands >	Very low (within 50m)				
92 >	17.3 >	Compressible deposits >	Negligible (within 50m)				
93 >	17.4 >	Collapsible deposits >	Very low (within 50m)				
94 >	17.5 >	Landslides >	Very low (within 50m)				
95 >	17.6 >	Ground dissolution of soluble rocks >	Negligible (within 50m)				
Page	Section	Mining, ground workings and natural cavities >	On site	0-50m	50-250m	250-500m	500-2000m
97 >	18.1 >	Natural cavities >	0	0	0	0	-
98 >	18.2 >	BritPits >	0	0	0	0	-
98 >	18.3 >	Surface ground workings >	0	0	19	-	-
99 >	18.4 >	Underground workings >	0	0	0	0	0
99 >	18.5 >	Historical Mineral Planning Areas >	0	0	0	0	-



99 >	18.6 >	Non-coal mining >	0	0	0	0	0
99 >	18.7 >	Mining cavities >	0	0	0	0	0
100 >	18.8 >	JPB mining areas >	None (within 0m)				
100 >	18.9 >	Coal mining >	Identified (within 0m)				
100 >	18.10 >	Brine areas >	None (within 0m)				
100 >	18.11 >	Gypsum areas >	None (within 0m)				
100 >	18.12 >	Tin mining >	None (within 0m)				
101 >	18.13 >	Clay mining >	None (within 0m)				
Page	Section	Radon >					
102 >	19.1 >	Radon >	Less than 1% (within 0m)				
Page	Section	Soil chemistry >	On site	0-50m	50-250m	250-500m	500-2000m
104 >	20.1 >	BGS Estimated Background Soil Chemistry >	1	0	-	-	-
104 >	20.2 >	BGS Estimated Urban Soil Chemistry >	0	0	-	-	-
104 >	20.3 >	BGS Measured Urban Soil Chemistry >	0	0	-	-	-
Page	Section	Railway infrastructure and projects >	On site	0-50m	50-250m	250-500m	500-2000m
105 >	21.1 >	Underground railways (London) >	0	0	0	-	-
105 >	21.2 >	Underground railways (Non-London) >	0	0	0	-	-
105 >	21.3 >	Railway tunnels >	0	0	0	-	-
105 >	21.4 >	Historical railway and tunnel features >	0	0	0	-	-
105 >	21.5 >	Royal Mail tunnels >	0	0	0	-	-
106 >	21.6 >	Historical railways >	0	0	0	-	-
106 >	21.7 >	Railways >	0	0	0	-	-
106 >	21.8 >	Crossrail 1 >	0	0	0	0	-
106 >	21.9 >	Crossrail 2 >	0	0	0	0	-
106 >	21.10 >	HS2 >	0	0	0	0	-

Recent aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2023. All Rights Reserved.

Capture Date: 22/04/2019

Site Area: 0.02ha



Recent site history - 2015 aerial photograph



Capture Date: 11/06/2015

Site Area: 0.02ha



Recent site history - 2009 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2023. All Rights Reserved.

Capture Date: 02/06/2009

Site Area: 0.02ha



Recent site history - 2000 aerial photograph



Capture Date: 27/06/2000

Site Area: 0.02ha




OS MasterMap site plan



Site Area: 0.02ha



1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

1.1 Historical industrial land uses

Records within 500m

56

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 13 >](#)

ID	Location	Land use	Dates present	Group ID
A	137m S	Unspecified Ground Workings	1932 - 1938	779422



ID	Location	Land use	Dates present	Group ID
A	137m S	Unspecified Ground Workings	1915	732386
A	138m S	Unspecified Ground Workings	1956 - 1968	747610
2	154m NW	Unspecified Heap	1891	650970
3	161m N	Unspecified Heap	1891	650971
C	170m S	Sand Pit	1915 - 1923	752999
C	171m S	Unspecified Ground Workings	1932 - 1938	736122
4	202m S	Unspecified Ground Workings	1907 - 1915	780139
D	239m NW	Unspecified Pit	1977	791137
E	239m NW	Hospital	1956 - 1985	756382
F	241m NW	Unspecified Ground Workings	1956 - 1985	715011
D	242m NW	Unspecified Pit	1923	698768
F	249m NW	Unspecified Ground Workings	1915	711757
F	249m NW	Unspecified Ground Workings	1932	723755
D	251m NW	Unspecified Ground Workings	1891	730951
5	258m N	Mental Hospital	1938	676058
H	307m W	Unspecified Commercial/Industrial	1977 - 1985	708674
H	307m W	Gas Works	1891	749461
G	308m E	Unspecified Mill	1923	774746
G	309m E	Unspecified Old Mill	1915	655176
H	312m W	Gas Works	1923	715853
G	313m E	Unspecified Mill	1932 - 1938	772808
H	314m W	Gas Works	1907 - 1915	710763
H	314m W	Unspecified Commercial/Industrial	1932	717170
G	315m E	Refuse Heap	1932 - 1938	697630
G	315m E	Unspecified Ground Workings	1915	648322
I	320m N	Hospital	1938	714726
I	325m N	Hospital	1907 - 1932	724047
G	329m E	Unspecified Heap	1956	650969



ID	Location	Land use	Dates present	Group ID
G	344m E	Chimney	1968	684321
6	359m N	Unspecified Tank	1915 - 1932	764822
J	369m SW	Cuttings	1915 - 1923	703629
J	387m SW	Cuttings	1956	790284
H	390m W	Chimney	1968	684324
H	390m W	Unspecified Tank	1977 - 1985	762849
E	395m N	Mortuary	1956 - 1977	707078
H	396m W	Gasometer	1891 - 1923	767226
K	396m NW	Unspecified Pit	1956	717129
H	398m W	Unspecified Tank	1932	674917
K	399m NW	Unspecified Pit	1968 - 1985	774827
H	408m W	Unspecified Tank	1891	674918
H	413m W	Gasometer	1907 - 1923	787923
M	435m N	Mortuary	1907 - 1932	765681
H	439m W	Unspecified Ground Workings	1907	648299
M	439m N	Mortuary	1938	774468
H	445m W	Cuttings	1915 - 1923	750735
11	452m NE	Refuse Heap	1851	678116
H	453m W	Cuttings	1938	739971
12	469m E	Constabulary Station	1851	644972
P	476m NW	Unspecified Pit	1985	758708
P	478m NW	Unspecified Pit	1968 - 1977	790666
Q	483m NW	Unspecified Heap	1956 - 1977	708149
14	485m W	Unspecified Ground Workings	1938	648298
Q	488m NW	Unspecified Ground Workings	1985	648283
M	492m N	Mortuary	1891	771481
16	498m N	Hospital	1915 - 1932	740172

This data is sourced from Ordnance Survey / Groundsure.



1.2 Historical tanks

Records within 500m

16

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 13 >](#)

ID	Location	Land use	Dates present	Group ID
G	305m E	Unspecified Tank	1893	85070
H	311m W	Gas Works	1922	89957
H	312m W	Gas Works	1893 - 1909	96840
G	346m E	Unspecified Tank	1922 - 1932	96413
G	351m E	Unspecified Tank	1951 - 1952	90435
G	356m E	Tanks	1951 - 1952	97374
G	358m E	Unspecified Tank	1952	103225
G	359m E	Unspecified Tank	1951	102136
H	400m W	Gasometer	1922	78103
H	400m W	Unspecified Tank	1893 - 1932	90430
H	414m W	Gasometer	1922	78104
H	414m W	Unspecified Tank	1893 - 1909	100108
10	439m NW	Unspecified Tank	1983	85065
N	461m W	Tanks	1922	87967
N	469m W	Tanks	1922	87966
15	497m N	Tanks	1995 - 1996	90729

This data is sourced from Ordnance Survey / Groundsure.



1.3 Historical energy features

Records within 500m

16

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 13 >](#)

ID	Location	Land use	Dates present	Group ID
1	102m N	Electricity Substation	1971 - 1992	50595
B	152m SE	Electricity Substation	1971 - 1992	57264
B	153m SE	Electricity Substation	1952	57043
H	311m W	Gas Works	1922	48178
H	312m W	Gas Works	1893 - 1909	57430
H	384m W	Electricity Substation	1952	45788
H	400m W	Gasometer	1922	46155
L	403m NE	Electricity Substation	1992 - 1995	53949
L	403m NE	Electricity Substation	1983	46679
L	404m NE	Electricity Substation	1996	55024
L	404m NE	Electricity Transformer	1979	47597
7	406m NE	Electricity Substation	1977 - 1992	47635
L	406m NE	Electricity Substation	1977	46664
H	414m W	Gasometer	1922	46156
9	415m E	Electricity Substation	1977 - 1992	49043
E	450m N	Electricity Substation	1996	45787

This data is sourced from Ordnance Survey / Groundsure.



1.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.5 Historical garages

Records within 500m

5

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 13](#) >

ID	Location	Land use	Dates present	Group ID
G	292m E	Garage	1951	14643
8	406m NE	Garage	1977 - 1992	17953
O	470m NE	Garage	1952 - 1977	19682
O	470m NE	Garage	1992	16506
13	479m NE	Garage	1977	14644

This data is sourced from Ordnance Survey / Groundsure.

1.6 Historical military land

Records within 500m


0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.



2 Past land use - un-grouped



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

2.1 Historical industrial land uses

Records within 500m

96

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19](#) >

ID	Location	Land Use	Date	Group ID
B	137m S	Unspecified Ground Workings	1932	779422
B	137m S	Unspecified Ground Workings	1915	732386
B	138m S	Unspecified Ground Workings	1968	747610



ID	Location	Land Use	Date	Group ID
B	138m S	Unspecified Ground Workings	1956	747610
B	141m S	Unspecified Ground Workings	1938	779422
1	154m NW	Unspecified Heap	1891	650970
2	161m N	Unspecified Heap	1891	650971
D	170m S	Sand Pit	1915	752999
D	171m S	Unspecified Ground Workings	1932	736122
D	173m S	Unspecified Ground Workings	1938	736122
D	178m S	Sand Pit	1923	752999
E	202m S	Unspecified Ground Workings	1907	780139
E	204m S	Unspecified Ground Workings	1915	780139
F	239m NW	Unspecified Pit	1977	791137
G	239m NW	Hospital	1985	756382
G	239m NW	Hospital	1977	756382
F	241m NW	Unspecified Ground Workings	1985	715011
F	242m NW	Unspecified Pit	1923	698768
F	249m NW	Unspecified Ground Workings	1932	723755
F	249m NW	Unspecified Ground Workings	1915	711757
G	251m N	Hospital	1968	756382
G	251m N	Hospital	1956	756382
F	251m NW	Unspecified Ground Workings	1891	730951
G	258m N	Mental Hospital	1938	676058
F	272m NW	Unspecified Ground Workings	1977	715011
F	272m NW	Unspecified Ground Workings	1968	715011
F	272m NW	Unspecified Ground Workings	1956	715011
I	307m W	Unspecified Commercial/Industrial	1985	708674
I	307m W	Unspecified Commercial/Industrial	1977	708674
I	307m W	Gas Works	1891	749461
H	308m E	Unspecified Mill	1923	774746



ID	Location	Land Use	Date	Group ID
H	309m E	Unspecified Old Mill	1915	655176
I	312m W	Gas Works	1923	715853
H	313m E	Unspecified Mill	1932	772808
I	314m W	Unspecified Commercial/Industrial	1932	717170
I	314m W	Gas Works	1915	710763
I	314m W	Gas Works	1907	710763
H	315m E	Refuse Heap	1938	697630
H	315m E	Unspecified Ground Workings	1915	648322
H	317m E	Refuse Heap	1932	697630
J	320m N	Hospital	1938	714726
H	324m E	Unspecified Mill	1938	772808
J	325m N	Hospital	1932	724047
J	325m N	Hospital	1915	724047
J	325m N	Hospital	1907	724047
J	325m N	Hospital	1923	724047
H	329m E	Unspecified Heap	1956	650969
H	344m E	Chimney	1968	684321
K	359m N	Unspecified Tank	1932	764822
K	359m N	Unspecified Tank	1915	764822
K	359m N	Unspecified Tank	1923	764822
L	369m SW	Cuttings	1915	703629
L	376m SW	Cuttings	1923	703629
L	387m SW	Cuttings	1956	790284
I	390m W	Unspecified Tank	1985	762849
I	390m W	Unspecified Tank	1977	762849
I	390m W	Chimney	1968	684324
G	395m N	Mortuary	1977	707078
G	395m N	Mortuary	1968	707078



ID	Location	Land Use	Date	Group ID
G	395m N	Mortuary	1956	707078
I	396m W	Gasometer	1891	767226
M	396m NW	Unspecified Pit	1956	717129
I	398m W	Gasometer	1915	767226
I	398m W	Gasometer	1907	767226
I	398m W	Unspecified Tank	1932	674917
M	399m NW	Unspecified Pit	1985	774827
M	399m NW	Unspecified Pit	1977	774827
M	399m NW	Unspecified Pit	1968	774827
I	399m W	Gasometer	1923	767226
I	408m W	Unspecified Tank	1891	674918
I	413m W	Gasometer	1915	787923
I	413m W	Gasometer	1907	787923
I	414m W	Gasometer	1923	787923
Q	435m N	Mortuary	1923	765681
Q	435m N	Mortuary	1932	765681
Q	435m N	Mortuary	1915	765681
Q	435m N	Mortuary	1907	765681
I	439m W	Unspecified Ground Workings	1907	648299
Q	439m N	Mortuary	1938	774468
I	445m W	Cuttings	1923	750735
I	451m W	Cuttings	1915	750735
4	452m NE	Refuse Heap	1851	678116
I	453m W	Cuttings	1938	739971
5	469m E	Constabulary Station	1851	644972
T	476m NW	Unspecified Pit	1985	758708
T	478m NW	Unspecified Pit	1977	790666
T	478m NW	Unspecified Pit	1968	790666



ID	Location	Land Use	Date	Group ID
U	483m NW	Unspecified Heap	1977	708149
U	483m NW	Unspecified Heap	1968	708149
U	483m NW	Unspecified Heap	1956	708149
7	485m W	Unspecified Ground Workings	1938	648298
U	488m NW	Unspecified Ground Workings	1985	648283
Q	492m N	Mortuary	1891	771481
W	498m N	Hospital	1932	740172
W	498m N	Hospital	1915	740172
W	498m N	Hospital	1923	740172

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m

24

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19](#) >

ID	Location	Land Use	Date	Group ID
H	305m E	Unspecified Tank	1893	85070
I	311m W	Gas Works	1922	89957
I	312m W	Gas Works	1893	96840
I	312m W	Gas Works	1909	96840
H	346m E	Unspecified Tank	1922	96413
H	346m E	Unspecified Tank	1932	96413
H	351m E	Unspecified Tank	1952	90435
H	352m E	Unspecified Tank	1951	90435
H	356m E	Tanks	1952	97374
H	356m E	Tanks	1951	97374
H	358m E	Unspecified Tank	1952	103225



ID	Location	Land Use	Date	Group ID
H	359m E	Unspecified Tank	1951	102136
I	400m W	Unspecified Tank	1893	90430
I	400m W	Unspecified Tank	1909	90430
I	400m W	Gasometer	1922	78103
I	400m W	Unspecified Tank	1932	90430
I	414m W	Unspecified Tank	1893	100108
I	414m W	Unspecified Tank	1909	100108
I	414m W	Gasometer	1922	78104
3	439m NW	Unspecified Tank	1983	85065
R	461m W	Tanks	1922	87967
R	469m W	Tanks	1922	87966
V	497m N	Tanks	1996	90729
V	497m N	Tanks	1995	90729

This data is sourced from Ordnance Survey / Groundsure.

2.3 Historical energy features

Records within 500m

26

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19 >](#)

ID	Location	Land Use	Date	Group ID
A	102m N	Electricity Substation	1992	50595
A	103m N	Electricity Substation	1971	50595
C	152m SE	Electricity Substation	1971	57264
C	153m SE	Electricity Substation	1971	57264
C	153m SE	Electricity Substation	1952	57043
C	153m SE	Electricity Substation	1992	57264
C	153m E	Electricity Substation	1952	57043



ID	Location	Land Use	Date	Group ID
I	311m W	Gas Works	1922	48178
I	312m W	Gas Works	1893	57430
I	312m W	Gas Works	1909	57430
I	384m W	Electricity Substation	1952	45788
I	400m W	Gasometer	1922	46155
N	403m NE	Electricity Substation	1992	53949
N	403m NE	Electricity Substation	1983	46679
N	404m NE	Electricity Substation	1993	53949
N	404m NE	Electricity Substation	1996	55024
N	404m NE	Electricity Substation	1995	53949
N	404m NE	Electricity Transformer	1979	47597
N	404m NE	Electricity Transformer	1979	47597
O	406m NE	Electricity Substation	1977	47635
N	406m NE	Electricity Substation	1977	46664
O	410m NE	Electricity Substation	1992	47635
I	414m W	Gasometer	1922	46156
P	415m E	Electricity Substation	1977	49043
P	415m E	Electricity Substation	1992	49043
G	450m N	Electricity Substation	1996	45787

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.



2.5 Historical garages

Records within 500m

7

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.


Features are displayed on the Past land use - un-grouped map on [page 19 >](#)

ID	Location	Land Use	Date	Group ID
H	292m E	Garage	1951	14643
O	406m NE	Garage	1992	17953
O	408m NE	Garage	1977	17953
S	470m NE	Garage	1977	19682
S	470m NE	Garage	1952	19682
S	470m NE	Garage	1992	16506
6	479m NE	Garage	1977	14644

This data is sourced from Ordnance Survey / Groundsure.



3 Waste and landfill



- Site Outline
- Search buffers in metres (m)
- Historical waste sites
- Waste exemptions

3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.



3.3 Historical landfill (LA/mapping records)

Records within 500m

0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m

0

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m

2

Waste site records derived from Local Authority planning records and high detail historical mapping.

Features are displayed on the Waste and landfill map on [page 27 >](#)

ID	Location	Address	Further Details	Date
2	415m N	Site Address: Tesco, Valley Park Road, Prestwich, MANCHESTER, Greater Manchester, M25 3TG	Type of Site: Recycling System/Car Wash Planning application reference: 46714 Description: Scheme comprises change of use of car parking spaces to hand car valeting operation including a cabin to house water recycling system and canopy. Construction - canopy roof; car lifts. An application (ref: 46714) for detailed planning permission was granted by Bury M.B.C. Planning decision obtained Data source: Historic Planning Application Data Type: Point	-
4	476m NW	Site Address: N/A	Type of Site: Ground Workings and Refuse Heap Planning application reference: N/A Description: N/A Data source: Historic Mapping Data Type: Polygon	1980

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.



3.6 Licensed waste sites

Records within 500m**0**

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m**2**

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.


Features are displayed on the Waste and landfill map on [page 27 >](#)

ID	Location	Site	Reference	Category	Sub-Category	Description
1	334m N	1 Valley Park Road Manchester Bury M25 3TG	EPR/NF0901ZV /A001	Using waste exemption	Non-Agricultural Waste Only	Use of waste in construction
3	433m SW	Land off Clifton Road Manchester M25 3JT	EPR/CE5685JS /A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of sludge

This data is sourced from the Environment Agency and Natural Resources Wales.



4 Current industrial land use



- Site Outline
- Search buffers in metres (m)
- Recent industrial land uses
- Licensed pollutant release (Part A(2)/B)
- Licensed Discharges to controlled waters
- Pollution Incidents (EA/NRW)

4.1 Recent industrial land uses

Records within 250m

3

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Company	Address	Activity	Category
1	40m NW	Revival	44, Leach Mews, Prestwich, Greater Manchester, M25 3HL	Recycling, Reclamation and Disposal	Recycling Services
3	104m N	Electricity Sub Station	Greater Manchester, M25	Electrical Features	Infrastructure and Facilities
4	155m SE	Electricity Sub Station	Greater Manchester, M25	Electrical Features	Infrastructure and Facilities



This data is sourced from Ordnance Survey.

4.2 Current or recent petrol stations

Records within 500m

0

Open, closed, under development and obsolete petrol stations.

This data is sourced from Experian.

4.3 Electricity cables

Records within 500m

0

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.4 Gas pipelines

Records within 500m

0

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.5 Sites determined as Contaminated Land

Records within 500m

0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.6 Control of Major Accident Hazards (COMAH)

Records within 500m

0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.



4.7 Regulated explosive sites

Records within 500m

0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.8 Hazardous substance storage/usage

Records within 500m

0

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.9 Historical licensed industrial activities (IPC)

Records within 500m

0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.10 Licensed industrial activities (Part A(1))

Records within 500m

0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m

1

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Address	Details	
2	66m E	F.D. Kitchens Ltd, Clough Saw Mills, Garoadner Road, Prestwich, M25 3HU	Process: Timber Manufacture Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

This data is sourced from Local Authority records.

4.12 Radioactive Substance Authorisations

Records within 500m	0
----------------------------	----------

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Licensed Discharges to controlled waters

Records within 500m	6
----------------------------	----------

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on [page 30 >](#)

ID	Location	Address	Details	
A	193m NW	CLIFTON RD LEACH ST CSO 091KQ, CLIFTON ROAD, PRESTWICH, MANCHESTER, M25 3JG	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: 01BRY0039 Permit Version: 4 Receiving Water: TRIB PRESTWICH CLOUGH VIA SWS	Status: VARIED UNDER EPR 2010 Issue date: 09/06/2018 Effective Date: 09/06/2018 Revocation Date: -
A	193m NW	CLIFTON RD LEACH ST CSO 091KQ, CLIFTON ROAD, PRESTWICH, MANCHESTER, M25 3JG	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: 01BRY0039 Permit Version: 3 Receiving Water: PRESTWICH CLOUGH VIA CULVERT	Status: VARIED UNDER EPR 2010 Issue date: 05/02/2016 Effective Date: 05/02/2016 Revocation Date: 08/06/2018
A	211m NW	CLIFTON RD LEACH ST CSO 091KQ, CLIFTON ROAD, PRESTWICH, MANCHESTER, M25 3JG	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: 01BRY0039 Permit Version: 1 Receiving Water: STREAM VIA CULVERT	Status: VARIED UNDER EPR 2010 Issue date: - Effective Date: 01/01/1995 Revocation Date: 02/09/2010



ID	Location	Address	Details	
A	211m NW	CLIFTON RD LEACH ST CSO 091KQ, CLIFTON ROAD, PRESTWICH, MANCHESTER, M25 3JG	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: 01BRY0039 Permit Version: 2 Receiving Water: STREAM VIA CULVERT	Status: VARIED UNDER EPR 2010 Issue date: 03/09/2010 Effective Date: 03/09/2010 Revocation Date: 04/02/2016
A	238m W	FARM HILL CSO 091KO, CLIFTON ROAD, PRESTWICH, MANCHESTER, M25 3JX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: 01BRY0038 Permit Version: 2 Receiving Water: STREAM VIA CULVERT	Status: VARIED UNDER EPR 2010 Issue date: 03/09/2010 Effective Date: 03/09/2010 Revocation Date: 04/02/2016
A	238m W	FARM HILL CSO 091KO, CLIFTON ROAD, PRESTWICH, MANCHESTER, M25 3JX	Effluent Type: SEWAGE DISCHARGES - STW STORM OVERFLOW/STORM TANK - WATER COMPANY Permit Number: 01BRY0038 Permit Version: 1 Receiving Water: STREAM VIA CULVERT	Status: VARIED UNDER EPR 2010 Issue date: - Effective Date: 01/01/1995 Revocation Date: 02/09/2010

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m

0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to public sewer

Records within 500m

0

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.



4.16 List 1 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 2 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m

2

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Details	
5	440m SE	Incident Date: 16/04/2009 Incident Identification: 671041 Pollutant: Organic Chemicals/Products Pollutant Description: Other Organic Chemical or Product	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
6	478m SW	Incident Date: 06/11/2005 Incident Identification: 358482 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution inventory substances

Records within 500m

0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year

available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m

0

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.21 Pollution inventory radioactive waste

Records within 500m


0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



5 Hydrogeology - Superficial aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive
 - Unknown

5.1 Superficial aquifer

Records within 500m

1

Aquifer status of groundwater held within superficial geology.


Features are displayed on the Hydrogeology map on [page 37 >](#)

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive

5.2 Bedrock aquifer

Records within 500m

5

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on [page 38](#) >

ID	Location	Designation	Description
1	On site	Secondary B	Predominantly lower permeability layers which may store/yield limited amounts of groundwater due to localised features such as fissures, thin permeable horizons and weathering. These are generally the water-bearing parts of the former non-aquifers
2	99m NE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers





ID	Location	Designation	Description
3	116m SW	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
4	219m SW	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
5	366m S	Secondary B	Predominantly lower permeability layers which may store/yield limited amounts of groundwater due to localised features such as fissures, thin permeable horizons and weathering. These are generally the water-bearing parts of the former non-aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

1

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on [page 40](#) >



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: >550mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Secondary Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site	0
------------------------	----------

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.


5.5 Groundwater vulnerability- local information

Records on site	0
------------------------	----------

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk ↗.

This data is sourced from the British Geological Survey and the Environment Agency.

Abstractions and Source Protection Zones



- Site Outline
- Search buffers in metres (m)
- Source Protection Zone 1
Inner catchment
- Source Protection Zone 2
Outer catchment
- Source Protection Zone 3
Total catchment
- Source Protection Zone 4
Zone of Special Interest
- Source Protection Zone 1c
Inner catchment - confined aquifer
- Source Protection Zone 2c
Outer catchment - confined aquifer
- Source Protection Zone 3c
Total catchment - confined aquifer
- Drinking water abstraction licences
Polygon features
- Drinking water abstraction licences
Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m

22

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 42 >](#)

ID	Location	Details	
-	1480m SW	Status: Active Licence No: 2569004002 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE 4 AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379532 Northing: 403044	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -
-	1480m SW	Status: Active Licence No: 2569004002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE 4 AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379532 Northing: 403044	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -
-	1521m N	Status: Historical Licence No: 2569004052 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: "BOREHOLE AT WHITEFIELD GOLF CLUB, HIGHER LANE, WHITEFIELD" Data Type: Point Name: WHITEFIELD GOLF CLUB Easting: 380420 Northing: 405380	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 10/10/1996 Expiry Date: - Issue No: 100 Version Start Date: 19/04/1999 Version End Date: -
-	1521m N	Status: Active Licence No: 2569004052 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: BOREHOLE AT WHITEFIELD GOLF CLUB, HIGHER LANE, WHITEFIELD Data Type: Point Name: WHITEFIELD GOLF CLUB LTD Easting: 380420 Northing: 405380	Annual Volume (m ³): 8000 Max Daily Volume (m ³): 100 Original Application No: 7349 Original Start Date: 10/10/1996 Expiry Date: - Issue No: 101 Version Start Date: 09/11/2005 Version End Date: -



ID	Location	Details	
-	1531m SW	Status: Historical Licence No: 2569004002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: "BOREHOLES (4) AT CLIFTON JUNCTION, SWINTON, MANCHESTER" Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379500 Northing: 403000	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 11/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 24/01/1995 Version End Date: -
-	1531m SW	Status: Historical Licence No: 2569004002 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLES (4) AT CLIFTON JUNCTION, SWINTON, MANCHESTER" Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379500 Northing: 403000	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 11/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 24/01/1995 Version End Date: -
-	1531m SW	Status: Historical Licence No: 2569004002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BOREHOLES (4) AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379500 Northing: 403000	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: - Original Start Date: 11/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 26/02/1996 Version End Date: -
-	1531m SW	Status: Historical Licence No: 2569004002 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLES (4) AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379500 Northing: 403000	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: - Original Start Date: 11/02/1966 Expiry Date: - Issue No: 101 Version Start Date: 26/02/1996 Version End Date: -

ID	Location	Details	
-	1540m SW	Status: Active Licence No: 2569004002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BH 1 CLIFTON JUNCTION, SWINTON, MANCHESTER. Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379684 Northing: 402769	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -
-	1540m SW	Status: Active Licence No: 2569004002 Details: Process Water Direct Source: Ground Water - North West Region Point: BH 1 CLIFTON JUNCTION, SWINTON, MANCHESTER. Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379684 Northing: 402769	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -
-	1572m SW	Status: Active Licence No: 2569004002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BH 3 CLIFTON JUNCTION, SWINTON, MANCHESTER. Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379365 Northing: 403146	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -
-	1572m SW	Status: Active Licence No: 2569004002 Details: Process Water Direct Source: Ground Water - North West Region Point: BH 3 CLIFTON JUNCTION, SWINTON, MANCHESTER. Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379365 Northing: 403146	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -



ID	Location	Details	
-	1729m SW	Status: Active Licence No: 2569004002 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BH 2 CLIFTON JUNCTION, SWINTON, MANCHESTER. Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379401 Northing: 402802	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -
-	1729m SW	Status: Active Licence No: 2569004002 Details: Process Water Direct Source: Ground Water - North West Region Point: BH 2 CLIFTON JUNCTION, SWINTON, MANCHESTER. Data Type: Point Name: MAGNESIUM ELEKTRON LTD Easting: 379401 Northing: 402802	Annual Volume (m ³): 945568 Max Daily Volume (m ³): 3273.12 Original Application No: NPS/WR/031696 Original Start Date: 11/02/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/05/2019 Version End Date: -
-	1755m W	Status: Historical Licence No: 2569004012 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: "BOREHOLE AT CLIFTON JUNCTION,SWINTON, MANCHESTER" Data Type: Point Name: CHLORIDE INDUSTRIAL BATTERIES Easting: 379100 Northing: 403300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 28/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 25/06/1991 Version End Date: -
-	1755m W	Status: Historical Licence No: 2569004012 Details: Process water Direct Source: Ground Water - North West Region Point: "BOREHOLE AT CLIFTON JUNCTION,SWINTON, MANCHESTER" Data Type: Point Name: CHLORIDE INDUSTRIAL BATTERIES Easting: 379100 Northing: 403300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 28/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 25/06/1991 Version End Date: -



ID	Location	Details	
-	1755m W	Status: Historical Licence No: 2569004012 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: ENERSYS LTD Easting: 379100 Northing: 403300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 28/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 09/10/2003 Version End Date: -
-	1755m W	Status: Historical Licence No: 2569004012 Details: Process water Direct Source: Ground Water - North West Region Point: BOREHOLE AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: ENERSYS LTD Easting: 379100 Northing: 403300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 28/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 09/10/2003 Version End Date: -
-	1755m W	Status: Historical Licence No: 2569004012 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: AINSCOUGH BROS LLP Easting: 379100 Northing: 403300	Annual Volume (m ³): 681900 Max Daily Volume (m ³): 3054.91 Original Application No: - Original Start Date: 28/01/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/09/2011 Version End Date: -
-	1755m W	Status: Historical Licence No: 2569004012 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE AT CLIFTON JUNCTION, SWINTON, MANCHESTER Data Type: Point Name: AINSCOUGH BROS LLP Easting: 379100 Northing: 403300	Annual Volume (m ³): 681900 Max Daily Volume (m ³): 3054.91 Original Application No: - Original Start Date: 28/01/1966 Expiry Date: - Issue No: 103 Version Start Date: 28/09/2011 Version End Date: -

ID	Location	Details	
-	1879m SE	Status: Historical Licence No: 2569004050 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PRESTWICH GOLF CLUB, HILTON LANE, PRESTWICH" Data Type: Point Name: PRESTWICH GOLF CLUB Easting: 381580 Northing: 402180	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 05/10/1995 Expiry Date: - Issue No: 100 Version Start Date: 25/03/1997 Version End Date: -
-	1879m SE	Status: Active Licence No: 2569004050 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: BOREHOLE AT PRESTWICH GOLF CLUB, HILTON LANE, PRESTWICH Data Type: Point Name: PRESTWICH GOLF COMPANY LTD Easting: 381580 Northing: 402180	Annual Volume (m ³): 12000 Max Daily Volume (m ³): 100 Original Application No: 7320 Original Start Date: 05/10/1995 Expiry Date: - Issue No: 101 Version Start Date: 03/10/2006 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

3

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 42 >](#)

ID	Location	Details	
-	1725m W	Status: Historical Licence No: 2569004039 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: "Surface, Non-Tidal - North West Region" Point: "R IRWELL AT PREMISES, CLIFTON JUNCTION, SWINTON, MANCH" Data Type: Point Name: CHLORIDE INDUSTRIAL BATTERIES Easting: 379100 Northing: 403400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/01/1970 Expiry Date: - Issue No: 100 Version Start Date: 10/12/1993 Version End Date: -



ID	Location	Details	
-	1725m W	Status: Historical Licence No: 2569004039 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Surface, Non-Tidal - North West Region Point: R IRWELL AT PREMISES, CLIFTON JUNCTION, SWINTON, MANCH Data Type: Point Name: ENERSYS LTD Easting: 379100 Northing: 403400	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/01/1970 Expiry Date: - Issue No: 100 Version Start Date: 23/03/2002 Version End Date: -
-	1725m W	Status: Historical Licence No: 2569004039 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Surface, Non-Tidal - North West Region Point: R IRWELL AT PREMISES, CLIFTON JUNCTION, SWINTON, MANCH Data Type: Point Name: AINSCOUGH BROS LLP Easting: 379100 Northing: 403400	Annual Volume (m ³): 272770 Max Daily Volume (m ³): 745 Original Application No: - Original Start Date: 15/01/1970 Expiry Date: - Issue No: 102 Version Start Date: 28/09/2011 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m	0
-----------------------------	----------

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m	0
----------------------------	----------

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m


0

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.



6 Hydrology



- Site Outline
- Search buffers in metres (m)
- Water Network (OS MasterMap)
- Surface water features (wider than 5m)
- Surface water features (narrower than 5m)
- ⋯ WFD River, canal and surface water transfer water bodies
- WFD Lake water bodies
- WFD Transitional and coastal water bodies
- WFD Surface water body catchments boundaries
- ⋯ WFD Groundwater body boundaries

6.1 Water Network (OS MasterMap)

Records within 250m

0

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

This data is sourced from the Ordnance Survey.

6.2 Surface water features

Records within 250m

0

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.



This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on [page 51](#) >

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
1	On site	River	Irwell (Croal to Irk)	GB112069061451	Croal Irwell	Irwell

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified

1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on [page 51](#) >

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	1223m SW	River	Irwell (Croal to Irk)	GB112069061451 ↗	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site

1

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.



Features are displayed on the Hydrology map on [page 51](#) >

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
2	On site	Manchester and East Cheshire Permo-Triassic Sandstone Aquifers	GB41201G101100 ↗	Poor	Poor	Poor	2019

This data is sourced from the Environment Agency and Natural Resources Wales.



7 River and coastal flooding

7.1 Risk of flooding from rivers and the sea

Records within 50m

0

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m

0

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m

0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.



7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.



River and coastal flooding - Flood Zones

7.6 Flood Zone 2

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.



8 Surface water flooding

8.1 Surface water flooding

Highest risk on site

Negligible

Highest risk within 50m

Negligible

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site. The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Negligible
1 in 250 year	Negligible
1 in 100 year	Negligible
1 in 30 year	Negligible

This data is sourced from Ambiental Risk Analytics.



9 Groundwater flooding



— Site Outline
Search buffers in metres (m)

- High
- Moderate - High
- Moderate
- Low
- Negligible

9.1 Groundwater flooding

Highest risk on site

Moderate

Highest risk within 50m


Moderate

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on [page 58](#) >

This data is sourced from Ambiantal Risk Analytics.

10 Environmental designations



- Site Outline
- Search buffers in metres (m)
- + Local Nature Reserves (LNR)
- ▨ Designated Ancient Woodland
- ▨ Green Belt

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m**0**

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m**0**

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m**0**

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m**0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m

3

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

Features are displayed on the Environmental designations map on [page 59 >](#)

ID	Location	Name	Data source
A	469m NW	Mere Clough	Natural England
3	536m NW	Philip's Park	Natural England
-	1886m SE	Kersal Moor	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m

5

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on [page 59 >](#)

ID	Location	Name	Woodland Type
2	328m SE	Prestwich Clough Wood	Ancient & Semi-Natural Woodland
A	469m NW	Mere Clough	Ancient & Semi-Natural Woodland
4	604m NW	Philips Wood	Ancient & Semi-Natural Woodland
6	1263m W	North Wood	Ancient & Semi-Natural Woodland
-	1891m NW	Carters Hill Wood	Ancient & Semi-Natural Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.



10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

5

Areas designated to prevent urban sprawl by keeping land permanently open.

Features are displayed on the Environmental designations map on [page 59 >](#)

ID	Location	Name	Local Authority name
1	88m W	Merseyside and Greater Manchester	Bury
5	1220m SW	Merseyside and Greater Manchester	Salford
-	1588m E	Merseyside and Greater Manchester	Bury
-	1604m E	Merseyside and Greater Manchester	Manchester
-	1762m NE	Merseyside and Greater Manchester	Bury

This data is sourced from the Ministry of Housing, Communities and Local Government.



10.12 Proposed Ramsar sites

Records within 2000m**0**

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m**0**

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m**0**

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m**0**

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.



10.16 Nitrate Vulnerable Zones

Records within 2000m**2**


Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
On site	Irwell / Man. Ship Canal (Kearsley to Irlam Locks) NVZ	Surface Water	643	Existing
1561m NE	River Irk (Moston Brook to River Irwell) NVZ	Surface Water	638	Existing

This data is sourced from Natural England and Natural Resources Wales.



SSSI Impact Zones and Units



- Site Outline
- Search buffers in metres (m)
- SSSI Impact Risk Zones
- SSSI Units
- Not recorded
- Favourable
- Unfavourable - Recovering
- Unfavourable - No change
- Unfavourable - Declining
- Partially destroyed
- Destroyed

10.17 SSSI Impact Risk Zones

Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on [page 65 >](#)

ID	Location	Type of developments requiring consultation
1	On site	Air pollution - Livestock & poultry units with floorspace > 500m ² , slurry lagoons & digestate stores > 4000m ² . Combustion - General combustion processes >50mw energy input. incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.



This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m

0

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.



11 Visual and cultural designations



- Site Outline
- Search buffers in metres (m)
- Listed buildings
- Conservation areas
- Conservation areas - no data
- National Parks
- Areas of Outstanding Natural Beauty
- Registered parks and gardens
- Scheduled Monuments
- World Heritage Sites

11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m**0**

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m**0**

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m**0**

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m**1**

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.



Features are displayed on the Visual and cultural designations map on [page 67](#) >

ID	Location	Name	District	Date of designation
1	136m S	St Mary's	Bury	1993

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m

0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m

0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.



12 Agricultural designations



- Site Outline
- Search buffers in metres (m)
- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

12.1 Agricultural Land Classification

Records within 250m

1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on [page 70](#) >

ID	Location	Classification	Description
1	On site	Urban	-

This data is sourced from Natural England.



12.2 Open Access Land

Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m

0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes


Records within 250m

0

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.

13 Habitat designations



- Site Outline
- Search buffers in metres (m)
- Priority Habitat Inventory
- Open Mosaic Habitat
- Limestone Pavement Orders
- Habitat Networks
- Primary Habitat
- Restorable Habitat
- Associated Habitats
- Habitat Restoration-Creation
- Network Enhancement Zone 1
- Network Enhancement Zone 2

13.1 Priority Habitat Inventory

Records within 250m

13

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on [page 72 >](#)

ID	Location	Main Habitat	Other habitats
A	103m N	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
1	108m N	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
2	143m S	No main habitat but additional habitats present	Additional: DWOOD (INV 50%)
3	146m N	No main habitat but additional habitats present	Additional: DWOOD (INV 50%)



ID	Location	Main Habitat	Other habitats
4	152m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
5	164m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
A	189m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
6	196m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
7	206m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
B	210m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
8	237m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
B	239m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
9	245m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m

0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave




them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



— Site Outline
Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

14.1 10k Availability

Records within 500m

1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.


Features are displayed on the Geology 1:10,000 scale - Availability map on [page 75](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	SD80SW

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Artificial and made ground



- Site Outline**
- Search buffers in metres (m)**
- Reclaimed ground
 - Made ground
 - Worked ground
 - Infilled ground
 - Disturbed ground
 - Landscaped ground

14.2 Artificial and made ground (10k)

Records within 500m

4

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on [page 76 >](#)


ID	Location	LEX Code	Description	Rock description
1	129m N	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
2	143m S	WMGR-ARTDP	Infilled Ground	Artificial Deposit
3	271m NE	LSGR-ARTDP	Landscaped Ground (Undivided)	Artificial Deposit
4	483m SW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit



This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (10k)

Superficial geology (10k)
Please see table for more details.

14.3 Superficial geology (10k)

Records within 500m

3

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on [page 78 >](#)

ID	Location	LEX Code	Description	Rock description
1	On site	HMGDD-XSV	Hummocky (moundy) Glacial Deposits, Devensian - Sand And Gravel	Sand And Gravel
3	250m NW	TILLD-DMTN	Till, Devensian - Diamicton	Diamicton
5	294m N	GFDUD-XSV	Glaciofluvial Deposits, Devensian - Sand And Gravel	Sand And Gravel



This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m

5

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.


Features are displayed on the Geology 1:10,000 scale - Superficial map on [page 78 >](#)

ID	Location	LEX Code	Description	Rock description
2	240m W	SLIP-UNKNOWN	Landslide Deposits	Unknown/unclassified Entry
4	266m NW	SLIP-UNKNOWN	Landslide Deposits	Unknown/unclassified Entry
6	352m S	SLIP-UNKNOWN	Landslide Deposits	Unknown/unclassified Entry
7	377m S	SLIP-UNKNOWN	Landslide Deposits	Unknown/unclassified Entry
8	406m SE	SLIP-UNKNOWN	Landslide Deposits	Unknown/unclassified Entry

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

.... Bedrock faults and other linear features (10k)

Bedrock geology (10k)
Please see table for more details.

14.5 Bedrock geology (10k)

Records within 500m

12

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 80 >](#)

ID	Location	LEX Code	Description	Rock age
1	On site	MM-MDST	Manchester Marls Formation - Mudstone	Late Permian Epoch [Obsolete name]
2	91m SW	CPB-SDST	Chester Pebble Beds Formation - Sandstone	Early Triassic Epoch
3	131m NE	PUCM-MDSS	Pennine Upper Coal Measures Formation - Mudstone, Siltstone And Sandstone	Westphalian D Sub-age - Bolsovian Sub-age



ID	Location	LEX Code	Description	Rock age
4	202m SW	PMCM-MDSS	Pennine Middle Coal Measures Formation - Mudstone, Siltstone And Sandstone	Bolsovia Sub-age - Duckmantian Sub-age
6	208m SW	NHSS-SDST	Newton Heath Sandstone - Sandstone	Bolsovia Sub-age
7	211m SW	CPB-SDST	Chester Pebble Beds Formation - Sandstone	Early Triassic Epoch
9	273m W	PMCM-MDSS	Pennine Middle Coal Measures Formation - Mudstone, Siltstone And Sandstone	Bolsovia Sub-age - Duckmantian Sub-age
10	301m SW	PUCM-MDSS	Pennine Upper Coal Measures Formation - Mudstone, Siltstone And Sandstone	Westphalian D Sub-age - Bolsovia Sub-age
12	327m S	MM-MDST	Manchester Marls Formation - Mudstone	Late Permian Epoch [Obsolete name]
13	343m SW	WDR-SDST	Worsley Delf Rock - Sandstone	Bolsovia Sub-age
14	381m NE	WDR-SDST	Worsley Delf Rock - Sandstone	Bolsovia Sub-age
15	489m SW	PUCM-MDSS	Pennine Upper Coal Measures Formation - Mudstone, Siltstone And Sandstone	Westphalian D Sub-age - Bolsovia Sub-age

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m

3

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.


Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 80](#) >

ID	Location	Category	Description
5	202m SW	FAULT	Normal fault, inferred; crossmarks on downthrow side
8	211m SW	FAULT	Normal fault, inferred; crossmarks on downthrow side
11	301m SW	FOSSIL_HORIZON	Fossil horizon, marine band coincident with bedrock geology boundary

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



— Site Outline

Search buffers in metres (m)

□ Geological map tile

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on [page 82](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	No coverage	EW085_manchester_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (50k)

Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m

3

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 84](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	HMGDD-XSV	HUMMOCKY (MOUNDY) GLACIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL
2	250m NW	TILLD-DMTN	TILL, DEVENSIAN	DIAMICTON
3	294m N	GFDUD-XSV	GLACIOFLUVIAL DEPOSITS, DEVENSIAN	SAND AND GRAVEL



This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m

1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	Very High	High

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

.... Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

12

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 86](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	MM-MDST	MANCHESTER MARLS FORMATION - MUDSTONE	-
2	91m SW	CHES-SDST	CHESTER FORMATION - SANDSTONE	OLENEKIAN
3	131m NE	PUCM-MDSS	PENNINE UPPER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN

ID	Location	LEX Code	Description	Rock age
4	202m SW	PMCM-MDSS	PENNINE MIDDLE COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
6	208m SW	NHSS-SDST	NEWTON HEATH SANDSTONE - SANDSTONE	WESTPHALIAN
7	211m SW	CHES-SDST	CHESTER FORMATION - SANDSTONE	OLENEKIAN
9	274m W	PMCM-MDSS	PENNINE MIDDLE COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
10	301m SW	PUCM-MDSS	PENNINE UPPER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
12	327m S	MM-MDST	MANCHESTER MARLS FORMATION - MUDSTONE	-
13	343m SW	WDR-SDST	WORSLEY DELF ROCK - SANDSTONE	WESTPHALIAN
14	381m NE	WDR-SDST	WORSLEY DELF ROCK - SANDSTONE	WESTPHALIAN
15	489m SW	PUCM-MDSS	PENNINE UPPER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m

1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	Low	Low

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m

3

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 86](#) >



ID	Location	Category	Description
5	202m SW	FAULT	Fault, inferred
8	211m SW	FAULT	Fault, inferred
11	301m SW	FOSSIL_HORIZON	Marine band

This data is sourced from the British Geological Survey.



16 Boreholes



— Site Outline
Search buffers in metres (m)

- Confidential
- 0 - 10m
- 10 - 30m
- 30m+
- Unknown

16.1 BGS Boreholes

Records within 250m

2

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.


Features are displayed on the Boreholes map on [page 89](#) >

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	44m S	380750 403830	GARDNER ROAD SEWER 2	5.5	N	29207 ↗
2	103m S	380760 403770	GARDNER ROAD SEWER 1	5.5	N	29206 ↗

This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



- Site Outline**
- Search buffers in metres (m)**
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.1 Shrink swell clays

Records within 50m

1

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).


Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 90](#) >

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Running sands



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.2 Running sands

Records within 50m

1

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.


Features are displayed on the Natural ground subsidence - Running sands map on [page 91](#) >

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m

1

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.


Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 92](#) >

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Collapsible deposits



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☒ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.4 Collapsible deposits

Records within 50m

1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.


Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 93](#) >

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Landslides



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☒ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on [page 94](#) >

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 95](#)


Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.



This data is sourced from the British Geological Survey.



18 Mining, ground workings and natural cavities



- Site Outline
- Search buffers in metres (m)
- Natural cavities (Area)
- Natural cavities (Point)
- BritPits
- Surface ground workings
- Underground workings
- Historical Mineral Planning Areas
- Mining Cavities
- Non Coal Mining
 - Sporadic underground mining of restricted extent possible
 - Localised small scale underground mining possible
 - Small scale mining possible
 - Underground mining known or likely within or in close proximity
 - Underground mining known within or in very close proximity

18.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

18.2 BritPits

Records within 500m

0

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m

19

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining, ground workings and natural cavities map on [page 97 >](#)

ID	Location	Land Use	Year of mapping	Mapping scale
A	137m S	Unspecified Ground Workings	1932	1:10560
A	137m S	Unspecified Ground Workings	1915	1:10560
A	138m S	Unspecified Ground Workings	1968	1:10560
A	138m S	Unspecified Ground Workings	1956	1:10560
A	141m S	Unspecified Ground Workings	1938	1:10560
1	154m NW	Unspecified Heap	1891	1:10560
2	161m N	Unspecified Heap	1891	1:10560
B	170m S	Sand Pit	1915	1:10560
B	171m S	Unspecified Ground Workings	1932	1:10560
B	173m S	Unspecified Ground Workings	1938	1:10560
B	178m S	Sand Pit	1923	1:10560
C	202m S	Unspecified Ground Workings	1907	1:10560
C	204m S	Unspecified Ground Workings	1915	1:10560
D	239m NW	Unspecified Pit	1977	1:10000
D	241m NW	Unspecified Ground Workings	1985	1:10000
D	242m NW	Unspecified Pit	1923	1:10560
D	242m NW	Pond	1938	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
D	249m NW	Unspecified Ground Workings	1932	1:10560
D	249m NW	Unspecified Ground Workings	1915	1:10560

This data is sourced from Ordnance Survey/Groundsure.

18.4 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m

0

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

This data is sourced from the British Geological Survey.

18.7 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.



18.8 JPB mining areas

Records on site	0
-----------------	---

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.9 Coal mining

Records on site	1
-----------------	---

Areas which could be affected by past, current or future coal mining.

Location	Details
On site	The site is located within a coal mining area as defined by the Coal Authority. A Consultants Coal Mining Report is recommended to further assess coal mining issues at the site. This can be ordered directly through Groundsure or your preferred search provider.

This data is sourced from the Coal Authority.

18.10 Brine areas

Records on site	0
-----------------	---

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.11 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.



18.13 Clay mining

Records on site



0

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).



19 Radon



19.1 Radon

Records on site

1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on [page 102 >](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None



This data is sourced from the British Geological Survey and UK Health Security Agency.



20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m**1**

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	600 - 1200 mg/kg	360 - 720 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m**0**

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.

20.3 BGS Measured Urban Soil Chemistry

Records within 50m**0**

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



21 Railway infrastructure and projects

21.1 Underground railways (London)

Records within 250m

0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m

0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m

0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m

0

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m

0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.



This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m

0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

21.7 Railways

Records within 250m

0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m

0

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m

0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

21.10 HS2

Records within 500m

0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.



Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference> ↗.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <https://www.groundsure.com/terms-and-conditions-april-2023/> ↗.

