

EH response

Noise not to increase ambient noise

Noise from or associated with the proposed activity/development hereby permitted shall not increase the prevailing ambient noise levels as measured at the boundary of the site.

The ambient noise levels shall be determined by survey, by the applicant, to the satisfaction of the Local Planning Authority (LPA) and a copy of the survey report shall be provided to the LPA before any development takes place.

For further information, the applicant is advised to contact the Environmental Services Division of the Local Authority.

Insulation between dwellings/buildings

No development shall take place unless and until a scheme to soundproof the bar and restaurant on ground floor between the offices on first floor has been submitted to and approved by the Local Planning Authority. The levels of acoustic insulation to be provided shall be, as a minimum, those deemed to be acceptable and specified as standards of construction in current Building Regulations. Such works that form the approved scheme shall be completed before the development is brought into use. This is because the offices are open from 8am until 8pm and the bar is 8am until 3am.

Cooking Fumes (the 'HOT5')

No development shall commence unless and until a scheme for treating, diluting and dispersing fumes and odours has been submitted to and approved in writing by the Local Planning Authority. The scheme submitted shall include a written statement from a suitably qualified person who is a member of the Heating and Ventilation Contractors Association (HVCA) or an equivalent professional body, stating that the fume treatment to be installed complies with or exceeds the 'Minimum Requirements For Odour Control' provided by the Guidance on the Control of Odour and Noise from Commercial Kitchen Exhaust Systems :DEFRA 2005 (or if applicable such superseding guidance as shall prevail at the time of commencement of the development).

The scheme to be submitted shall also include the relevant manufacturer and installer instructions for any associated equipment with details of maintenance requirements.

The scheme as approved shall be implemented, available for use and maintained in accordance with the approved scheme whilst it shall serve the development.

Reason. To protect the residential amenities of nearby residential property from impact upon from fumes and odour pursuant to UDP Policy S2/6 - Food and Drink.

Public Entertainment Licensing

Noise from any entertainment shall not be generally audible within noise-sensitive premises (for example, houses) with windows open in a typical manner for ventilation.

All windows and doors to the room or area in which the function/entertainment is being held/performed shall be kept closed for the duration of the entertainment.