


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 1)	Page 1 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	3260 x 1570
Quantity	1
Design	Style FF
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Transom	546085/95 69mm IG T/Z
Mullion	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746 72mm 5 Chamber F	2	605	-/	318575 1mm Steel Rein	3106
Hor	Frame	586836-746 72mm 5 Chamber F	2	605	\-		
Hor	Frame	586836-787 72mm 5 Chamber F	2	2065	-*		
Ver	Frame	586836-746 72mm 5 Chamber F	2	1545	\-/	318575 1mm Steel Rein	1386
Hor	Transom	576265-746 69mm IG T Section	1	602	->	249838 42 x 10 x 1mm S	484
Hor	Transom	576265-746 69mm IG T Section	1	602	<-	249838 42 x 10 x 1mm S	484
Hor	Transom	576265-787 69mm IG T Section	1	2065	-*	249838 42 x 10 x 1mm S	1981
Ver	Mullion	576275-746 69mm IG Z Section	1	437	<->*	249838 42 x 10 x 1mm S	1386
Ver	Mullion	576275-746 69mm IG Z Section	1	1177	<->*		
Ver	Mullion	576275-746 69mm IG Z Section	1	437	<->	249838 42 x 10 x 1mm S	1386
Ver	Mullion	576275-746 69mm IG Z Section	1	1177	<->		
Hor	Sash	586885-787 75mm IG T Semi-Sc	8	555	\-/ *	287777 20 x 35 x 20 x 1	395
Ver	Sash	586885-787 75mm IG T Semi-Sc	4	355	\-/ *	287777 20 x 35 x 20 x 1	195
Ver	Sash	586885-787 75mm IG T Semi-Sc	4	1095	\-/ *	287777 20 x 35 x 20 x 1	935
Hor	Cill	246360-746 150mm Cill	1	3360	-*		
	Cill Reinf	324971-001 Cill Reinforcing	1	3350	-*		
	Bead type	546572-701 28mm Ovolo Bead		19266			

* - Denotes bar reversed

WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 1)	Page 2 of 13	Print Info:	19-08-2024 6:34 pm

Accessories Required:	Qty	Length
246400 150mm Cill End Cap (Gry)	2	Items
370227-001 8" UNIVERSAL 16mm ST/HT	2	Items
370228-001 12" UNIVERSAL 16mm ST/HT	2	Items
370204-001 STD G/BOX 22 B/S 7.7 MUSH	4	Items
370207-001 ROD 1 1 x 7.7 MUSH 520-670	4	Items
370211-001 ROD 4 1 x 7.7 MUSH 970-1120	4	Items
370216-001 MUSH KEEP REHAU 706 FULL CLIP	8	Items
370217-001 LH CORNER KEEP REHAU 706 FULL	4	Items
370218-001 RH CORNER KEEP REHAU 706 FULL	4	Items
370244-005 CRANKED LH 15MM WHITE	2	Items
370245-005 CRANKED RH 15MM WHITE	2	Items
White 4000mm2 T/Vent	4	Items

Glass Required:	Qty	Width	Height
A1 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	225
A4 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	965
D1 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	2021	323
D4 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	2021	1063
H1 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	225
H4 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	965


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 2)	Page 3 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	2385 x 1625
Quantity	1
Design	Style FF
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Transom	546085/95 69mm IG T/Z
Mullion	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:						Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746	72mm 5 Chamber F	2	605		-/	318575 1mm Steel Rein	2231	
Hor	Frame	586836-746	72mm 5 Chamber F	2	605		\-			
Hor	Frame	586836-787	72mm 5 Chamber F	2	1190		- *			
Ver	Frame	586836-746	72mm 5 Chamber F	2	1600		\-/	318575 1mm Steel Rein	1441	
Hor	Transom	576265-746	69mm IG T Section	1	602		->	249838 42 x 10 x 1mm S	484	
Hor	Transom	576265-746	69mm IG T Section	1	602		<-	249838 42 x 10 x 1mm S	484	
Hor	Transom	576265-787	69mm IG T Section	1	1190		- *	249838 42 x 10 x 1mm S	1106	
Ver	Mullion	576275-746	69mm IG Z Section	1	537		<-> *	249838 42 x 10 x 1mm S	1441	
Ver	Mullion	576275-746	69mm IG Z Section	1	1132		<-> *			
Ver	Mullion	576275-746	69mm IG Z Section	1	537		<->	249838 42 x 10 x 1mm S	1441	
Ver	Mullion	576275-746	69mm IG Z Section	1	1132		<->			
Hor	Sash	586885-787	75mm IG T Semi-Sc	8	555		\-/ *	287777 20 x 35 x 20 x 1	395	
Ver	Sash	586885-787	75mm IG T Semi-Sc	4	455		\-/ *	287777 20 x 35 x 20 x 1	295	
Ver	Sash	586885-787	75mm IG T Semi-Sc	4	1050		\-/ *	287777 20 x 35 x 20 x 1	890	
Hor	Cill	246360-746	150mm Cill	1	2485		-			
	Cill Reinf	324971-001	Cill Reinforcing	1	2475		-			
	Bead type	546572-701	28mm Ovolo Bead		16096					
* - Denotes bar reversed										

* - Denotes bar reversed

WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 2)	Page 4 of 13	Print Info:	19-08-2024 6:34 pm

Accessories Required:	Qty	Length
246400 150mm Cill End Cap (Gry)	2	Items
370223-001 10" TOP HUNG 16mm ST/HT	2	Items
370228-001 12" UNIVERSAL 16mm ST/HT	2	Items
370204-001 STD G/BOX 22 B/S 7.7 MUSH	4	Items
370207-001 ROD 1 1 x 7.7 MUSH 520-670	4	Items
370211-001 ROD 4 1 x 7.7 MUSH 970-1120	4	Items
370216-001 MUSH KEEP REHAU 706 FULL CLIP	8	Items
370217-001 LH CORNER KEEP REHAU 706 FULL	4	Items
370218-001 RH CORNER KEEP REHAU 706 FULL	4	Items
370244-005 CRANKED LH 15MM WHITE	2	Items
370245-005 CRANKED RH 15MM WHITE	2	Items
White 4000mm2 T/Vent	4	Items

Glass Required:	Qty	Width	Height
A1 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	325
A4 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	920
D1 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	1146	423
D4 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	1146	1018
H1 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	325
H4 4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	425	920


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 3)	Page 5 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	1150 x 1200
Quantity	1
Design	CASE 6
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Transom	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:				Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746	72mm 5 Chamber F	1	1155	\-/	318575 1mm Steel Rein	996
Hor	Frame	586836-787	72mm 5 Chamber F	1	1155	\-/ *	318575 1mm Steel Rein	996
Ver	Frame	586836-746	72mm 5 Chamber F	2	405	\-		
Ver	Frame	586836-787	72mm 5 Chamber F	2	775	-/ *	318575 1mm Steel Rein	1016
Hor	Transom	576275-746	69mm IG Z Section	1	1149	<->	249838 42 x 10 x 1mm S	996
Hor	Sash	586885-787	75mm IG T Semi-Sc	2	1067	\-/ *	287777 20 x 35 x 20 x 1	907
Ver	Sash	586885-787	75mm IG T Semi-Sc	2	355	\-/ *	287777 20 x 35 x 20 x 1	195
Hor	Cill	246360-746	150mm Cill	1	1250	-		
	Cill Reinf	324971-001	Cill Reinforcing	1	1240	-		
	Bead type	546572-701	28mm Ovolo Bead		5866			

* - Denotes bar reversed

Accessories Required:			Qty	Length
246400	150mm Cill End Cap (Gry)		2	Items
370227-001	8" UNIVERSAL 16mm ST/HT		1	Items
370204-001	STD G/BOX 22 B/S 7.7 MUSH		1	Items
370211-001	ROD 4 1 x 7.7 MUSH 970-1120		2	Items
370216-001	MUSH KEEP REHAU 706 FULL CLIP		2	Items
370217-001	LH CORNER KEEP REHAU 706 FULL		1	Items
370218-001	RH CORNER KEEP REHAU 706 FULL		1	Items
370244-005	CRANKED LH 15MM WHITE		1	Items
	White 4000mm2 T/Vent		1	Items

Glass Required:				Qty	Width	Height
A1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer			1	938	225
A4	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer			1	1036	693


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 4)	Page 6 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	1570 x 1370
Quantity	1
Design	CASE 17
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Mullion	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:				Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746	72mm 5 Chamber F	2	605	-/	318575 1mm Steel Rein	1416
Hor	Frame	586836-787	72mm 5 Chamber F	2	975	\- *		
Ver	Frame	586836-746	72mm 5 Chamber F	1	1345	\-/	318575 1mm Steel Rein	1186
Ver	Frame	586836-787	72mm 5 Chamber F	1	1345	\-/ *	318575 1mm Steel Rein	1186
Ver	Mullion	576275-746	69mm IG Z Section	1	1339	<-> *	249838 42 x 10 x 1mm S	1186
Hor	Sash	586885-787	75mm IG T Semi-Sc	2	555	\-/ *	287777 20 x 35 x 20 x 1	395
Ver	Sash	586885-787	75mm IG T Semi-Sc	2	1257	\-/ *	287777 20 x 35 x 20 x 1	1097
Hor	Cill	246360-746	150mm Cill	1	1670	-		
	Cill Reinf	324971-001	Cill Reinforcing	1	1660	-		
	Bead type	546572-701	28mm Ovolo Bead		7426			

* - Denotes bar reversed

Accessories Required:				Qty	Length
246400	150mm Cill End Cap (Gry)			2	Items
370228-001	12" UNIVERSAL 16mm ST/HT			1	Items
370204-001	STD G/BOX 22 B/S 7.7 MUSH			1	Items
370213-001	ROD 5 1 x 7.7 MUSH 1120-1270			2	Items
370214-001	ROD 6 1 x 7.7 MUSH 1270-1420			2	Items
370216-001	MUSH KEEP REHAU 706 FULL CLIP			2	Items
370217-001	LH CORNER KEEP REHAU 706 FULL			1	Items
370218-001	RH CORNER KEEP REHAU 706 FULL			1	Items
370245-005	CRANKED RH 15MM WHITE			1	Items
	White 4000mm2 T/Vent			1	Items

Glass Required:				Qty	Width	Height
A1	4-20-4 Obs Tuff 'K' : 20mm Silver Spacer	Stippolyte		1	893	1226
F1	4-20-4 Obs Tuff 'K' : 20mm Silver Spacer	Stippolyte		1	425	1128


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 5)	Page 7 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	1480 x 440
Quantity	1
Design	CASE 15
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Mullion	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746 72mm 5 Chamber F	2	1485	\-/	318575 1mm Steel Rein	1326
Ver	Frame	586836-746 72mm 5 Chamber F	2	415	\-/	318575 1mm Steel Rein	256
Ver	Mullion	576265-746 69mm IG T Section	1	409	<->	249838 42 x 10 x 1mm S	256
Hor	Sash	586885-787 75mm IG T Semi-Sc	4	695	\-/ *	287777 20 x 35 x 20 x 1	535
Ver	Sash	586885-787 75mm IG T Semi-Sc	4	327	\-/ *	287777 20 x 35 x 20 x 1	167
Hor	Cill	246360-746 150mm Cill	1	1580	-		
	Cill Reinf	324971-001 Cill Reinforcing	1	1570	-		
	Bead type	546572-701 28mm Ovolo Bead		3134	* - Denotes bar reversed		

* - Denotes bar reversed

Accessories Required:		Qty	Length
246400	150mm Cill End Cap (Gry)	2	Items
370227-001	8" UNIVERSAL 16mm ST/HT	2	Items
370204-001	STD G/BOX 22 B/S 7.7 MUSH	2	Items
370208-001	ROD 2 1 x 7.7 MUSH 670-820	4	Items
370216-001	MUSH KEEP REHAU 706 FULL CLIP	4	Items
370217-001	LH CORNER KEEP REHAU 706 FULL	2	Items
370218-001	RH CORNER KEEP REHAU 706 FULL	2	Items
370244-005	CRANKED LH 15MM WHITE	1	Items
370245-005	CRANKED RH 15MM WHITE	1	Items
	White 4000mm2 T/Vent	2	Items

Glass Required:		Qty	Width	Height
A1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	565	198
F1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	565	198


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 6)	Page 8 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	1500 x 440
Quantity	1
Design	CASE 15
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Mullion	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746 72mm 5 Chamber F	2	1505	\-/	318575 1mm Steel Rein	1346
Ver	Frame	586836-746 72mm 5 Chamber F	2	415	\-/	318575 1mm Steel Rein	256
Ver	Mullion	576265-746 69mm IG T Section	1	409	<->	249838 42 x 10 x 1mm S	256
Hor	Sash	586885-787 75mm IG T Semi-Sc	2	695	\-/ *	287777 20 x 35 x 20 x 1	535
Hor	Sash	586885-787 75mm IG T Semi-Sc	2	715	\-/ *	287777 20 x 35 x 20 x 1	555
Ver	Sash	586885-787 75mm IG T Semi-Sc	4	327	\-/ *	287777 20 x 35 x 20 x 1	167
Hor	Cill	246360-746 150mm Cill	1	1600	-		
	Cill Reinf	324971-001 Cill Reinforcing	1	1590	-		
	Bead type	546572-701 28mm Ovolo Bead		3174			

* - Denotes bar reversed

Accessories Required:			Qty	Length
246400	150mm Cill End Cap (Gry)		2	Items
370227-001	8" UNIVERSAL 16mm ST/HT		2	Items
370204-001	STD G/BOX 22 B/S 7.7 MUSH		2	Items
370208-001	ROD 2 1 x 7.7 MUSH 670-820		4	Items
370216-001	MUSH KEEP REHAU 706 FULL CLIP		4	Items
370217-001	LH CORNER KEEP REHAU 706 FULL		2	Items
370218-001	RH CORNER KEEP REHAU 706 FULL		2	Items
370244-005	CRANKED LH 15MM WHITE		1	Items
370245-005	CRANKED RH 15MM WHITE		1	Items
	White 4000mm2 T/Vent		2	Items

Glass Required:			Qty	Width	Height
A1	4-20-4 Obs Tuff 'K' : 20mm Silver Spacer Stippolyte		1	565	198
F1	4-20-4 Obs Tuff 'K' : 20mm Silver Spacer Stippolyte		1	585	198


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 7)	Page 9 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	620 x 1550
Quantity	1
Design	CASE 6
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Transom	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:			Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746 72mm 5 Chamber F	1	625	\-/	318575 1mm Steel Rein	466
Hor	Frame	586836-787 72mm 5 Chamber F	1	625	\-/ *	318575 1mm Steel Rein	466
Ver	Frame	586836-746 72mm 5 Chamber F	2	505	\-		
Ver	Frame	586836-787 72mm 5 Chamber F	2	1025	-/ *	318575 1mm Steel Rein	1366
Hor	Transom	576275-746 69mm IG Z Section	1	619	<->	249838 42 x 10 x 1mm S	466
Hor	Sash	586885-787 75mm IG T Semi-Sc	2	537	\-/ *	287777 20 x 35 x 20 x 1	377
Ver	Sash	586885-787 75mm IG T Semi-Sc	2	455	\-/ *	287777 20 x 35 x 20 x 1	295
Hor	Cill	246360-746 150mm Cill	1	720	-		
	Cill Reinf	324971-001 Cill Reinforcing	1	710	-		
	Bead type	546572-701 28mm Ovolo Bead		4446			

* - Denotes bar reversed

Accessories Required:		Qty	Length
246400 150mm Cill End Cap (Gry)		2	Items
370223-001 10" TOP HUNG 16mm ST/HT		1	Items
370204-001 STD G/BOX 22 B/S 7.7 MUSH		1	Items
370206-001 ROD 0 NO MUSH 476-624		2	Items
370216-001 MUSH KEEP REHAU 706 FULL CLIP		2	Items
370217-001 LH CORNER KEEP REHAU 706 FULL		1	Items
370218-001 RH CORNER KEEP REHAU 706 FULL		1	Items
370244-005 CRANKED LH 15MM WHITE		1	Items
White 4000mm2 T/Vent		1	Items


Glass Required:		Qty	Width	Height
A1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	408	325
A4	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1	506	943

WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 8)	Page 10 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	900 x 900
Quantity	1
Design	CASE 2
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing
Location:	



Sections required:				Qty	Length	End prep	Reinforcing	Length	
Hor	Frame	586836-746	72mm 5 Chamber F	2	905	\-/	318575 1mm Steel Rein	746	
Ver	Frame	586836-746	72mm 5 Chamber F	2	875	\-/	318575 1mm Steel Rein	716	
Hor	Sash	586885-787	75mm IG T Semi-Sc	2	817	\-/ *	287777 20 x 35 x 20 x 1	657	
Ver	Sash	586885-787	75mm IG T Semi-Sc	2	787	\-/ *	287777 20 x 35 x 20 x 1	627	
Hor Cill		246360-746	150mm Cill	1	1000	-			
	Cill Reinf	324971-001	Cill Reinforcing	1	990	-			
Bead type		546572-701	28mm Ovolo Bead		2732		* - Denotes bar reversed		
Accessories Required:				Qty	Length				
246400 150mm Cill End Cap (Gry)				2	Items				
370224-001 16" TOP HUNG 16mm ST/HT				1	Items				
370204-001 STD G/BOX 22 B/S 7.7 MUSH				1	Items				
370208-001 ROD 2 1 x 7.7 MUSH 670-820				2	Items				
370216-001 MUSH KEEP REHAU 706 FULL CLIP				2	Items				
370217-001 LH CORNER KEEP REHAU 706 FULL				1	Items				
370218-001 RH CORNER KEEP REHAU 706 FULL				1	Items				
370244-005 CRANKED LH 15MM WHITE				1	Items				
White 4000mm2 T/Vent				1	Items				
Glass Required:							Qty	Width	Height
A1	4-20-4 Obs Tuff 'K' : 20mm Silver Spacer Stippolyte						1	688	658


WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 9)	Page 11 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	1510 x 1170
Quantity	1
Design	CASE 17
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Mullion	546085/95 69mm IG T/Z
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing

Location:



Sections required:				Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746	72mm 5 Chamber F	2	730	-/	318575 1mm Steel Rein	1356
Hor	Frame	586836-787	72mm 5 Chamber F	2	790	\- *		
Ver	Frame	586836-746	72mm 5 Chamber F	1	1145	\-/	318575 1mm Steel Rein	986
Ver	Frame	586836-787	72mm 5 Chamber F	1	1145	\-/ *	318575 1mm Steel Rein	986
Ver	Mullion	576275-746	69mm IG Z Section	1	1139	<-> *	249838 42 x 10 x 1mm S	986
Hor	Sash	586885-787	75mm IG T Semi-Sc	2	680	\-/ *	287777 20 x 35 x 20 x 1	520
Ver	Sash	586885-787	75mm IG T Semi-Sc	2	1057	\-/ *	287777 20 x 35 x 20 x 1	897
Hor	Cill	246360-746	150mm Cill	1	1610	-		
	Cill Reinf	324971-001	Cill Reinforcing	1	1600	-		
	Bead type	546572-701	28mm Ovolo Bead		6506			

* - Denotes bar reversed

Accessories Required:			Qty	Length
246400	150mm Cill End Cap (Gry)		2	Items
370229-001	16" SIDE HUNG 16mm ST/HT		1	Items
370204-001	STD G/BOX 22 B/S 7.7 MUSH		1	Items
370211-001	ROD 4 1 x 7.7 MUSH 970-1120		2	Items
370216-001	MUSH KEEP REHAU 706 FULL CLIP		2	Items
370217-001	LH CORNER KEEP REHAU 706 FULL		1	Items
370218-001	RH CORNER KEEP REHAU 706 FULL		1	Items
370245-005	CRANKED RH 15MM WHITE		1	Items
	White 4000mm2 T/Vent		1	Items


Glass Required:				Qty	Width	Height
A1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer			1	708	1026
F1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer			1	550	928

WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 10)	Page 12 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	900 x 900
Quantity	1
Design	CASE 2
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing
Location:	




Sections required:				Qty	Length	End prep	Reinforcing	Length	
Hor	Frame	586836-746	72mm 5 Chamber F	2	905	\-/	318575 1mm Steel Rein	746	
Ver	Frame	586836-746	72mm 5 Chamber F	2	875	\-/	318575 1mm Steel Rein	716	
Hor	Sash	586885-787	75mm IG T Semi-Sc	2	817	\-/ *	287777 20 x 35 x 20 x 1	657	
Ver	Sash	586885-787	75mm IG T Semi-Sc	2	787	\-/ *	287777 20 x 35 x 20 x 1	627	
Hor Cill		246360-746	150mm Cill	1	1000	-			
	Cill Reinf	324971-001	Cill Reinforcing	1	990	-			
Bead type		546572-701	28mm Ovolo Bead		2732		* - Denotes bar reversed		
Accessories Required:				Qty	Length				
246400 150mm Cill End Cap (Gry)				2	Items				
370224-001 16" TOP HUNG 16mm ST/HT				1	Items				
370204-001 STD G/BOX 22 B/S 7.7 MUSH				1	Items				
370208-001 ROD 2 1 x 7.7 MUSH 670-820				2	Items				
370216-001 MUSH KEEP REHAU 706 FULL CLIP				2	Items				
370217-001 LH CORNER KEEP REHAU 706 FULL				1	Items				
370218-001 RH CORNER KEEP REHAU 706 FULL				1	Items				
370244-005 CRANKED LH 15MM WHITE				1	Items				
White 4000mm2 T/Vent				1	Items				
Glass Required:							Qty	Width	Height
A1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer						1	688	658

WORKS ORDER

Customer:	fiaz	Glazed	Input Info:	19-08-2024 euroh
Reference:	whitefield	Supply only	In Production	
Job No. :	137 (Item: 11)	Page 13 of 13	Print Info:	19-08-2024 6:34 pm

Main Options:

Product	Total 70 C Casement
Size	900 x 900
Quantity	1
Design	CASE 2
Frame (Head)	546835 72mm 5 Chamber Out
Frame (Cill)	546835 72mm 5 Chamber Out
Frame (Left jamb)	546835 72mm 5 Chamber Out
Frame (Right jamb)	546835 72mm 5 Chamber Out
Sash	546586 75mm IG T Sash S-Sc
Cill	150mm Deep Nose Cill
Add-on (Head)	No add-on
Add-on (Cill)	No add-on
Add-on (Left jamb)	No add-on
Add-on (Right jamb)	No add-on
Ventilator (Head)	None
Ventilator (Sash)	4000mm T/Vent
Ventilator (Frame)	None
Colour	Anthr Grey (Gr) on White
Sash colour	Anthr Grey (Gr) on White
Cill colour	Anthr Grey (Gr) on White
Drainage	Concealed/Base
Bead type	28mm Ovolo Bead
Handle	White Cranked
Open in/out	Open out
Glazed in/out	Glazed in
Reinforcing type	Standard 1mm Reinforcing
Location:	



Sections required:				Qty	Length	End prep	Reinforcing	Length
Hor	Frame	586836-746	72mm 5 Chamber F	2	905	\-/	318575 1mm Steel Rein	746
Ver	Frame	586836-746	72mm 5 Chamber F	2	875	\-/	318575 1mm Steel Rein	716
Hor	Sash	586885-787	75mm IG T Semi-Sc	2	817	\-/ *	287777 20 x 35 x 20 x 1	657
Ver	Sash	586885-787	75mm IG T Semi-Sc	2	787	\-/ *	287777 20 x 35 x 20 x 1	627
Hor Cill		246360-746	150mm Cill	1	1000	-		
	Cill Reinf	324971-001	Cill Reinforcing	1	990	-		
Bead type		546572-701	28mm Ovolo Bead		2732		* - Denotes bar reversed	
Accessories Required:				Qty	Length			
246400 150mm Cill End Cap (Gry)				2	Items			
370224-001 16" TOP HUNG 16mm ST/HT				1	Items			
370204-001 STD G/BOX 22 B/S 7.7 MUSH				1	Items			
370208-001 ROD 2 1 x 7.7 MUSH 670-820				2	Items			
370216-001 MUSH KEEP REHAU 706 FULL CLIP				2	Items			
370217-001 LH CORNER KEEP REHAU 706 FULL				1	Items			
370218-001 RH CORNER KEEP REHAU 706 FULL				1	Items			
370244-005 CRANKED LH 15MM WHITE				1	Items			
White 4000mm2 T/Vent				1	Items			
Glass Required:						Qty	Width	Height
A1	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer					1	688	658