



Proposals for Materials

The Coach House
Ainsworth

Contents

- 1.0 Introduction
- 2.0 Brickwork
- 3.0 Roofing Slate
- 4.0 Fascia and Guttering
- 5.0 Windows/Doors
- 6.0 Patio Tile

1.0 INTRODUCTION

This statement/document has been compiled to discharge the conditions for the new properties at The Coach House, Ainsworth.

Following the granted planning permission for the above property there is going to be a number of materials used. This document will highlight the material choices for the house.

2.0 BRICKWORK

The brick choice for the property will be as below;

Wienerberger
Red Engineering Brick



The mortar is to be a sand cement shade as per the picture above.

The brick choice for the Garen Walls will be as below;

Reclaimed Red/Brown brick

Brick reclaimed form the local area



3.0 Slate Roofing

The roof's will be finished with slate roofing tiles. The product chosen for this is as per the spec below:

24x12 Sobrano Slate

All slates are preholed to a standard 90 mm headlap, which can then be used to achieve headlaps from 75 mm to 105 mm.



4.0 Fascia's and Guttering

Black composite woodgrain Fascia and guttering



5.0 Windows/Doors

Windows/Doors are to be in black UPVC with wood grain



6.0 Patio Tile

Grey external patio tile with effect stone finish

