

Tree no.	Species	Physical Condition	Structural Condition	Condition	Category	Proposals	Replacement Planting - NOTE - the trees suggested have long spiritual associations, though modern, suitably sized cultivars have been chosen	
1	Fraxinus excelsior	Poor	Moderate	ash die back symptoms Deadwood poor physiological condition crown over seating and path	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Crataegus persimilis 'Prunifolia'; 10-12cm, 275/300	1
2	Fraxinus excelsior	Moderate	Moderate	ash die back symptoms Deadwood Reduced physiological condition crown over seating and paths	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Quercus palustris 'Green Pillar', BR 10-12cm, 200/250	1
3	Prunus avium	Moderate	Moderate	Codominant stem at 2m Crown over seating lean Unbalanced crown with minor suppression	C.2	Retain tree; remove deadwood if required		0
4	Tilia cordata	Good	Moderate	Crown over seating Stem lean Minor deadwood Minor stem epicormic	C.2	Retain tree; remove deadwood		0
5	Betula pubescens	Good	Moderate	Stem lean over parking Minor crown suppression and deadwood	B.2	Retain tree; remove deadwood		0
6	Acer pseudoplatanus	Good	Moderate	Stem leaning over parking Minor crown suppression and deadwood Root exposure with surface damages co-dominant stem at 3.5-4m	A.2	Retain tree; remove deadwood		0
7	Fraxinus excelsior	Poor	Moderate	Crown over parking and cemetery areas Poor crown vigour Deadwood Moderate decline and dieback Reduced physiological condition; declining	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Sorbus hupehensis, BR 14-16cm, 200/250	1
8	Prunus avium	Moderate	Moderate	Crown over parking Deadwood Included base union Suppressed growth Old pruning wounds; epidermic shoots	C.2	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Crataegus laevigata 'Paul's Scarlet'; BR, 12-14cm, 300/350	1

9	Prunus avium	Moderate	Moderate	Crown over path and cemetery Deadwood Included base union Suppressed growth Old pruning wounds Minor crown decline	C.2	Retain tree; remove deadwood and prune		0
10	Prunus avium	Moderate	Moderate	Crown over path and cemetery Deadwood Included base union Suppressed growth Old pruning wounds Minor crown decline Unbalanced crown	C.2	Retain tree; remove deadwood and prune		0
11	Prunus avium	Moderate	Moderate	Crown over path and cemetery Deadwood Included base union Suppressed growth Old pruning wounds Minor crown decline Unbalanced crown Stem decay	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Salix x sepulcralis chrysocoma, 28l 250/300cm, 8-10cm	1
12	Prunus avium	Moderate	Moderate	Crown over path and cemetery Deadwood Included base union Suppressed growth Minor crown decline Unbalanced crown Declining	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Betula utilis jacquemontii MS, 45l pot, 200/250	3
13	Prunus avium	Moderate	Moderate	Crown over path and cemetery Deadwood Included base unions Minor crown decline Unbalanced crown towards parking Declining	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Taxus baccata 'Fastigiata Aurea', 40l pot, 140/160	1
14	Fraxinus excelsior	Poor	Moderate	Crown over cemetery Major decline Deadwood Storm damage Co-dominant stem at 3m Ash die back symptoms Poor physiology Suppressed	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Sorbus aria 'Lutescens'; BR 14-16cm, 200/250	1

15	Fraxinus excelsior	Poor	Moderate	Crown over cemetery Major decline Deadwood Storm damage Multi stem at 4m Ash die back symptoms Poor physiology Suppressed	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Crataegus persimilis 'Prunifolia'; 10-12cm, 275/300	1
16	Fraxinus excelsior	Poor	Moderate	Crown over cemetery Major decline Deadwood Storm damage Co-dominant stem at 4m Ash die back symptoms Poor physiology Suppressed	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Ilex aquifolium 'Argentea Marginata'; 10l pot, 150/200	1
17	Fraxinus excelsior	Poor	Moderate	Crown over parking Major decline Deadwood Storm damage Co-dominant at 1.3m Ash die back symptoms Poor physiology Suppressed Poor situation	U	Retain - tree not part of the scheme associated with the Church. Sits outside the boundary of the Church ownership		0
18	Fraxinus excelsior	Moderate	Moderate	Crown over parking and seating Deadwood Storm damage Co-dominant at 2m Ash die back symptoms Poor physiology Suppressed Root lifting concrete slabs	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Quercus ilex, 30l, 250/300	1
19	Acer pseudoplatanus	Good	Moderate	Crown over seating and paths Deadwood Minor storm damage Co-dominant at 4m Root exposure Unbalanced Stem lean	B.2	Retain tree; remove deadwood and prune		0

20	Acer pseudoplatanus	Good	Good	Crown over roads and paths Deadwood Minor storm damage Co-dominant at 3m Root exposure Old pruning wounds Unbalanced Stem lean	A.2	Retain tree; remove deadwood and prune		0
21	Fraxinus excelsior	Moderate	Moderate	Crown over road and paths and main entrance Deadwood Minor storm damage Root exposure Unbalanced Stem lean Ash die back symptoms Suppressed growth	U	Fell tree; grind stump and remove arisings. Tree has significant die back and the potential to cause harm	Quercus palustris 'Green Pillar', BR 10-12cm, 200/250	1
22	Crataegus monogyna	Good	Good	Crown over path and seating Minor deadwood Included unions Canopy unions included	B.2	Retain tree; remove deadwood		0
23	Fraxinus excelsior	Moderate	Moderate	Co-dominant stem at 3m Major lean over road and paths Storm damage Deadwood Unbalanced stems Ash dieback potential Suppressed Declining growth	U	Fell tree; stump grind and remove arisings due to potential to cause harm to either Church or site users	Quercus ilex, 30l, 250/300 Ilex x altaclerensis 'Golden King', 28l pot, 8-10cm Taxus baccata 'Fastigiata Aurea', 40l pot, 140/160	3
24	Acer pseudoplatanus	Good	Poor	Crown over gardens beyond wall Major stem wound with decay; crown unbalanced away from path and road towards church Minor deadwood and crown decline	C.2	Retain - tree not part of the scheme associated with the Church		0
25	Acer pseudoplatanus	Moderate	Moderate	Crown over gardens beyond wall Crown unbalanced away from path and road towards church Co-dominant at base Epicormic growth Crown decline Suppressed	C.2	Retain - tree not part of the scheme associated with the Church		0
26	Rhododendron sp.	Good	Moderate	co-dominant shrub close to gate path entrance Wire around stem and branch	C.2	Retain - tree not part of the scheme associated with the Church		0

27	Laburnum anagyroides	Good	Moderate	Major lean over wall and above parking and path Stem base decay and swelling Unbalanced Minor deadwood Companion acer stem close to tree	C.2	Retain - tree not part of the scheme associated with the Church		0
28	Acer pseudoplatanus	Good	Moderate	Crown over path and wall; parking alongside church Minor deadwood Crown suppression Unbalanced canopy Base epicormic	C.2	Retain - tree not part of the scheme associated with the Church		0
29	Fraxinus excelsior	Poor	Moderate	Crown over side of church Deadwood Storm damage Decline Ash dieback potential Suppressed Co-dominant stem at 3m	U	Retain - tree not part of the scheme associated with the Church		0
30	Fraxinus excelsior	Moderate	Moderate	Crown over side of church path and road entrance Deadwood Storm damage Decline Ash dieback potential Suppressed Co-dominant stem at 4m	U	Fell tree; stump grind and remove arisings due to potential to cause harm to either Church or site users	Salix x sepulcralis chrysocoma, 28l 250/300cm, 8-10cm	1
31	Fraxinus excelsior	Moderate	Moderate	Crown over side of church path and parking entrance Deadwood Storm damage Declining Ash dieback potential Suppressed Co-dominant stem at 5.5m	U	Fell tree; stump grind and remove arisings due to potential to cause harm to either Church or site users	Ilex aquifolium 'Argentea Marginata'; 10l pot, 150/200; Ilex x altaclerensis 'Golden King', 28l pot, 8-10cm Sambucus nigra 'Black Lace', 12l pot, 150/200	3

Total number of trees surveyed	31
Number of trees not included in this scheme (outside the Church boundary)	7
Number of trees to be felled	15
Number of trees to be crown lifted/significantly pruned	9
Number of replacement trees	21

(Data taken from Arboricultural Survey carried out by Christians Environmental in March 2022)