

TAL 1

Sheet No. ONE

Date 16/1/89

BEECH COTTAGE

OLD RYDON LANE

EXETER EX2 7JL

Tel. Topsham (0392 87) 720

TERRY ADAMS LTD.

Borehole/ Testpit log sheet

Location SOUTHSIDE PILSWORTH RD

Ref No.	Depth/surface Level A.O.D (m)	Thickness (m)	Description	Water Table (m)	Sample Ref.No.	Sample Depth
LOMAX FM S/H. ①	0.50	0.50	Topsoil.	NOT MEASURED	LOMAX FM 1 ①	0.5-1
	2.00	1.50	Fine-Med. Silty sand becoming cleaner.		②	1.0-1
					③	1.5-2
	4.00	2.00	Coarse gritty sand with occ. pebbles and coal fragments.		④	2.0-2
					⑤	2.5-3
	4.50	0.50	Band of very gravelly sand		⑥	3.0-3
					⑦	3.5-4
	8.00	3.50	Med-Cox. silty sand with occ. small pebbles.		⑧	4.0-4
					⑨	4.5-5
	10.0m+	2.0+	Sand + Gravel		⑩	5.0-5
			<u>Summary</u>		⑪	5.5-6
	0.5		Topsoil		⑫	6.0-6
	9.50+		Mineral		⑬	6.5-7
					⑭	7.0-7
					⑮	7.5-8
					⑯	8.0-8
					⑰	8.5-9
					⑱	9.0-9
					⑲	9.5-10