



DUNELM DRILLING CO.

BOREHOLE RECORD

Contract No. C3397

Client SYMS GROUP PARTNERSHIP

Ground Level


Location REAL 33 RINGLEY RD - WHITEFIELD -

Date SEPT 1987

BOREHOLE No. 1 MANCHESTER

Depth	Thick- ness	Legend	Description of Strata	Type of Sample	C kN/m ²	M %	Ø	Density Kg/m ³	N
0.50	0.50		MIXED CLAY, ASH + RUBBLE FILL						
1.40	0.90		STIFF FRIABLE SANDY CLAY WITH A FEW STONES	U 1.05	66.0	13.0	8°	1980	
1.95	0.55		MEDIUM DENSE DK BROWN UNIFORM SAND	P 2.00					19
			MEDIUM DENSE TO DENSE LT BROWN UNIFORM SAND	P 3.00					23
	4.05			P 4.00					23
6.00				P 5.50					29
			SITE OWNER INFORMED DRILLER HE WAS NOT IN CORRECT POSITION. INTENDED SITE TOTALLY ENCLOSED GAINING ACCESS TO SITE + PARTIAL REINSTATEMENT AND COMPLETION 2 HRS.						

Water Struck at WET BELOW 4.00M Standing Water Level 4.00




© Crown Copyright 1968.

PLAN SD 7905 NE

ely.

metre intervals.
as proceed as follows:—



Beer House BH
Bench Mark BM
Ringley Road RM

Letter Box LB
Level Crossing LC
Ringley Drive RD

Revision Point RP
Signal Box, or Post SB, SP
Dovehouse Close DC