

From: Jones, Rebecca **On Behalf Of** envsection
Sent: 04 August 2022 16:10
To: Clapworthy, Dean <D.Clapworthy@bury.gov.uk>
Subject: FW: Initial Consultation on Planning Application

Please find my comments below.

CONTAMINATED LAND – No Comment

The Environment Section has assessed the application and has no comments to make regarding contaminated land.

AIR QUALITY – COMMENT

Bury Council has been identified by DEFRA as an area requiring to significantly improve air quality. The required measures to do this are currently under discussion. Due to this requirement, this Section recommends the applicant provides proposals for Electric Vehicle charge points to be installed in the parking areas.

We would expect electric vehicle (EV) charging points to be provided for 20% of the proposed parking spaces. EV chargepoints shall be 7kW* as a minimum.

*Mode 3, 7kW (32A) single phase, or 22kW (32A) three phase, and for 50kW Mode 4 rapid charging may be required. British Standard BS EN 61851-1:2011 to be used (note this version is due to be replaced by BS EN 61851-1:2019 on 5 July 2022).

Reason: In accordance with the NPPF, to encourage the uptake of ultra-low emission vehicles and ensure the development is sustainable. To safeguard residential amenity, public health and quality of life.

INFORMATIVE - The Control of Noise (Appeals) Regulations 1975, Section 60. Control of Noise on Construction Sites

Works carried out in connection with the planning permission shall comply with the above regulations which require the following:

1. All works and ancillary operations which are audible at the boundary of the nearest house or noise receptor, or at such other place as may be agreed with the Council, shall be carried out only between the hours of 0800 and 1800 on Mondays to Fridays and between the hours of 0900 and 1400 on Saturdays and at no time on Sundays and Bank Holidays.
2. The best practicable means, as defined in section 72 of the Control of Pollution Act 1974, to reduce noise to a minimum shall be employed at all times.
3. All plant and machinery in use shall be properly silenced and maintained in accordance with the manufacturer's instructions.
4. Any emergency deviation from the above (1 – 3) shall be notified to Bury Council without delay.

Any contravention of these requirements will trigger the serving of a Notice under Section 60 of The Control of Noise Regulations 1975.

Operations – Environment Section.

4 August 2022

Regards,

Rebecca.

Rebecca Jones

Environmental Protection Officer

Department of Operations

0161 253 6392

rebecca.jones@bury.gov.uk