


PROPOSED two storey
EXTRACTION ATTACHED
TO SIDE OF DETACHED
Dwellings

FRONT
DRIVE




PROPOSED single storey
GROUND FLOOR EXTRACTION
ATTACHED TO SIDE OF EXISTING
EXTRACTION AND PROPOSED TWO
STOREY SIDE EXTRACTION

1:125 PROPOSED BLOCK PLAN

REAR BOUNDARY TO THE COUNTRY HOUSE - STABLES

EXTRACTION FAN/S (E/BOME) AS DETAIL B. RECS PROVIDE MECHANICAL EXTRACTION FANS
TO PROVIDE ADDITIONAL MECHANICAL EXTRACTION TO EN'SUITE ON 1ST FLOOR TO RUN - NO LESS
THAN 16L/SEC AND A FURTHER KITCHEN AND UTILITY AREA EXTRACT TO RUN - NO LESS THAN
30L/SEC. USES TOPPS 512 OR INDIANES TYPE LOW VOLTAGE EXTRACTION FANS WITH ADJUSTABLE
RUN-TIMERS TO DUCT - BUT BUT TWO EXTERNA WALL USING CAUTION DUCT. SEE REF, MANTENANCE CIRCUITS AND WIRING.

FANS TO OPERATE AUTOMATICALLY TO BE INCORPORATED INTO CEILING HOOD, SUB-HOODS ETC
- 1- TO ENSURE TO BE LOCATED TO SUCCEED IN EXHAUSTURE/RECESS
AS REQUIRED PROVIDE EXTRACTION FANS TO EXISTING UTILITY AND KITCHEN AND BATHROOM
ON 1ST FLOOR AS DET F etc.



1:50 PROPOSED - REAR - ELEVATION

D & C N° 7