

Dynamic Sample Borehole Photos

DS02

Warth Road




Image 1. DS02:
View from left to right, bottom to top.

1.20m - 2.00m
2.00m - 3.00m
3.00m - 4.00m



Image 2. DS02 SPOIL:
DS02 SPOIL



Dynamic Sample Borehole Photos

DS04

Warth Road



Image 1. DS04:
View from right to left, top to bottom

0.00m - 1.20m (HDP)
1.20m - 2.00m
2.00m - 3.00m
3.00m - 4.00m

IGE consulting		1st Floor, 15 Oxford Court Manchester M2 3WQ email: contact@igeconsulting.co.uk web: www.igeconsulting.co.uk tel: 0161 914 9170		Dynamic Sample Borehole Log ver. 1.5				Dynamic Sample No. DS05 Sheet 1 of 1									
Project Name: Warth Road				Co-ords: 379724E - 409185N		Project No. 3972											
Location: Bury				Level (m AOD): 69.81		Logged By JH											
Client: GFIC Properties Ltd.				Date: 11/08/2023		Checked By LM											
Well / Backfill		Water Strikes		Sample and In Situ Testing			Depth (m)		Level (m AOD)		Stratum Description						
				Depth(m)TypeResults													
							0.20		69.61		CONCRETE. MADE GROUND						
							0.50		69.31		Light grey, sandy, slightly clayey, angular to subangular, fine to coarse GRAVEL of limestone. MADE GROUND						
		0.60 0.60		ES PID		0.40ppm		0.80		69.01		Firm, bluish grey, slightly gravelly, slightly sandy, silty CLAY. Gravel is angular to subrounded, fine to coarse OF red brick, concrete and mixed natural lithologies. MADE GROUND					
		0.90 0.90		ES PID		0.20ppm		1.20		68.61		Brown, slightly gravelly, very silty, fine to coarse SAND. Gravel is rounded to well rounded, fine to coarse of mixed lithologies. ALLUVIUM		1			
		1.20 1.30 1.30		SPT ES PID		N=27 (5,7/5,6,7,9) 0.10ppm		2.05		67.76		Medium dense, brown, fine to coarse SAND and angular to well rounded, fine to coarse GRAVEL of mixed lithologies. RIVER TERRACE DEPOSITS		2			
		1.70		SPT		50 (25 for 140mm/50 for 210mm)						Dynamic Sample terminated at 2.05m.		3			
														4			
														5			
														6			
Remarks:				Water Strike		Casing Details		Sample Sleeve Runs									
				Depth Strike		Remarks		Depth Base		Diameter		Depth Top (m)		Depth Base (m)		Diameter (mm)	
Dynamic sample borehole terminated at 2.05m bgl due to refusal. Water depth upon completion: dry.						No strike						1.20		1.70		87 50%	

Dynamic Sample Borehole Photos

DS05

Warth Road




Image 1. Multiple:
View from right to left, top to bottom.

1.20m - 2.00m



Image 2. DS05 SPOIL:
DS05 SPOIL



ver. 1.5

Sheet 1 of 1

Checked By
LM

- 1
- 2
- 3
- 4
- 5
- 6

Water Strike		Casing Details		Sample Sleeve Runs		
Depth Strike	Remarks	Depth Base	Diameter	Depth Top (m)	Depth Base (m)	Diameter (mm)
3.00				1.20	2.00	87 90%
				2.00	3.00	77 90%

Dynamic Sample Borehole Photos

DS06

Warth Road



Image 1. Multiple:
View from right to left, top to bottom.

1.20m - 2.00m
2.00m - 3.00m



Image 2. DS06::
DS06 SPOIL

