

VIRIDOR WASTE LTD, PILSWORTH QUARRY, PILSWORTH ROAD, BURY, BL9 8QZ

Order Details

Date: 09/05/2023
Your ref: GM12887
Our Ref: GS-DRR-L2Y-U6N-9JK

Site Details

Location: 382275 409020
Area: 0.39 ha
Authority: [Bury Metropolitan Borough Council](#) ↗



Summary of findings

[p. 2 >](#) **Aerial image**

[p. 8 >](#)

OS MasterMap site plan

[p.11 >](#) groundsure.com/insightuserguide ↗

Contact us with any questions at:

info@groundsure.com ↗

01273 257 755

Summary of findings

Page	Section	Past land use >	On site	0-50m	50-250m	250-500m	500-2000m
12 >	1.1 >	Historical industrial land uses >	0	0	11	22	-
14 >	1.2 >	Historical tanks >	0	0	6	18	-
15 >	1.3 >	Historical energy features >	0	0	0	3	-
16 >	1.4 >	Historical petrol stations >	0	0	0	0	-
16 >	1.5 >	Historical garages >	0	0	0	0	-
16 >	1.6 >	Historical military land >	0	0	0	0	-
Page	Section	Past land use - un-grouped >	On site	0-50m	50-250m	250-500m	500-2000m
17 >	2.1 >	Historical industrial land uses >	0	0	16	32	-
19 >	2.2 >	Historical tanks >	0	0	7	29	-
21 >	2.3 >	Historical energy features >	0	0	0	3	-
21 >	2.4 >	Historical petrol stations >	0	0	0	0	-
22 >	2.5 >	Historical garages >	0	0	0	0	-
Page	Section	Waste and landfill >	On site	0-50m	50-250m	250-500m	500-2000m
23 >	3.1 >	Active or recent landfill >	1	0	1	1	-
24 >	3.2 >	Historical landfill (BGS records) >	0	0	0	0	-
24 >	3.3 >	Historical landfill (LA/mapping records) >	0	0	1	0	-
25 >	3.4 >	Historical landfill (EA/NRW records) >	0	0	1	0	-
25 >	3.5 >	Historical waste sites >	0	1	4	0	-
27 >	3.6 >	Licensed waste sites >	0	0	2	2	-
28 >	3.7 >	Waste exemptions >	0	0	0	12	-
Page	Section	Current industrial land use >	On site	0-50m	50-250m	250-500m	500-2000m
30 >	4.1 >	Recent industrial land uses >	0	0	1	-	-
31 >	4.2 >	Current or recent petrol stations >	0	0	0	1	-
31 >	4.3 >	Electricity cables >	0	0	0	0	-
31 >	4.4 >	Gas pipelines >	0	0	0	0	-
31 >	4.5 >	Sites determined as Contaminated Land >	0	0	0	0	-



31 >	4.6 >	Control of Major Accident Hazards (COMAH) >	0	0	0	1	-
32 >	4.7 >	Regulated explosive sites >	0	0	0	0	-
32 >	4.8 >	Hazardous substance storage/usage >	0	0	0	1	-
32 >	4.9 >	Historical licensed industrial activities (IPC) >	0	0	0	0	-
33 >	4.10 >	Licensed industrial activities (Part A(1)) >	0	0	2	15	-
35 >	4.11 >	Licensed pollutant release (Part A(2)/B) >	0	0	0	1	-
36 >	4.12 >	Radioactive Substance Authorisations >	0	0	0	0	-
36 >	4.13 >	Licensed Discharges to controlled waters >	0	0	2	1	-
36 >	4.14 >	Pollutant release to surface waters (Red List) >	0	0	0	0	-
37 >	4.15 >	Pollutant release to public sewer >	0	0	0	0	-
37 >	4.16 >	List 1 Dangerous Substances >	0	0	0	0	-
37 >	4.17 >	List 2 Dangerous Substances >	0	0	0	1	-
37 >	4.18 >	Pollution Incidents (EA/NRW) >	0	0	2	9	-
39 >	4.19 >	Pollution inventory substances >	0	0	0	6	-
42 >	4.20 >	Pollution inventory waste transfers >	0	0	0	1	-
43 >	4.21 >	Pollution inventory radioactive waste >	0	0	0	0	-
Page	Section	Hydrogeology >	On site	0-50m	50-250m	250-500m	500-2000m
44 >	5.1 >	Superficial aquifer >	Identified (within 500m)				
46 >	5.2 >	Bedrock aquifer >	Identified (within 500m)				
47 >	5.3 >	Groundwater vulnerability >	Identified (within 50m)				
48 >	5.4 >	Groundwater vulnerability- soluble rock risk >	None (within 0m)				
48 >	5.5 >	Groundwater vulnerability- local information >	None (within 0m)				
49 >	5.6 >	Groundwater abstractions >	0	0	1	1	16
54 >	5.7 >	Surface water abstractions >	0	0	0	0	7
56 >	5.8 >	Potable abstractions >	0	0	0	0	2
57 >	5.9 >	Source Protection Zones >	0	0	0	0	-
57 >	5.10 >	Source Protection Zones (confined aquifer) >	0	0	0	0	-
Page	Section	Hydrology >	On site	0-50m	50-250m	250-500m	500-2000m
58 >	6.1 >	Water Network (OS MasterMap) >	0	0	3	-	-



59 >	6.2 >	Surface water features >	0	1	3	-	-
59 >	6.3 >	WFD Surface water body catchments >	1	-	-	-	-
60 >	6.4 >	WFD Surface water bodies >	0	0	0	-	-
60 >	6.5 >	WFD Groundwater bodies >	1	-	-	-	-
Page	Section	River and coastal flooding >	On site	0-50m	50-250m	250-500m	500-2000m
61 >	7.1 >	Risk of flooding from rivers and the sea >	None (within 50m)				
61 >	7.2 >	Historical Flood Events >	0	0	0	-	-
61 >	7.3 >	Flood Defences >	0	0	0	-	-
62 >	7.4 >	Areas Benefiting from Flood Defences >	0	0	0	-	-
62 >	7.5 >	Flood Storage Areas >	0	0	0	-	-
63 >	7.6 >	Flood Zone 2 >	None (within 50m)				
63 >	7.7 >	Flood Zone 3 >	None (within 50m)				
Page	Section	Surface water flooding >					
64 >	8.1 >	Surface water flooding >	1 in 100 year, 0.3m - 1.0m (within 50m)				
Page	Section	Groundwater flooding >					
66 >	9.1 >	Groundwater flooding >	Low (within 50m)				
Page	Section	Environmental designations >	On site	0-50m	50-250m	250-500m	500-2000m
67 >	10.1 >	Sites of Special Scientific Interest (SSSI) >	0	0	0	0	0
68 >	10.2 >	Conserved wetland sites (Ramsar sites) >	0	0	0	0	0
68 >	10.3 >	Special Areas of Conservation (SAC) >	0	0	0	0	0
68 >	10.4 >	Special Protection Areas (SPA) >	0	0	0	0	0
68 >	10.5 >	National Nature Reserves (NNR) >	0	0	0	0	0
69 >	10.6 >	Local Nature Reserves (LNR) >	0	0	0	0	1
69 >	10.7 >	Designated Ancient Woodland >	0	0	0	0	0
69 >	10.8 >	Biosphere Reserves >	0	0	0	0	0
69 >	10.9 >	Forest Parks >	0	0	0	0	0
70 >	10.10 >	Marine Conservation Zones >	0	0	0	0	0
70 >	10.11 >	Green Belt >	1	0	1	0	3
70 >	10.12 >	Proposed Ramsar sites >	0	0	0	0	0



70 >	10.13 >	Possible Special Areas of Conservation (pSAC) >	0	0	0	0	0
71 >	10.14 >	Potential Special Protection Areas (pSPA) >	0	0	0	0	0
71 >	10.15 >	Nitrate Sensitive Areas >	0	0	0	0	0
71 >	10.16 >	Nitrate Vulnerable Zones >	0	0	0	0	0
72 >	10.17 >	SSSI Impact Risk Zones >	1	-	-	-	-
73 >	10.18 >	SSSI Units >	0	0	0	0	0
Page	Section	Visual and cultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
74 >	11.1 >	World Heritage Sites >	0	0	0	-	-
74 >	11.2 >	Area of Outstanding Natural Beauty >	0	0	0	-	-
74 >	11.3 >	National Parks >	0	0	0	-	-
74 >	11.4 >	Listed Buildings >	0	0	0	-	-
75 >	11.5 >	Conservation Areas >	0	0	0	-	-
75 >	11.6 >	Scheduled Ancient Monuments >	0	0	0	-	-
75 >	11.7 >	Registered Parks and Gardens >	0	0	0	-	-
Page	Section	Agricultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
76 >	12.1 >	Agricultural Land Classification >	Grade 3 (within 250m)				
77 >	12.2 >	Open Access Land >	0	0	0	-	-
77 >	12.3 >	Tree Felling Licences >	0	1	11	-	-
78 >	12.4 >	Environmental Stewardship Schemes >	0	0	0	-	-
78 >	12.5 >	Countryside Stewardship Schemes >	0	0	0	-	-
Page	Section	Habitat designations >	On site	0-50m	50-250m	250-500m	500-2000m
79 >	13.1 >	Priority Habitat Inventory >	0	0	2	-	-
80 >	13.2 >	Habitat Networks >	0	0	2	-	-
80 >	13.3 >	Open Mosaic Habitat >	0	0	1	-	-
80 >	13.4 >	Limestone Pavement Orders >	0	0	0	-	-
Page	Section	Geology 1:10,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
82 >	14.1 >	10k Availability >	Identified (within 500m)				
83 >	14.2 >	Artificial and made ground (10k) >	1	2	4	4	-
85 >	14.3 >	Superficial geology (10k) >	1	0	0	2	-

86 >	14.4 >	Landslip (10k) >	0	0	0	0	-
87 >	14.5 >	Bedrock geology (10k) >	1	1	5	2	-
88 >	14.6 >	Bedrock faults and other linear features (10k) >	1	1	0	2	-
Page	Section	Geology 1:50,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
89 >	15.1 >	50k Availability >	Identified (within 500m)				
90 >	15.2 >	Artificial and made ground (50k) >	1	1	1	0	-
91 >	15.3 >	Artificial ground permeability (50k) >	1	0	-	-	-
92 >	15.4 >	Superficial geology (50k) >	1	0	0	2	-
93 >	15.5 >	Superficial permeability (50k) >	Identified (within 50m)				
93 >	15.6 >	Landslip (50k) >	0	0	0	0	-
93 >	15.7 >	Landslip permeability (50k) >	None (within 50m)				
94 >	15.8 >	Bedrock geology (50k) >	1	1	5	1	-
95 >	15.9 >	Bedrock permeability (50k) >	Identified (within 50m)				
95 >	15.10 >	Bedrock faults and other linear features (50k) >	1	1	0	1	-
Page	Section	Boreholes >	On site	0-50m	50-250m	250-500m	500-2000m
96 >	16.1 >	BGS Boreholes >	0	2	25	-	-
Page	Section	Natural ground subsidence >					
98 >	17.1 >	Shrink swell clays >	Low (within 50m)				
99 >	17.2 >	Running sands >	Very low (within 50m)				
100 >	17.3 >	Compressible deposits >	Moderate (within 50m)				
102 >	17.4 >	Collapsible deposits >	Very low (within 50m)				
103 >	17.5 >	Landslides >	Low (within 50m)				
105 >	17.6 >	Ground dissolution of soluble rocks >	Negligible (within 50m)				
Page	Section	Mining, ground workings and natural cavities >	On site	0-50m	50-250m	250-500m	500-2000m
107 >	18.1 >	Natural cavities >	0	0	0	0	-
108 >	18.2 >	BritPits >	0	0	0	2	-
108 >	18.3 >	Surface ground workings >	0	0	13	-	-
109 >	18.4 >	Underground workings >	0	0	0	0	0
109 >	18.5 >	Historical Mineral Planning Areas >	0	0	0	0	-



109 >	18.6 >	Non-coal mining >	0	0	0	0	1
110 >	18.7 >	Mining cavities >	0	0	0	0	0
110 >	18.8 >	JPB mining areas >	None (within 0m)				
110 >	18.9 >	Coal mining >	Identified (within 0m)				
111 >	18.10 >	Brine areas >	None (within 0m)				
111 >	18.11 >	Gypsum areas >	None (within 0m)				
111 >	18.12 >	Tin mining >	None (within 0m)				
111 >	18.13 >	Clay mining >	None (within 0m)				
Page	Section	Radon >					
112 >	19.1 >	Radon >	Less than 1% (within 0m)				
Page	Section	Soil chemistry >	On site	0-50m	50-250m	250-500m	500-2000m
114 >	20.1 >	BGS Estimated Background Soil Chemistry >	3	1	-	-	-
114 >	20.2 >	BGS Estimated Urban Soil Chemistry >	0	0	-	-	-
115 >	20.3 >	BGS Measured Urban Soil Chemistry >	0	0	-	-	-
Page	Section	Railway infrastructure and projects >	On site	0-50m	50-250m	250-500m	500-2000m
116 >	21.1 >	Underground railways (London) >	0	0	0	-	-
116 >	21.2 >	Underground railways (Non-London) >	0	0	0	-	-
116 >	21.3 >	Railway tunnels >	0	0	0	-	-
116 >	21.4 >	Historical railway and tunnel features >	0	0	0	-	-
116 >	21.5 >	Royal Mail tunnels >	0	0	0	-	-
117 >	21.6 >	Historical railways >	0	0	0	-	-
117 >	21.7 >	Railways >	0	0	0	-	-
117 >	21.8 >	Crossrail 1 >	0	0	0	0	-
117 >	21.9 >	Crossrail 2 >	0	0	0	0	-
117 >	21.10 >	HS2 >	0	0	0	0	-

Recent aerial photograph



Capture Date: 23/05/2019

Site Area: 0.39ha



Recent site history - 2011 aerial photograph




Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2023. All Rights Reserved

Capture Date: 02/05/2011

Site Area: 0.39ha



Recent site history - 2000 aerial photograph




Capture Date: 27/06/2000

Site Area: 0.39ha




OS MasterMap site plan



Site Area: 0.39ha



1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features

© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

1.1 Historical industrial land uses

Records within 500m

33

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 12 >](#)

ID	Location	Land use	Dates present	Group ID
1	50m W	Cuttings	1981	767563



ID	Location	Land use	Dates present	Group ID
2	53m N	Cuttings	1981	642593
A	61m E	Unspecified Tank	1928 - 1938	706973
3	88m SE	Unspecified Pit	1965 - 1981	736974
4	117m W	Cuttings	1981	642592
5	132m NW	Cuttings	1981	642594
6	140m W	Industrial Estate	1981	652314
B	148m E	Unspecified Tank	1908 - 1928	757685
B	148m E	Unspecified Tank	1938	784289
B	157m E	Pump	1851	675589
7	197m NW	Cuttings	1981	642595
C	286m NE	Pump	1851	675590
9	302m W	Unspecified Warehouse	1981	652407
10	302m W	Pumping Station	1981	671667
11	305m N	Unspecified Pit	1928 - 1938	704552
12	320m N	Cuttings	1981	642596
D	328m W	Unspecified Warehouse	1981	652383
15	355m W	Unspecified Works	1981	679043
17	387m S	Sand Pit	1851	643773
E	399m E	Unspecified Tank	1908 - 1938	717346
E	400m E	Unspecified Tank	1955	719082
E	404m E	Unspecified Tank	1965 - 1981	700355
18	408m W	Unspecified Works	1974 - 1981	785140
G	414m SW	Unspecified Tank	1981	674830
G	416m SW	Unspecified Works	1981	679044
G	439m SW	Unspecified Depot	1974	668815
19	445m NE	Nursery	1851	725840
21	468m NE	Nursery	1891 - 1908	766611
H	471m SW	Unspecified Pit	1965	691000



ID	Location	Land use	Dates present	Group ID
22	492m S	Cuttings	1928 - 1938	742850
H	496m SW	Refuse Heap	1928	677975
I	497m NW	Refuse Heap	1891	677977
I	500m NW	Unspecified Ground Workings	1908 - 1938	735866

This data is sourced from Ordnance Survey / Groundsure.

1.2 Historical tanks

Records within 500m

24

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 12 >](#)

ID	Location	Land use	Dates present	Group ID
A	64m E	Unspecified Tank	1930	101646
A	64m E	Unspecified Tank	1981	96146
A	64m E	Unspecified Tank	1966	97534
A	64m E	Unspecified Tank	1957	102268
A	66m E	Unspecified Tank	1992	102643
B	151m E	Unspecified Tank	1910 - 1930	94362
8	283m W	Unspecified Tank	1969 - 1970	99876
C	306m NE	Sewage Tank	1930	78328
13	332m NE	Unspecified Tank	1910 - 1930	91604
E	399m E	Unspecified Tank	1910 - 1930	93849
F	402m W	Unspecified Tank	1980	84672
F	405m W	Unspecified Tank	1980	84673
E	406m E	Unspecified Tank	1957 - 1992	102587
D	409m W	Unspecified Tank	1980	84674



ID	Location	Land use	Dates present	Group ID
G	418m SW	Unspecified Tank	1981 - 1990	96537
G	454m SW	Tanks	1969	87161
G	457m SW	Tanks	1969	87162
G	459m SW	Tanks	1969 - 1970	103099
G	460m SW	Tanks	1970	87163
G	470m SW	Settling Tank	1969	89891
G	470m SW	Settling Tank	1970	92711
G	473m SW	Unspecified Tank	1969 - 1970	96707
G	484m SW	Settling Tanks	1969 - 1970	97252
G	489m SW	Tanks	1981 - 1990	95466

This data is sourced from Ordnance Survey / Groundsure.

1.3 Historical energy features

Records within 500m	3
----------------------------	----------

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 12 >](#)

ID	Location	Land use	Dates present	Group ID
14	338m W	Electricity Substation	1990	45659
16	378m SW	Electricity Substation	1990	45664
20	449m W	Electricity Substation	1990	45661

This data is sourced from Ordnance Survey / Groundsure.

1.4 Historical petrol stations

Records within 500m**0**

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.5 Historical garages

Records within 500m**0**

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.6 Historical military land


Records within 500m**0**

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.



2 Past land use - un-grouped



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features

© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

2.1 Historical industrial land uses

Records within 500m

48

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 17](#) >

ID	Location	Land Use	Date	Group ID
1	50m W	Cuttings	1981	767563
2	52m W	Cuttings	1981	767563
3	53m N	Cuttings	1981	642593



ID	Location	Land Use	Date	Group ID
A	61m E	Unspecified Tank	1938	706973
A	61m E	Unspecified Tank	1928	706973
B	88m SE	Unspecified Pit	1981	736974
B	88m SE	Unspecified Pit	1974	736974
B	88m SE	Unspecified Pit	1965	736974
4	117m W	Cuttings	1981	642592
5	132m NW	Cuttings	1981	642594
6	140m W	Industrial Estate	1981	652314
C	148m E	Unspecified Tank	1928	757685
C	148m E	Unspecified Tank	1938	784289
C	149m E	Unspecified Tank	1908	757685
C	157m E	Pump	1851	675589
7	197m NW	Cuttings	1981	642595
E	286m NE	Pump	1851	675590
8	302m W	Unspecified Warehouse	1981	652407
9	302m W	Pumping Station	1981	671667
F	305m N	Unspecified Pit	1938	704552
F	305m N	Unspecified Pit	1928	704552
10	320m N	Cuttings	1981	642596
G	328m W	Unspecified Warehouse	1981	652383
12	355m W	Unspecified Works	1981	679043
14	387m S	Sand Pit	1851	643773
I	399m E	Unspecified Tank	1938	717346
I	399m E	Unspecified Tank	1928	717346
I	399m E	Unspecified Tank	1908	717346
I	400m E	Unspecified Tank	1955	719082
I	404m E	Unspecified Tank	1981	700355
I	404m E	Unspecified Tank	1974	700355



ID	Location	Land Use	Date	Group ID
I	404m E	Unspecified Tank	1965	700355
15	408m W	Unspecified Works	1981	785140
K	414m SW	Unspecified Tank	1981	674830
K	416m SW	Unspecified Works	1981	679044
K	439m SW	Unspecified Depot	1974	668815
L	445m NE	Nursery	1851	725840
L	468m NE	Nursery	1891	766611
M	471m SW	Unspecified Pit	1965	691000
N	492m S	Cuttings	1938	742850
N	492m S	Cuttings	1928	742850
17	492m W	Unspecified Works	1974	785140
M	496m SW	Refuse Heap	1928	677975
18	496m NE	Nursery	1908	766611
O	497m NW	Refuse Heap	1891	677977
O	500m NW	Unspecified Ground Workings	1938	735866
O	500m NW	Unspecified Ground Workings	1928	735866
O	500m NW	Unspecified Ground Workings	1908	735866

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m

36

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 17 >](#)

ID	Location	Land Use	Date	Group ID
A	64m E	Unspecified Tank	1930	101646
A	64m E	Unspecified Tank	1981	96146
A	64m E	Unspecified Tank	1966	97534



ID	Location	Land Use	Date	Group ID
A	64m E	Unspecified Tank	1957	102268
A	66m E	Unspecified Tank	1992	102643
C	151m E	Unspecified Tank	1910	94362
C	151m E	Unspecified Tank	1930	94362
D	283m W	Unspecified Tank	1970	99876
D	283m W	Unspecified Tank	1969	99876
E	306m NE	Sewage Tank	1930	78328
H	332m NE	Unspecified Tank	1910	91604
H	332m NE	Unspecified Tank	1930	91604
I	399m E	Unspecified Tank	1910	93849
I	399m E	Unspecified Tank	1930	93849
J	402m W	Unspecified Tank	1980	84672
J	405m W	Unspecified Tank	1980	84673
I	406m E	Unspecified Tank	1981	102587
I	407m E	Unspecified Tank	1966	102587
I	407m E	Unspecified Tank	1957	102587
I	407m E	Unspecified Tank	1992	102587
G	409m W	Unspecified Tank	1980	84674
K	418m SW	Unspecified Tank	1981	96537
K	419m SW	Unspecified Tank	1990	96537
K	454m SW	Tanks	1969	87161
K	457m SW	Tanks	1969	87162
K	459m SW	Tanks	1969	103099
K	459m SW	Tanks	1970	103099
K	460m SW	Tanks	1970	87163
K	470m SW	Settling Tank	1969	89891
K	470m SW	Settling Tank	1970	92711
K	473m SW	Unspecified Tank	1969	96707



ID	Location	Land Use	Date	Group ID
K	473m SW	Unspecified Tank	1970	96707
K	484m SW	Settling Tanks	1969	97252
K	484m SW	Settling Tanks	1970	97252
K	489m SW	Tanks	1981	95466
K	489m SW	Tanks	1990	95466

This data is sourced from Ordnance Survey / Groundsure.

2.3 Historical energy features

Records within 500m

3

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 17 >](#)

ID	Location	Land Use	Date	Group ID
11	338m W	Electricity Substation	1990	45659
13	378m SW	Electricity Substation	1990	45664
16	449m W	Electricity Substation	1990	45661

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.



2.5 Historical garages

Records within 500m


0

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.



3 Waste and landfill



- Site Outline
- Search buffers in metres (m)
- Active or recent landfill
- Historical landfill (EA/NRW)
- Historical landfill (LA/OS)
- Historical waste sites
- Licensed waste sites
- Waste exemptions

3.1 Active or recent landfill

Records within 500m

3

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation. Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Details	
1	On site	Operator: Viridor Waste Management Limited Site Address: Pilsworth South Landfill, Pilsworth Road, Lancashire, BL9 8QZ	WML Number: 0 EPR Reference: - Landfill type: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Status: Effective IPPC Reference: - EPR Number: -



ID	Location	Details	
3	95m N	Operator: Viridor Waste Management Limited Site Address: Pilsworth North Landfill Site, Pilsworth Road, Lancashire, BL9 8QZ	WML Number: 0 EPR Reference: - Landfill type: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Status: Effective IPPC Reference: - EPR Number: -
5	347m NE	Operator: Viridor Waste Management Limited Site Address: Pilsworth North Landfill Site, Pilsworth Road, Lancashire, BL9 8QZ	WML Number: 0 EPR Reference: - Landfill type: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Status: Effective IPPC Reference: - EPR Number: -

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m	0
----------------------------	----------

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.

3.3 Historical landfill (LA/mapping records)

Records within 500m	1
----------------------------	----------

Landfill sites identified from Local Authority records and high detail historical mapping.

Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Site address	Source	Data type
4	217m NW	Refuse Tip	1966 mapping	Polygon

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.



3.4 Historical landfill (EA/NRW records)

Records within 500m

1

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Details		
2	93m N	Site Address: Pilsworth Sand Pit, Moor Hole farm, Pilsworth Road, Bury, Greater Manchester Licence Holder Address: Beech Cottage, Old Rydon Lane, Exeter	Waste Licence: Yes Site Reference: C039a,RD/LIC/463/87 Waste Type: Industrial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 16/12/1987 Licence Surrender: 11/04/1994	Operator: - Licence Holder: Terry Adams Limited First Recorded 31/12/1987 Last Recorded: 31/12/1989

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m

5

Waste site records derived from Local Authority planning records and high detail historical mapping.

Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Address	Further Details	Date
A	49m SW	Site Address: Prettywood Landfill, Bury New Road, HEYWOOD, Greater Manchester, BL9 8QZ	Type of Site: Waste Re-Cycling Planning application reference: 33562 Description: This includes screen mounds & plant. An application (ref: 33562) for Detailed Planning permission was submitted to Rochdale B.C. on 20th September 1996. Data source: Historic Planning Application Data Type: Point	-

ID	Location	Address	Further Details	Date
A	50m SW	Site Address: Pilsworth Quarry off, Pilsworth Road, (Pilsworth South Quarry, BURY, Greater Manchester, BL9 8QZ	Type of Site: Recycling/Pre Treatment Facility Planning application reference: 47617 Description: Scheme comprises proposed waste reception, transfer, recycling and pre-treatment facility. An application (ref: 47617) for detailed planning permission was granted by Bury M.B.C. This scheme is now complete. Data source: Historic Planning Application Data Type: Point	07/09/2009
A	50m SW	Site Address: Pilsworth Quarry, Pilsworth Road, BURY, Greater Manchester, BL9 8QZ	Type of Site: Recycling Facility Planning application reference: 54012 Description: Scheme comprises construction of waste reception, transfer, recycling and pre-treatment facility. Construction - pitched roof; concrete, steel cladding walls; steel cladding roof; rooflight windows; modular construction, portal, steel frame; black to rfacing, bunds, concrete paving, drain covers, hardcore site works. An application (ref: 54012) for detailed planning permission was granted by Bury M.B.C. The start date and contract period are for guideline only. Detailed plans approved. Data source: Historic Planning Application Data Type: Point	01/03/2012
A	50m SW	Site Address: Pilsworth Quarry, Pilsworth Road, BURY, Greater Manchester, BL9 8QZ	Type of Site: Recycling Facility Planning application reference: 54563 Description: Scheme comprises installation of scrap metal and aggregate/soils recycling facility. Construction - fencing site works. An application (ref: 54563) for detailed planning permission was submitted to Bury M.B.C. The start date, contract period and projec value are for guideline only. Detailed plans submitted. Data source: Historic Planning Application Data Type: Point	01/08/2012
A	50m SW	Site Address: Pilsworth Landfill Site, Pilsworth Road, BURY, Greater Manchester, BL9 8QZ	Type of Site: Recycling Facility Planning application reference: 51132 Description: Scheme comprises construction of green waste reception and shredding facility for a period of 27 months. An application (ref: 51132) for detailed planning permission was granted by Bury M.B.C. A detailed planning application has been granted. Data source: Historic Planning Application Data Type: Point	14/12/2009

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.



3.6 Licensed waste sites

Records within 500m

4

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

Features are displayed on the Waste and landfill map on [page 23](#) >

ID	Location	Details		
B	203m NE	Site Name: Pilsworth South Landfill Site Address: Pilsworth Road, Bury, Lancashire, BL9 8QZ Correspondence Address: -	Type of Site: Co-Disposal Landfill Site Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: PSL001 EPR reference: EA/EPR/AP3794CN/A001 Operator: Viridor Waste Management Ltd Waste Management licence No: 50437 Annual Tonnage: 500000	Issue Date: 18/05/2005 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: To PPC
B	203m NE	Site Name: Pilsworth South Landfill Site Address: Pilsworth Road, Bury, Lancashire, BL9 8QZ Correspondence Address: -	Type of Site: Co-Disposal Landfill Site Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: PSL001 EPR reference: EA/EPR/AP3794CN/A001 Operator: Viridor Waste Management Ltd Waste Management licence No: 50437 Annual Tonnage: 500000	Issue Date: 18/05/2005 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: To PPC
E	374m SE	Site Name: Pilsworth South Landfill Site Address: Pilsworth South Landfill, Pilsworth Road, Pilsworth, Bury, Lancashire, BL9 8QZ Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: VIR505 EPR reference: EA/EPR/BS7951IB/V013 Operator: Viridor Waste Management Limited Waste Management licence No: 102095 Annual Tonnage: 120000	Issue Date: 21/10/2010 Effective Date: - Modified: 13/10/2020 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified



ID	Location	Details		
E	374m SE	Site Name: Pilsworth South Landfill Site Address: Pilsworth South Landfill, Pilsworth Road, Pilsworth, Bury, Lancashire, BL9 8QZ Correspondence Address: -	Type of Site: Household, Commercial & Industrial Waste T Stn Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: VIR505 EPR reference: EA/EPR/BS7951IB/V012 Operator: Viridor Waste Management Ltd Waste Management licence No: 102095 Annual Tonnage: 120000	Issue Date: 21/10/2010 Effective Date: - Modified: 01/06/2020 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m	12
----------------------------	-----------

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on [page 23](#) >

ID	Location	Site	Reference	Category	Sub-Category	Description
C	286m NE	Pilsworth Landfill Pilsworth Road BURY Lancashire BL9 8QZ	EPR/ME5244S G/A001	Treating waste exemption	Non-Agricultural Waste Only	Screening and blending of waste
C	286m NE	Pilsworth Landfill Pilsworth Road BURY Lancashire BL9 8QZ	EPR/ME5244S G/A001	Treating waste exemption	Non-Agricultural Waste Only	Recovery of scrap metal
C	286m NE	Pilsworth Landfill Pilsworth Road BURY Lancashire BL9 8QZ	EPR/ME5244S G/A001	Using waste exemption	Non-Agricultural Waste Only	Spreading waste on non-agricultural land to confer benefit
C	288m NE	Jackson Fold Farm Pilsworth Road BURY Lancashire BL9 8QZ	EPR/UE5883JD /A001	Using waste exemption	Both agricultural and non-agricultural waste	Spreading waste on agricultural land to confer benefit
C	288m NE	Jackson Fold Farm Pilsworth Road BURY Lancashire BL9 8QZ	EPR/UE5883JD /A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste for a specified purpose
C	296m NE	Jackson Fold Farm Pilsworth Road BURY Lancashire BL9 8QZ	EPR/UE5784Q L/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of sludge




ID	Location	Site	Reference	Category	Sub-Category	Description
C	296m NE	Jackson Fold Farm Pilsworth Road BURY Lancashire BL9 8QZ	EPR/SE5286Q R/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of sludge
D	372m W	PARK 66 RETAIL PARK, PILSWORTH ROAD, BURY, BL9 8RS	WEX116824	Treating waste exemption	Not on a farm	Screening and blending of waste
D	372m W	PARK 66 RETAIL PARK, PILSWORTH ROAD, BURY, BL9 8RS	WEX116824	Using waste exemption	Not on a farm	Use of waste in construction
6	404m W	Little 66 Chatsworth House 14 Roach Bank Road BURY Lancashire BL9 8RN	EPR/JE5785ZL/ A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in a secure place
F	448m NE	Jackson Fold Farm Pilsworth Road BURY Lancashire BL9 8QZ	EPR/UE5584Q Q/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of sludge
F	448m NE	Jackson Fold Farm Pilsworth Road BURY Lancashire BL9 8QZ	EPR/SE5486Q Q/A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of sludge

This data is sourced from the Environment Agency and Natural Resources Wales.



4 Current industrial land use



- Site Outline
- Search buffers in metres (m)
- Recent industrial land uses
- △ Current or recent petrol stations
- Control of Major Accident Hazards
- ▲ Hazardous substance storage/usage
- ▽ Part A(1) industrial activities
- Licensed pollutant release (Part A(2)/B)
- Licensed Discharges to controlled waters
- List 2 Dangerous Substances
- Pollution Incidents (EA/NRW)
- Pollution inventory substances
- Pollution inventory waste transfers

4.1 Recent industrial land uses

Records within 250m

1

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Company	Address	Activity	Category
3	197m NW	Gantry	Greater Manchester, BL9	Travelling Cranes and Gantries	Industrial Features

This data is sourced from Ordnance Survey.



4.2 Current or recent petrol stations

Records within 500m

1

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Company	Address	LPG	Status
B	318m W	ASDA	Pilsworth Road, Pilsworth Industrial Estate, Bury, Greater Manchester, BL9 8RS	No	Open

This data is sourced from Experian.

4.3 Electricity cables

Records within 500m

0

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.4 Gas pipelines

Records within 500m

0

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.5 Sites determined as Contaminated Land

Records within 500m

0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.6 Control of Major Accident Hazards (COMAH)

Records within 500m

1

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Company	Address	Operational status	Tier
C	307m SW	Holchem Laboratories Limited	Holchem Laboratories Limited, Pilsworth/Bury, M66 Trading Estate, Pilsworth Road, Pilsworth, Bury, Lancashire, BL9 8RD	Current COMAH Site	COMAH Upper Tier Operator

This data is sourced from the Health and Safety Executive.

4.7 Regulated explosive sites

Records within 500m

0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.8 Hazardous substance storage/usage

Records within 500m

1

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

Features are displayed on the Current industrial land use map on [page 30 >](#)

ID	Location	Details	
C	410m SW	Application reference number: 55049 Application status: Approved Application date: 04/04/2012 Address: Holchem Laboratories Ltd, M66 Trading Estate, Pilsworth Road, Pilsworth, Bury, Lancashire, England, BL9 8RD	Details: Hazardous substances consent: Storage of LPG; Diesel; Detergents/Disinfectants Part B2; Oxidising Agents Part B3 (49 Tonnes); Flammable Part B6 (R10) agents (45 tonnes) and Flammable Part B8 (R11) agents 20 Tonne Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified

This data is sourced from Local Authority records.

4.9 Historical licensed industrial activities (IPC)

Records within 500m

0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.



4.10 Licensed industrial activities (Part A(1))

Records within 500m

17

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Details	
A	198m NE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: EP3732US Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 06/07/2009 Effective Date: 07/07/2009 Last date noted as effective: 21/03/2023 Status: Superseded
A	198m NE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: BS7951IB Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 18/05/2005 Effective Date: 18/05/2005 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: BP3132GY Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 08/07/2009 Effective Date: 08/07/2009 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: MP3733TF Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 21/10/2010 Effective Date: 21/10/2010 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: SP3336GS Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 06/07/2009 Effective Date: 07/07/2009 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: BP3130ZC Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 29/11/2012 Effective Date: 29/11/2012 Last date noted as effective: 21/03/2023 Status: Superseded



ID	Location	Details	
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: Pilsworth South Landfill - EPR/BS7951IB Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: DP3309BT Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 01/06/2020 Effective Date: 01/06/2020 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: Pilsworth South Landfill - EPR/BS7951IB Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: EP3237VL Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 24/09/2014 Effective Date: 24/09/2014 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: TP3938XC Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 03/04/2008 Effective Date: 03/04/2008 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: TP3632LX Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 14/11/2007 Effective Date: 14/11/2007 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: XP3730NH Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 17/04/2013 Effective Date: 17/04/2013 Last date noted as effective: 21/03/2023 Status: Superseded
D	374m SE	Operator: Viridor Waste Management Limited Installation Name: Pilsworth South Landfill - EPR/BS7951IB Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: JP3903LB Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 20/10/2020 Effective Date: 20/10/2020 Last date noted as effective: 21/03/2023 Status: Effective
D	374m SE	Operator: Viridor Waste Management Ltd Installation Name: PILSWORTH SOUTH LANDFILL Process: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE Permit Number: SP3631HQ Original Permit Number: BS7951IB	EPR Reference: - Issue Date: 15/10/2012 Effective Date: 15/10/2012 Last date noted as effective: 21/03/2023 Status: Superseded



ID	Location	Details	
C	409m SW	Operator: Holchem Laboratories Ltd Installation Name: Pilsworth Surfactants Facility EPR/NP3434CE Process: ORGANIC CHEMICALS; ANY OTHER ORGANIC COMPOUNDS (NOT DESCRIBED 4.1 A(1)(A)) Permit Number: NP3434CE Original Permit Number: NP3434CE	EPR Reference: - Issue Date: 04/07/2012 Effective Date: 04/07/2012 Last date noted as effective: 21/03/2023 Status: Superseded
C	409m SW	Operator: Holchem Laboratories Ltd Installation Name: Pilsworth Surfactants Facility EPR/NP3434CE Process: ASSOCIATED PROCESS Permit Number: FP3331EB Original Permit Number: NP3434CE	EPR Reference: - Issue Date: 05/03/2014 Effective Date: 05/03/2014 Last date noted as effective: 21/03/2023 Status: Effective
C	409m SW	Operator: Holchem Laboratories Ltd Installation Name: Pilsworth Surfactants Facility EPR/NP3434CE Process: ORGANIC CHEMICALS; SURFACE-ACTIVE AGENTS Permit Number: FP3331EB Original Permit Number: NP3434CE	EPR Reference: - Issue Date: 05/03/2014 Effective Date: 05/03/2014 Last date noted as effective: 21/03/2023 Status: Effective
C	409m SW	Operator: Holchem Laboratories Ltd Installation Name: Pilsworth Surfactants Facility EPR/NP3434CE Process: ORGANIC CHEMICALS; SURFACE-ACTIVE AGENTS Permit Number: NP3434CE Original Permit Number: NP3434CE	EPR Reference: - Issue Date: 04/07/2012 Effective Date: 04/07/2012 Last date noted as effective: 21/03/2023 Status: Superseded

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m

1

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on [page 30 >](#)

ID	Location	Address	Details	
B	332m W	Asda Pilsworth Petrol Filling Station, Pilsworth Road, Pilsworth Industrial Estate, BL9 8RS	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

This data is sourced from Local Authority records.



4.12 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Licensed Discharges to controlled waters

Records within 500m

3

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID	Location	Address	Details	
2	186m S	PILSWORTH SOUTH QUARRY, OFF PILSWORTH ROAD, PILSWORTH, BURY, LANCASHIRE	Effluent Type: TRADE DISCHARGES - SITE DRAINAGE Permit Number: 016993371 Permit Version: 1 Receiving Water: TRIB OF HOLLINS BROOK	Status: CONSENT REVOKED OR REVISED - NEW CONSENT ISSUED (37(1)) Issue date: 11/04/2000 Effective Date: 11/04/2000 Revocation Date: 24/05/2005
4	246m N	PILSWORTH LANDFILL SITE OUTFALL N.2, PILSWORTH ROAD, PILSWORTH, BURY, LANCASHIRE, BL9 8QZ	Effluent Type: TRADE DISCHARGES - SITE DRAINAGE Permit Number: 016993306 Permit Version: 1 Receiving Water: GIGG BK, TRIB OF RIVER ROCH	Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 25/02/1999 Effective Date: 25/02/1999 Revocation Date: 06/05/2004
E	463m S	PILSWORTH SOUTH QUARRY, OFF PILSWORTH ROAD, PILSWORTH, BURY, LANCASHIRE	Effluent Type: TRADE DISCHARGES - PROCESS EFFLUENT - NOT WATER COMPANY Permit Number: 016993371 Permit Version: 2 Receiving Water: TRIB OF HOLLINS BROOK	Status: SURRENDERED UNDER EPR 2010 Issue date: 25/05/2005 Effective Date: 25/05/2005 Revocation Date: 29/03/2011

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m

0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.



4.15 Pollutant release to public sewer

Records within 500m

0

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 1 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 2 Dangerous Substances

Records within 500m

1

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

Features are displayed on the Current industrial land use map on [page 30 >](#)

ID	Location	Name	Status	Receiving Water	Authorised Substances
D	375m SE	Pilsworth South Landfill	Active	-	pH

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m

11

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on [page 30 >](#)

ID	Location	Details	
1	141m NW	Incident Date: 20/09/2001 Incident Identification: 31962 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)

ID	Location	Details	
A	185m NE	Incident Date: 21/05/2003 Incident Identification: 159866 Pollutant: Inert Materials and Wastes Pollutant Description: Soils and Clay	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 4 (No Impact)
5	287m NE	Incident Date: 23/02/2020 Incident Identification: 1784912 Pollutant: Inert Materials and Wastes Pollutant Description: Construction and Demolition Materials and Wastes	Water Impact: Category 4 (No Impact) Land Impact: Category 2 (Significant) Air Impact: Category 4 (No Impact)
B	291m W	Incident Date: 20/09/2001 Incident Identification: 31759 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)
B	291m W	Incident Date: 20/09/2001 Incident Identification: 31759 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)
6	292m W	Incident Date: 12/04/2013 Incident Identification: 1102095 Pollutant: Oils and Fuel Pollutant Description: Diesel	Water Impact: Category 2 (Significant) Land Impact: Category 2 (Significant) Air Impact: Category 4 (No Impact)
7	375m N	Incident Date: 23/03/2004 Incident Identification: 224806 Pollutant: Contaminated Water Pollutant Description: Suspended Solids	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
E	440m S	Incident Date: 23/05/2001 Incident Identification: 6446 Pollutant: Inert Materials and Wastes Pollutant Description: Rocks and Gravel	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
E	440m S	Incident Date: 23/05/2001 Incident Identification: 6446 Pollutant: Inert Materials and Wastes Pollutant Description: Rocks and Gravel	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
F	477m NE	Incident Date: 21/04/2001 Incident Identification: 2992 Pollutant: Other Pollutant Pollutant Description: Other	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)
F	477m NE	Incident Date: 21/04/2001 Incident Identification: 2992 Pollutant: Other Pollutant Pollutant Description: Other	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)

This data is sourced from the Environment Agency and Natural Resources Wales.



4.19 Pollution inventory substances

Records within 500m

6

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

Features are displayed on the Current industrial land use map on [page 30](#) >

ID: D, Location: 375m SE, Permit: BS7951IB
 Operator: Viridor Waste Management Limited
 Activity: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE
 Address: Pilsworth South Landfill Pilsworth Road Lancashire BL9 8QZ
 Sector: Landfill, Sub-sector: Non Hazardous Landfill
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Wastewater	Arsenic	5kg	11.59159kg

ID: D, Location: 375m SE, Permit: BS7951IB
 Operator: Viridor Waste Management Limited
 Activity: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE
 Address: Pilsworth South Landfill Pilsworth Road Lancashire BL9 8QZ
 Sector: Landfill, Sub-sector: Non Hazardous Landfill
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Chlorofluorocarbons (CFCs)	1kg	19.1kg

ID: D, Location: 375m SE, Permit: BS7951IB
 Operator: Viridor Waste Management Limited
 Activity: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE
 Address: Pilsworth South Landfill Pilsworth Road Lancashire BL9 8QZ
 Sector: Landfill, Sub-sector: Non Hazardous Landfill
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Methane	10000kg	881000kg



ID: D, Location: 375m SE, Permit: BS7951IB
 Operator: Viridor Waste Management Limited
 Activity: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE
 Address: Pilsworth South Landfill Pilsworth Road Lancashire BL9 8QZ
 Sector: Landfill, Sub-sector: Non Hazardous Landfill
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Ethylene dichloride (1,2-Dichloroethane)	1000kg	Below Reporting Threshold
Wastewater	Nickel	20kg	Below Reporting Threshold
Wastewater	Zinc	100kg	Below Reporting Threshold
Air	Trichlorobenzene - all isomers	1kg	Below Reporting Threshold
Air	Sulphur oxides (SO2 and SO3) as SO2	100000kg	Below Reporting Threshold
Wastewater	Chlorides - as Cl	2000000kg	Below Reporting Threshold
Wastewater	Cyanides - as CN	50kg	Below Reporting Threshold
Wastewater	Nitrogen - as total N	50000kg	Below Reporting Threshold
Air	Carbon dioxide	10000000kg	Below Reporting Threshold
Air	Carbon monoxide	100000kg	Below Reporting Threshold
Air	Nitrogen oxides (NO and NO2) as NO2	100000kg	Below Reporting Threshold
Air	Tetrachloroethane (1,1,2,2-Tetrachloroethane)	10kg	Below Reporting Threshold
Air	Perfluorocarbons (PFCs)	10kg	Below Reporting Threshold
Air	Benzene	1000kg	Below Reporting Threshold
Air	Butadiene (1,3-Butadiene)	100kg	Below Reporting Threshold
Air	Trichloroethylene	1000kg	Below Reporting Threshold
Air	Tetrachloroethylene (PER)	100kg	Below Reporting Threshold
Air	Methyl chloroform (1,1,1-Trichloroethane)	10kg	Below Reporting Threshold
Air	Vinyl chloride	1000kg	Below Reporting Threshold
Wastewater	Cadmium	1kg	Below Reporting Threshold
Wastewater	Copper	20kg	Below Reporting Threshold
Wastewater	Lead	20kg	Below Reporting Threshold
Air	Chlorine and inorganic chlorine compounds - as HCl	10000kg	Below Reporting Threshold



Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Non-methane volatile organic compounds (NMVOCs)	10000kg	Below Reporting Threshold
Air	Dichloromethane (DCM) (Methylene chloride)	1000kg	Below Reporting Threshold
Air	Hexachlorocyclohexane (HCH) -all isomers	1kg	Below Reporting Threshold
Air	Carbon tetrachloride (Tetrachloromethane)	10kg	Below Reporting Threshold
Air	Particulate matter - PM10	1000kg	Below Reporting Threshold
Air	Dioxins and furans (PCDDs/PCDFs) - as ITEQ	1e-5kg	Below Reporting Threshold
Air	Hydrofluorocarbons (HFCs)	100kg	Below Reporting Threshold
Air	Benzo(a)pyrene	1kg	Below Reporting Threshold
Air	Chloroform (Trichloromethane)	100kg	Below Reporting Threshold

ID: D, Location: 375m SE, Permit: BS7951IB
 Operator: Viridor Waste Management Limited
 Activity: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE
 Address: Pilsworth South Landfill Pilsworth Road Lancashire BL9 8QZ
 Sector: Landfill, Sub-sector: Non Hazardous Landfill
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Hydrochlorofluorocarbons (HCFCs)	1kg	8.31kg

ID: D, Location: 375m SE, Permit: BS7951IB
 Operator: Viridor Waste Management Limited
 Activity: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE
 Address: Pilsworth South Landfill Pilsworth Road Lancashire BL9 8QZ
 Sector: Landfill, Sub-sector: Non Hazardous Landfill
 Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Wastewater	Chromium	20kg	45.265kg

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m

1

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

Features are displayed on the Current industrial land use map on [page 30 >](#)

ID: D, Location: 375m SE, Permit: BS7951IB
 Operator: Viridor Waste Management Limited
 Activity: WASTE LANDFILLING; >10 T/D WITH CAPACITY >25,000T EXCLUDING INERT WASTE
 Address: Pilsworth South Landfill Pilsworth Road Lancashire BL9 8QZ
 Sector: Landfill, Sub-sector: Non Hazardous Landfill
 Releases:

Route	Route description	Quantity (tonnes)	Release level	EWC code	EWC description	Hazardous waste
D15	Storage pending any of the operations numbered D1 to D14 (excluding temporary storage pending collection, on the site where it is produced)	0.047	absolute value	19 12 12	other wastes (including mixtures of materials) from mechanical treatment of wastes other than those mentioned in 19 12 11	No
D15	Storage pending any of the operations numbered D1 to D14 (excluding temporary storage pending collection, on the site where it is produced)	0.001	absolute value	17 05 06	dredging spoil other than those mentioned in 17 05 05	No
D15	Storage pending any of the operations numbered D1 to D14 (excluding temporary storage pending collection, on the site where it is produced)	0.049	absolute value	17 05 04	soil and stones other than those mentioned in 17 05 03	No
D15	Storage pending any of the operations numbered D1 to D14 (excluding temporary storage pending collection, on the site where it is produced)	0.001	absolute value	06 05 03	sludges from on-site effluent treatment other than those mentioned in 06 05 02	No

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



4.21 Pollution inventory radioactive waste

Records within 500m


0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



5 Hydrogeology - Superficial aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive
 - Unknown

5.1 Superficial aquifer

Records within 500m

2

Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on [page 44](#) >


ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	193m NW	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type



This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Bedrock aquifer



- Site Outline
- Search buffers in metres (m)
- Principal
 - Secondary A
 - Secondary B
 - Secondary Undifferentiated
 - Unproductive

5.2 Bedrock aquifer

Records within 500m

1

Aquifer status of groundwater held within bedrock geology.



Features are displayed on the Bedrock aquifer map on [page 46](#) >

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.



Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

2

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on [page 47](#) >

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary superficial aquifer - Low Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: >550mm/year	Vulnerability: Low Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Secondary Flow mechanism: Well connected fractures
2	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: >550mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: High	Vulnerability: Low Aquifer type: Secondary Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site	0
-----------------	---

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.


5.5 Groundwater vulnerability- local information

Records on site	0
-----------------	---

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk ↗.

This data is sourced from the British Geological Survey and the Environment Agency.

Abstractions and Source Protection Zones



- Site Outline
- Search buffers in metres (m)
- Source Protection Zone 1
Inner catchment
- Source Protection Zone 2
Outer catchment
- Source Protection Zone 3
Total catchment
- Source Protection Zone 4
Zone of Special Interest
- Source Protection Zone 1c
Inner catchment - confined aquifer
- Source Protection Zone 2c
Outer catchment - confined aquifer
- Source Protection Zone 3c
Total catchment - confined aquifer
- Drinking water abstraction licences
Polygon features
- Drinking water abstraction licences
Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m

18

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 49 >](#)

ID	Location	Details	
1	110m SE	Status: Active Licence No: NW/069/0002/013 Details: Dewatering Direct Source: Ground Water - North West Region Point: SUMP 'A' AT PILSWORTH LANDFILL SITE, PILSWORTH ROAD, BURY Data Type: Point Name: Viridor Waste Management Ltd Easting: 382340 Northing: 408890	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: NPS/NA/001648 Original Start Date: 31/03/2021 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 31/03/2021 Version End Date: -
2	293m E	Status: Active Licence No: NW/069/0002/013 Details: Dewatering Direct Source: Ground Water - North West Region Point: SUMP 'B' AT PILSWORTH LANDFILL SITE, PILSWORTH ROAD, BURY Data Type: Poly4 Name: Viridor Waste Management Ltd Easting: 383250 Northing: 409380	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: NPS/NA/001648 Original Start Date: 31/03/2021 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 31/03/2021 Version End Date: -
A	626m SW	Status: Historical Licence No: 2569002272 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PREMISES, PILSWORTH, BURY" Data Type: Point Name: CASTLEBROOK WATER CO. LTD Easting: 381680 Northing: 408700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 10/04/2000 Expiry Date: - Issue No: 3 Version Start Date: 10/09/2002 Version End Date: -
A	626m SW	Status: Historical Licence No: 2569002272 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES, PILSWORTH, BURY Data Type: Point Name: CASTLEBROOK WATER CO. LTD Easting: 381680 Northing: 408700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 10/04/2000 Expiry Date: - Issue No: 3 Version Start Date: 10/09/2002 Version End Date: -



ID	Location	Details	
-	775m NW	Status: Historical Licence No: 2569002063 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: "WELL AT WATER FARM, HEAP BRIDGE, BURY" Data Type: Point Name: FISH Easting: 381800 Northing: 409700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 14/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 14/02/1966 Version End Date: -
-	775m NW	Status: Historical Licence No: 2569002063 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: WELL AT WATER FARM, HEAP BRIDGE, BURY Data Type: Point Name: FISH Easting: 381800 Northing: 409700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 14/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 14/02/1966 Version End Date: -
-	1065m N	Status: Historical Licence No: 2569002085 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: "WELL AT WATERFOLD FARM, HEAP BRIDGE, NEAR BURY" Data Type: Point Name: WILKINSON Easting: 382000 Northing: 410100	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 15/02/1966 Version End Date: -
-	1065m N	Status: Historical Licence No: 2569002085 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: WELL AT WATERFOLD FARM, HEAP BRIDGE, NEAR BURY Data Type: Point Name: WILKINSON Easting: 382000 Northing: 410100	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 15/02/1966 Version End Date: -



ID	Location	Details	
-	1140m N	Status: Historical Licence No: 2569002059 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: "WELL AT SPOUT BANK FARM, HEAP BRIDGEBURY, LANCASHIRE" Data Type: Point Name: FISH Easting: 382300 Northing: 410200	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 15/02/1966 Version End Date: -
-	1140m N	Status: Historical Licence No: 2569002059 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: WELL AT SPOUT BANK FARM, HEAP BRIDGEBURY, LANCASHIRE Data Type: Point Name: FISH Easting: 382300 Northing: 410200	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 15/02/1966 Expiry Date: - Issue No: 100 Version Start Date: 15/02/1966 Version End Date: -
-	1782m W	Status: Historical Licence No: 2569001258 Details: Pollution Remediation Direct Source: Ground Water - North West Region Point: "WELL POINT SYSTEM AT MANCHESTER ROAD, BURY" Data Type: Point Name: TOTALFINAELF UK LTD Easting: 380450 Northing: 408850	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 12/06/2002 Expiry Date: - Issue No: 1 Version Start Date: 12/06/2002 Version End Date: -
-	1782m W	Status: Historical Licence No: 2569001258 Details: Pollution Remediation Direct Source: Ground Water - North West Region Point: WELL POINT SYSTEM AT MANCHESTER ROAD, BURY Data Type: Point Name: TOTALFINAELF UK LTD Easting: 380450 Northing: 408850	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: - Original Start Date: 12/06/2002 Expiry Date: - Issue No: 1 Version Start Date: 12/06/2002 Version End Date: -



ID	Location	Details	
-	1834m SW	Status: Historical Licence No: 2569002264 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: "A BOREHOLE AT BURY GOLF CLUB, BLACKFORD BRIDGE, BURY" Data Type: Point Name: BURY GOLF CLUB Easting: 380970 Northing: 407670	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 17/04/1997 Expiry Date: 16-Apr-07 Issue No: 100 Version Start Date: 17/04/1997 Version End Date: -
-	1834m SW	Status: Historical Licence No: 2569002264 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: A BOREHOLE AT BURY GOLF CLUB, BLACKFORD BRIDGE, BURY Data Type: Point Name: RAYMOND ADAMS Easting: 380970 Northing: 407670	Annual Volume (m ³): 9000 Max Daily Volume (m ³): 55 Original Application No: - Original Start Date: 17/04/1997 Expiry Date: 16/04/2007 Issue No: 101 Version Start Date: 27/01/2004 Version End Date: 16/04/2007
-	1834m SW	Status: Historical Licence No: 2569002264R1 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: A BOREHOLE AT BURY GOLF CLUB, BLACKFORD BRIDGE, BURY Data Type: Point Name: RAYMOND ADAMS Easting: 380970 Northing: 407670	Annual Volume (m ³): 7000 Max Daily Volume (m ³): 50 Original Application No: - Original Start Date: 01/06/2007 Expiry Date: 31/03/2015 Issue No: 1 Version Start Date: 01/04/2008 Version End Date: -
-	1837m SW	Status: Historical Licence No: 2569002264R1 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: A BOREHOLE AT BURY GOLF CLUB, BLACKFORD BRIDGE, BURY Data Type: Point Name: RAYMOND ADAMS Easting: 380963 Northing: 407673	Annual Volume (m ³): 7000 Max Daily Volume (m ³): 50 Original Application No: - Original Start Date: 01/06/2007 Expiry Date: 31/03/2015 Issue No: 1 Version Start Date: 01/04/2008 Version End Date: -

ID	Location	Details	
-	1837m SW	Status: Active Licence No: 2569002264R02 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: A BOREHOLE AT BURY GOLF CLUB, BLACKFORD BRIDGE, BURY Data Type: Point Name: Bury Golf Club Limited Easting: 380963 Northing: 407673	Annual Volume (m ³): 7000 Max Daily Volume (m ³): 50 Original Application No: NPS/WR/016967 Original Start Date: 01/04/2015 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 01/04/2015 Version End Date: -
-	1936m N	Status: Active Licence No: NW/069/0002/010 Details: Process Water Direct Source: Ground Water - North West Region Point: BOREHOLE - NORTHERN MANCHESTER CARBONIFEROUS AQUIFERS Data Type: Point Name: Access Utilities Limited Easting: 382983 Northing: 410861	Annual Volume (m ³): 62400 Max Daily Volume (m ³): 200 Original Application No: - Original Start Date: 19/09/2018 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 19/09/2018 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

7

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 49](#) >

ID	Location	Details	
-	721m S	Status: Historical Licence No: 2569002088 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: "Surface, Non-Tidal - North West Region" Point: "BRIGHTLEY& WHITTLE BRKS @ THEIR CONFLUENCE, ABOVE WEIR, BURY" Data Type: Point Name: BORDEN CHEMICAL U K LTD Easting: 382500 Northing: 408300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 16/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 16/05/1996 Version End Date: -



ID	Location	Details	
-	721m S	Status: Historical Licence No: 2569002088 Details: General Washing/Process Washing Direct Source: "Surface, Non-Tidal - North West Region" Point: "BRIGHTLEY& WHITTLE BRKS @ THEIR CONFLUENCE, ABOVE WEIR, BURY" Data Type: Point Name: BORDEN CHEMICAL U K LTD Easting: 382500 Northing: 408300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 16/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 16/05/1996 Version End Date: -
-	721m S	Status: Historical Licence No: 2569002088 Details: Process water Direct Source: "Surface, Non-Tidal - North West Region" Point: "BRIGHTLEY& WHITTLE BRKS @ THEIR CONFLUENCE, ABOVE WEIR, BURY" Data Type: Point Name: BORDEN CHEMICAL U K LTD Easting: 382500 Northing: 408300	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 16/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 16/05/1996 Version End Date: -
-	721m S	Status: Historical Licence No: 2569002088 Details: General Cooling (Existing Licences Only) (Low Loss) Direct Source: Surface, Non-Tidal - North West Region Point: BRIGHTLEY& WHITTLE BRKS @ THEIR CONFLUENCE, ABOVE WEIR, BURY Data Type: Point Name: HEXION SPECIALITY CHEMICALS UK TD Easting: 382500 Northing: 408300	Annual Volume (m ³): 118198 Max Daily Volume (m ³): 681.9 Original Application No: - Original Start Date: 16/03/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/07/2005 Version End Date: -
-	721m S	Status: Historical Licence No: 2569002088 Details: General Washing/Process Washing Direct Source: Surface, Non-Tidal - North West Region Point: BRIGHTLEY& WHITTLE BRKS @ THEIR CONFLUENCE, ABOVE WEIR, BURY Data Type: Point Name: HEXION SPECIALITY CHEMICALS UK TD Easting: 382500 Northing: 408300	Annual Volume (m ³): 118198 Max Daily Volume (m ³): 681.9 Original Application No: - Original Start Date: 16/03/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/07/2005 Version End Date: -

ID	Location	Details	
-	721m S	Status: Historical Licence No: 2569002088 Details: Process Water Direct Source: Surface, Non-Tidal - North West Region Point: BRIGHTLEY& WHITTLE BRKS @ THEIR CONFLUENCE, ABOVE WEIR, BURY Data Type: Point Name: HEXION SPECIALITY CHEMICALS UK TD Easting: 382500 Northing: 408300	Annual Volume (m ³): 118198 Max Daily Volume (m ³): 681.9 Original Application No: - Original Start Date: 16/03/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/07/2005 Version End Date: -
-	1632m N	Status: Historical Licence No: NW/069/0002/002 Details: Hydroelectric Power Generation Direct Source: Surface, Non-Tidal - North West Region Point: RIVER ROCH AT HEAP BRIDGE WEIR Data Type: Point Name: Brother Investments Ltd Easting: 382536 Northing: 410666	Annual Volume (m ³): 76032000 Max Daily Volume (m ³): 345600 Original Application No: - Original Start Date: 17/09/2010 Expiry Date: 31/03/2026 Issue No: 2 Version Start Date: 18/09/2015 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m	2
-----------------------------	----------

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 49 >](#)

ID	Location	Details	
A	626m SW	Status: Historical Licence No: 2569002272 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE AT PREMISES, PILSWORTH, BURY" Data Type: Point Name: CASTLEBROOK WATER CO. LTD Easting: 381680 Northing: 408700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 10/04/2000 Expiry Date: - Issue No: 3 Version Start Date: 10/09/2002 Version End Date: -



ID	Location	Details	
A	626m SW	Status: Historical Licence No: 2569002272 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE AT PREMISES, PILSWORTH, BURY Data Type: Point Name: CASTLEBROOK WATER CO. LTD Easting: 381680 Northing: 408700	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 10/04/2000 Expiry Date: - Issue No: 3 Version Start Date: 10/09/2002 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m	0
----------------------------	----------

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m	0
----------------------------	----------

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.

6 Hydrology



- Site Outline
- Search buffers in metres (m)
- Water Network (OS MasterMap)
- Surface water features (wider than 5m)
- Surface water features (narrower than 5m)
- ⋯ WFD River, canal and surface water transfer water bodies
- WFD Lake water bodies
- WFD Transitional and coastal water bodies
- WFD Surface water body catchments boundaries
- WFD Groundwater body boundaries

6.1 Water Network (OS MasterMap)

Records within 250m

3

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on [page 58 >](#)

ID	Location	Type of water feature	Ground level	Permanence	Name
6	239m NW	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
B	248m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
B	248m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey.

6.2 Surface water features

Records within 250m

4

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on [page 58 >](#)

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on [page 58 >](#)

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
1	On site	River	Whittle Brook (Irwell)	GB112069061250	Roch Irk Medlock	Irwell

This data is sourced from the Environment Agency and Natural Resources Wales.



6.4 WFD Surface water bodies

Records identified

1

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on [page 58 >](#)

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	630m SW	River	Whittle Brook (Irwell)	GB112069061250 ↗	Moderate	Fail	Moderate	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site

1

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on [page 58 >](#)

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
2	On site	Northern Manchester Carboniferous Aquifers	GB41202G101800 ↗	Poor	Poor	Good	2019

This data is sourced from the Environment Agency and Natural Resources Wales.



7 River and coastal flooding

7.1 Risk of flooding from rivers and the sea

Records within 50m**0**

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m**0**

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m**0**

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.



7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas

Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.



River and coastal flooding - Flood Zones

7.6 Flood Zone 2

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3


Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

8 Surface water flooding



— Site Outline

Search buffers in metres (m)

1 in 1000 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 250 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 100 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 30 return period

- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

8.1 Surface water flooding

Highest risk on site

Negligible

Highest risk within 50m

1 in 100 year, 0.3m - 1.0m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on [page 64 >](#)

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.



The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Between 0.1m and 0.3m
1 in 250 year	Between 0.1m and 0.3m
1 in 100 year	Between 0.1m and 0.3m
1 in 30 year	Between 0.1m and 0.3m

This data is sourced from Ambiental Risk Analytics.



9 Groundwater flooding



9.1 Groundwater flooding

Highest risk on site

Low

Highest risk within 50m


Low

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on [page 66](#) >

This data is sourced from Ambiantal Risk Analytics.

10 Environmental designations



- Site Outline
- Search buffers in metres (m)
- + Local Nature Reserves (LNR)
- ▨ Green Belt

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m**0**

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m**0**

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m**0**

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m**0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m

1

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

Features are displayed on the Environmental designations map on [page 67 >](#)

ID	Location	Name	Data source
3	549m SW	Hollins Vale	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m

0

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.



10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

5

Areas designated to prevent urban sprawl by keeping land permanently open.

Features are displayed on the Environmental designations map on [page 67 >](#)

ID	Location	Name	Local Authority name
1	On site	Merseyside and Greater Manchester	Bury
2	250m NW	Merseyside and Greater Manchester	Rochdale
-	1258m N	Merseyside and Greater Manchester	Bury
-	1905m N	Merseyside and Greater Manchester	Bury
-	1982m SW	Merseyside and Greater Manchester	Bury

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m

0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.



This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones

Records within 2000m


0

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

This data is sourced from Natural England and Natural Resources Wales.



SSSI Impact Zones and Units



- Site Outline
- Search buffers in metres (m)
- SSSI Impact Risk Zones
- SSSI Units
- Not recorded
- Favourable
- Unfavourable - Recovering
- Unfavourable - No change
- Unfavourable - Declining
- Partially destroyed
- Destroyed

10.17 SSSI Impact Risk Zones

Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on [page 72 >](#)

ID	Location	Type of developments requiring consultation
1	On site	Infrastructure - Airports, helipads and other aviation proposals. Air pollution - Livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 4000m². Combustion - General combustion processes > 50mw energy input. incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.



This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m

0

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.



11 Visual and cultural designations

11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m

0

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.



This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m

0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m

0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m


0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.



12 Agricultural designations



- Site Outline
- Search buffers in metres (m)
- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

12.1 Agricultural Land Classification

Records within 250m

1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on [page 76](#) >

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

This data is sourced from Natural England.



12.2 Open Access Land

Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m

12

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

Features are displayed on the Agricultural designations map on [page 76 >](#)

ID	Location	Description	Reference	Application date
A	48m W	Clear Fell (Conditional)	010/127/10-11	27/01/2011
B	61m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
B	88m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
B	103m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
2	114m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
3	135m W	Selective Fell/Thin (Unconditional)	018/366/15-16	-
A	137m SW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
4	144m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
5	153m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
6	193m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-
7	199m S	Clear Fell (Conditional)	010/127/10-11	27/01/2011
8	227m NW	Selective Fell/Thin (Unconditional)	018/366/15-16	-

This data is sourced from the Forestry Commission.



12.4 Environmental Stewardship Schemes

Records within 250m

0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m


0

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.



13 Habitat designations



- Site Outline
- Search buffers in metres (m)
- Priority Habitat Inventory
- Open Mosaic Habitat
- Limestone Pavement Orders
- Habitat Networks
- Primary Habitat
- Restorable Habitat
- Associated Habitats
- Habitat Restoration-Creation
- Network Enhancement Zone 1
- Network Enhancement Zone 2

13.1 Priority Habitat Inventory

Records within 250m

2

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on [page 79 >](#)

ID	Location	Main Habitat	Other habitats
4	221m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%); LDAGR (INV > 50%); LMEAD (INV > 50%)
5	245m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m

2

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

Features are displayed on the Habitat designations map on [page 79 >](#)

ID	Location	Type	Habitat
2	153m NW	Network Enhancement Zone 1	Not specified
3	169m W	Network Enhancement Zone 2	Not specified

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

1

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

Features are displayed on the Habitat designations map on [page 79 >](#)

ID	Location	Site reference	Identification confidence	Primary source	Secondary source	Tertiary source
1	134m S	BRITPITS ref: 96553	Low	British Geological Survey BRITPITS database	UK Perspectives Aerial Photography	-

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m

0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.



This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



— Site Outline
Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

14.1 10k Availability

Records within 500m

1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.


Features are displayed on the Geology 1:10,000 scale - Availability map on [page 82](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	SD80NW

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Artificial and made ground



— Site Outline
Search buffers in metres (m)

- Reclaimed ground
- Made ground
- Worked ground
- Infilled ground
- Disturbed ground
- Landscaped ground

14.2 Artificial and made ground (10k)

Records within 500m

11

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on [page 83](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	WMGR-ARTDP	Infilled Ground	Artificial Deposit
2	35m E	WGR-VOID	Worked Ground (Undivided)	Void
3	49m W	WGR-VOID	Worked Ground (Undivided)	Void
4	91m N	WMGR-ARTDP	Infilled Ground	Artificial Deposit




ID	Location	LEX Code	Description	Rock description
5	103m N	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
6	134m NW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
7	188m NE	WMGR-ARTDP	Infilled Ground	Artificial Deposit
8	293m SW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
9	293m SW	WGR-VOID	Worked Ground (Undivided)	Void
10	316m NW	WGR-VOID	Worked Ground (Undivided)	Void
11	397m S	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial



— Site Outline

Search buffers in metres (m)

▣ Landslip (10k)

Superficial geology (10k)
Please see table for more details.

14.3 Superficial geology (10k)

Records within 500m

3

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on [page 85 >](#)

ID	Location	LEX Code	Description	Rock description
1	On site	HMGDD-DMTN	Hummocky (moundy) Glacial Deposits, Devensian - Diamicton	Diamicton
2	328m NW	HEAD-XCZSV	Head - Clay, Silt, Sand And Gravel	Clay, Silt, Sand And Gravel



ID	Location	LEX Code	Description	Rock description
3	476m SW	HEAD- XCZSV	Head - Clay, Silt, Sand And Gravel	Clay, Silt, Sand And Gravel

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m


0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

- - - - Bedrock faults and other linear features (10k)

Bedrock geology (10k)
Please see table for more details.

14.5 Bedrock geology (10k)

Records within 500m

9

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 87](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age
3	38m NE	DF-SDST	Darwen Flags - Sandstone	Langsettian Sub-age
5	53m E	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age



ID	Location	LEX Code	Description	Rock age
6	87m N	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age
7	117m E	HER-SDST	Helpet Edge Rock - Sandstone	Langsettian Sub-age
8	180m E	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age
9	221m NW	MLRS-SDST	Milnrow Sandstone - Sandstone	Langsettian Sub-age
11	338m NW	PLCM-MDSS	Pennine Lower Coal Measures Formation - Mudstone, Siltstone And Sandstone	Langsettian Sub-age
13	458m E	GAS-SDST	Great Arc Sandstone - Sandstone	Langsettian Sub-age

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m

4

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 87](#) >

ID	Location	Category	Description
2	On site	ROCK	Coal seam, inferred
4	38m NE	FAULT	Normal fault, inferred; crossmarks on downthrow side
10	272m NW	FOSSIL_HORIZON	Fossil horizon, mussel band
12	400m E	FOSSIL_HORIZON	Fossil horizon, marine band

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



— Site Outline
Search buffers in metres (m)

☐ Geological map tile

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.


Features are displayed on the Geology 1:50,000 scale - Availability map on [page 89](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	No coverage	EW085_manchester_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground



- Site Outline
- Search buffers in metres (m)
- Made ground
 - Worked ground
 - Infilled ground
 - Disturbed ground
 - Landscaped ground

15.2 Artificial and made ground (50k)

Records within 500m

3

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on [page 90](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	WMGR-ARTDP	INFILLED GROUND	ARTIFICIAL DEPOSIT
2	35m E	WGR-VOID	WORKED GROUND (UNDIVIDED)	VOID
3	97m N	WMGR-ARTDP	INFILLED GROUND	ARTIFICIAL DEPOSIT

This data is sourced from the British Geological Survey.



15.3 Artificial ground permeability (50k)

Records within 50m**1**


A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Mixed	Very High	Low

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (50k)

Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m

3

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 92](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	HMGDD-DMTN	HUMMOCKY (MOUNDY) GLACIAL DEPOSITS, DEVANSIAN	DIAMICTON
2	328m NW	HEAD-XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL



ID	Location	LEX Code	Description	Rock description
3	476m SW	HEAD- XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL

This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m	1
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Mixed	High	Low

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m	0
----------------------------	----------

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.


15.7 Landslip permeability (50k)

Records within 50m	0
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Bedrock



— Site Outline

Search buffers in metres (m)

.... Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

8

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 94](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
3	38m NE	DF-SDST	DARWEN FLAGS - SANDSTONE	WESTPHALIAN
5	53m E	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN



ID	Location	LEX Code	Description	Rock age
6	87m N	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
7	117m E	HER-SDST	HELPET EDGE ROCK - SANDSTONE	WESTPHALIAN
8	180m E	PLCM-MDSS	PENNINE LOWER COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
9	221m NW	MLRS-SDST	MILNROW SANDSTONE - SANDSTONE	WESTPHALIAN
11	459m E	GAS-SDST	GREAT ARC SANDSTONE - SANDSTONE	WESTPHALIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m	2
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	Moderate	Low
38m NE	Fracture	High	Moderate

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m	3
----------------------------	----------

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.


Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 94 >](#)

ID	Location	Category	Description
2	On site	ROCK	Coal seam, inferred
4	38m NE	FAULT	Fault, inferred
10	401m E	FOSSIL_HORIZON	Marine band

This data is sourced from the British Geological Survey.



16 Boreholes



— Site Outline
Search buffers in metres (m)

- Confidential
- 0 - 10m
- 10 - 30m
- 30m+
- Unknown

16.1 BGS Boreholes

Records within 250m

27

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on [page 96 >](#)

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	9m S	382273 408988	PILSWORTH SOUTH PS98-07	-	Y	N/A
2	19m N	382275 409073	PILSWORTH SOUTH PS98-6	-	Y	N/A
3	52m E	382352 409002	PILSWORTH SOUTH PS98-08	-	Y	N/A




ID	Location	Grid reference	Name	Length	Confidential	Web link
4	75m S	382305 408918	PILSWORTH SOUTH PS98-10	-	Y	N/A
5	75m NE	382366 409091	PILSWORTH SOUTH PS98-5	-	Y	N/A
6	101m SE	382375 408927	PILSWORTH SOUTH PS98-11	-	Y	N/A
7	106m W	382120 409000	M66 BURY EASTERLY BY-PASS. 38	-1.0	N	27318 ↗
8	121m E	382423 409009	PILSWORTH SOUTH PS98-09	-	Y	N/A
A	122m NW	382120 409090	M66 BURY EASTERLY BY-PASS. 38A	-1.0	N	27319 ↗
9	137m SW	382120 408920	M66 BURY EASTERLY BY-PASS. 37	-1.0	N	27317 ↗
A	144m NW	382100 409100	M66 BURY EASTERLY BY-PASS. 5875/1-4	-1.0	N	27320 ↗
10	150m E	382448 409096	PILSWORTH SOUTH PS98-4	-	Y	N/A
11	165m NW	382091 409134	PILSWORTH IND EST 8	-	Y	N/A
12	170m W	382070 409086	PILSWORTH IND EST 6	-	Y	N/A
13	170m SE	382461 408944	PILSWORTH SOUTH PS98-15	-	Y	N/A
B	172m SE	382377 408840	PILSWORTH SOUTH PS98-12	-	Y	N/A
B	172m SE	382377 408840	PILSWORTH SOUTH PS98-13	-	Y	N/A
14	189m W	382037 409002	PILSWORTH IND EST 4	-	Y	N/A
15	190m SW	382120 408850	M66 BURY EASTERLY BY-PASS. 36	-1.0	N	27316 ↗
16	225m NW	382033 409152	PILSWORTH IND EST 7	-	Y	N/A
17	226m W	382001 409030	PILSWORTH IND EST 3	-	Y	N/A
18	228m E	382519 408940	PILSWORTH SOUTH PS98-17	-	Y	N/A
19	231m W	382011 409101	PILSWORTH IND EST 5	-	Y	N/A
20	237m SE	382504 408875	PILSWORTH SOUTH PS98-32	-	Y	N/A
21	242m S	382354 408757	PILSWORTH SOUTH PS98-14	-	Y	N/A
22	243m W	381994 408934	PILSWORTH IND EST 2	-	Y	N/A
23	247m NW	382080 409250	M66 BURY EASTERLY BY-PASS. 39	-1.0	N	27321 ↗

This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

17.1 Shrink swell clays

Records within 50m

1

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).


Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 98](#) >

Location	Hazard rating	Details
On site	Low	Ground conditions predominantly medium plasticity.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Running sands



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

17.2 Running sands

Records within 50m

1

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.


Features are displayed on the Natural ground subsidence - Running sands map on [page 99 >](#)

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

17.3 Compressible deposits

Records within 50m

2

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 100](#) >


Location	Hazard rating	Details
On site	Moderate	Compressibility and uneven settlement hazards are probably present. Land use should consider specifically the compressibility and variability of the site.
30m W	Negligible	Compressible strata are not thought to occur.



This data is sourced from the British Geological Survey.



Natural ground subsidence - Collapsible deposits



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☒ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.4 Collapsible deposits

Records within 50m

1

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.


Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 102 >](#)

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Landslides



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

17.5 Landslides

Records within 50m

2

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on [page 103](#) >


Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

Location	Hazard rating	Details
49m E	Low	Slope instability problems may be present or anticipated. Site investigation should consider specifically the slope stability of the site.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



- Site Outline
- Search buffers in metres (m)
- ☐ No data
 - ☐ Negligible
 - ☐ Very low
 - ☐ Low
 - ☐ Moderate
 - ☐ High

17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.


Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 105 >](#)

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

This data is sourced from the British Geological Survey.



18 Mining, ground workings and natural cavities



- Site Outline
- Search buffers in metres (m)
- Natural cavities (Area)
- Natural cavities (Point)
- BritPits
- Surface ground workings
- Underground workings
- Historical Mineral Planning Areas
- Mining Cavities
- Non Coal Mining
- Sporadic underground mining of restricted extent possible
- Localised small scale underground mining possible
- Small scale mining possible
- Underground mining known or likely within or in close proximity
- Underground mining known within or in very close proximity

18.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

18.2 BritPits

Records within 500m

2

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining, ground workings and natural cavities map on [page 107 >](#)

ID	Location	Details	Description
8	259m SE	Name: Pilsworth South Quarry Address: Pilsworth, BURY, Lancashire Commodity: Sand Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
C	390m S	Name: Hollins Sand Pit Address: Hollins, BURY, Lancashire Commodity: Sand Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m

13

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining, ground workings and natural cavities map on [page 107 >](#)

ID	Location	Land Use	Year of mapping	Mapping scale
1	50m W	Cuttings	1981	1:10000
2	52m W	Cuttings	1981	1:10000
3	53m N	Cuttings	1981	1:10000
A	88m SE	Unspecified Pit	1981	1:10000
A	88m SE	Unspecified Pit	1974	1:10000
A	88m SE	Unspecified Pit	1965	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
A	91m SE	Pond	1981	1:10000
A	91m SE	Pond	1974	1:10000
A	91m SE	Pond	1965	1:10560
4	117m W	Cuttings	1981	1:10000
5	132m NW	Cuttings	1981	1:10000
6	197m NW	Cuttings	1981	1:10000
7	246m NW	Pond	1955	1:10560

This data is sourced from Ordnance Survey/Groundsure.

18.4 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m

1

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining, ground workings and natural cavities map on [page 107 >](#)



ID	Location	Name	Commodity	Class	Likelihood
-	898m E	Not available	Vein Mineral	A	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered

This data is sourced from the British Geological Survey.

18.7 Mining cavities

Records within 1000m	0
-----------------------------	----------

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

18.8 JPB mining areas

Records on site	0
------------------------	----------

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.9 Coal mining

Records on site	1
------------------------	----------

Areas which could be affected by past, current or future coal mining.

Location	Details
On site	The site is located within a coal mining area as defined by the Coal Authority. A Consultants Coal Mining Report is recommended to further assess coal mining issues at the site. This can be ordered directly through Groundsure or your preferred search provider.

This data is sourced from the Coal Authority.



18.10 Brine areas

Records on site	0
-----------------	---

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.11 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.



18.13 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).

19 Radon



© Crown copyright and database rights 2023. Ordnance Survey licence 100035207

19.1 Radon

Records on site

1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on [page 112 >](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None



This data is sourced from the British Geological Survey and UK Health Security Agency.



20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m

4

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
13m NE	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.



20.3 BGS Measured Urban Soil Chemistry

Records within 50m

0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



21 Railway infrastructure and projects

21.1 Underground railways (London)

Records within 250m

0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m

0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m

0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m

0

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m

0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.



This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m	0
---------------------	---

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

21.7 Railways

Records within 250m	0
---------------------	---

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m	0
---------------------	---

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m	0
---------------------	---

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

21.10 HS2

Records within 500m	0
---------------------	---

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.



Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference> ↗.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <https://www.groundsure.com/terms-and-conditions-april-2023/> ↗.

