




KEY:
 Site Boundary

TITLE: Land at Bury Road,
 Tottington, Bury, BL8 3DS
 1970 Historical Map Extract



© Crown Copyright and database right 2018.
 Ordnance Survey 100023063.

NGR: 378439 412397
 SCALE: 1:3500 @ A4 Date: January 2019



KEY:
 Site Boundary

TITLE: Land at Bury Road,
 Tottington, Bury, BL8 3DS
 1979 Historical Aerial Photograph



© Crown Copyright and database right 2018.
 Ordnance Survey 100023063.

NGR: 378439 412397
 SCALE: 1:3500 @ A4 Date: January 2019



KEY:
 Site Boundary

TITLE: Land at Bury Road,
 Tottington, Bury, BL8 3DS
 1989 Historical Aerial Photograph



© Crown Copyright and database right 2018.
 Ordnance Survey 100023063.

NGR: 378439 412397
 SCALE: 1:3500 @ A4 Date: January 2019



KEY:
 Site Boundary

TITLE: Land at Bury Road,
 Tottington, Bury, BL8 3DS
 1997-9 Historical Aerial Photograph



© Crown Copyright and database right 2018.
 Ordnance Survey 100023063.

NGR: 378439 412397
 SCALE: 1:3500 @ A4 Date: January 2019



KEY:



Site Boundary

TITLE:

Land at Bury Road,
Tottington, Bury, BL8 3DS

2000 Historical Aerial Photograph

Bury
COUNCIL

© Crown Copyright and database right 2018.
Ordnance Survey 100023063.

NGR: 378439 412397
SCALE: 1:3500 @ A4 Date: January 2019



KEY:
 Site Boundary

TITLE: Land at Bury Road,
 Tottington, Bury, BL8 3DS
 2005-6 Historical Aerial Photograph



© Crown Copyright and database right 2018.
 Ordnance Survey 100023063.

NGR: 378439 412397
 SCALE: 1:3500 @ A4 Date: January 2019



KEY:
 Site Boundary

TITLE: Land at Bury Road,
 Tottington, Bury, BL8 3DS
 2011 Historical Aerial Photograph



© Crown Copyright and database right 2019.
 Ordnance Survey 100023063.

NGR: 378439 412397
 SCALE: 1:3500 @ A4 Date: January 2019


Appendix D – Photographic Log

Client Name: Roman Summer Associates		Project Name: Brownhills Close, Tottington	Project No: 077025
Photo No: 1	Direction Photo Taken: East	Description: View looking east from Brownhills Close	
			

Photo No: 2	Direction Photo Taken: West	Description: View towards Brownhills Close
		

Photographic Log

Client Name: Roman Summer Associates		Project Name: Brownhills Close, Tottington	Project No: 077025
Photo No: 3	Direction Photo Taken: West	Description: View looking east along footpath	
			

Photo No: 4	Direction Photo Taken: South	Description: View looking south into valley floor with tributary
		

Photographic Log

Client Name: Roman Summer Associates		Project Name: Brownhills Close, Tottington	Project No: 077025
Photo No: 5	Direction Photo Taken: West	Description: View from Kirklees Trail looking west along tributary	
			

Photo No: 6	Direction Photo Taken: North west	Description: View looking north west at valley from Kirklees Trail
		

Client Name: Roman Summer Associates		Project Name: Brownhills Close, Tottington	Project No: 077025
Photo No: 7	Direction Photo Taken: North	Description: View looking north along footpath	
			

Photo No: 8	Direction Photo Taken: West	Description: View looking west along footpath
		

Appendix E – Qualitative Risk Assessment Rationale

The site-specific risk assessment, presented in this report, follows the principle of establishing whether there is a viable linkage between a contaminant source to a potential receptor, via an exposure pathway.

The risk assessment corresponds with the total site area and incorporates both descriptive (qualitative) and, where available, numerical (quantitative) lines of evidence.

Risk assessment is the process of collating known information on a hazard or set of hazards in order to estimate actual or potential risk to receptors. The receptor may be humans, a water resource, a sensitive local ecosystem or future construction materials. Receptors can be connected to the source by one or several exposure pathways such as direct contact for example. Risks are generally managed by isolating the receptor or intercepting the exposure pathway or by isolating or removing the hazard.

Without the three essential components of a source, pathway and receptor there can be no risk. Therefore, the presence of contaminant source on a site does not necessarily mean there is a risk.

The risk assessment considers the likelihood of a particular event taking place (accounting for the presence of the source and receptor and the viability of the exposure pathway) in conjunction with the severity of the potential consequence (accounting for the potential severity of the hazard and the sensitivity of the receptor).

In the risk assessment the consequence of the hazard has been classified as severe or medium or mild or minor and the probability (likelihood) of the circumstances actually occurring classified as high likelihood or likely or low likelihood or unlikely.

The consequences and probabilities are subsequently cross-correlated to give a qualitative estimation of the risk using Department of the Environment risk classifications as detailed in the table below and as referenced in CIRIA C552.

		Consequence			
		Severe	Medium	Mild	Minor
Probability (Likelihood)	High Likelihood	Very High Risk	High Risk	Moderate Risk	Moderate/Low Risk
	Likely	High Risk	Moderate Risk	Moderate/Low Risk	Low Risk
	Low Likelihood	Moderate Risk	Moderate/Low Risk	Low Risk	Very Low Risk
	Unlikely	Moderate/Low Risk	Low Risk	Very Low Risk	Very Low Risk

Phase 1 Preliminary Risk Assessment

In accordance with DoE guidance, the following categorisation of **consequence** has been developed.

Classification	Definition	Examples
Severe	Short-term (acute) risk to human health likely to result in "significant harm" as defined by the Environment Protection Act 1990, Part IIA. Short-term risk of pollution of sensitive water resource. Catastrophic damage to buildings/property. A short-term risk to a particular ecosystem or organisation forming part of such ecosystem.	High concentrations of cyanide on the surface of an informal recreation area. Major spillage of contaminants from site into controlled water. Explosion, causing building collapse (can also equate to a short-term human health risk if buildings are occupied).
Medium	Chronic damage to Human Health. Pollution of sensitive water resources. A significant change in a particular ecosystem or organism forming part of such ecosystem.	Concentration of a contaminant from site exceeds the generic or site-specific assessment criteria. Leaching of contaminants from a site to a Principal or Secondary A aquifer. Death of a species within a designated nature reserve. Lesser toxic and asphyxiate effects
Mild	Pollution of non-sensitive water resources. Significant damage to crops, buildings, structures and services. Damage to sensitive buildings/structures/services or the environment.	Pollution of non-classified groundwater (inc. Secondary B aquifers). Damage to building rendering it unsafe to occupy (e.g. foundation damage resulting in instability).
Minor	Harm, although not necessarily significant harm, which may result in a financial loss or expenditure to resolve. Non-permanent health effects to human health (easily prevented by means such as personal protective clothing, etc). Easily repairable effects of damage to buildings, structures and services.	The presence of contaminants at such concentrations that protective equipment is required during site works. The loss of plants in a landscaping scheme. Discoloration of concrete.

Phase 1 Preliminary Risk Assessment

In accordance with DoE guidance, the following categorisation of **probability** has been developed.

Classification	Definition
High Likelihood	There is a pollution linkage and an event that either appears very likely in the short term and almost inevitable over the long term or there is evidence at the receptor of harm or pollution.
Likely	There is a pollution linkage and all the elements are present and in the right place, which means that it is probable that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term and likely over the long term.
Low Likelihood	There is a pollution linkage and circumstances are possible under which an event could occur. However, it is by no means certain that even over a longer period such event would take place, and is less likely in the shorter term.
Unlikely	There is a pollution linkage but circumstances are such that it is improbable that an event would occur even in the very long term.

In accordance with DoE guidance, the following categorisation of **risk** has been developed.

Classification	Definition
Very High Risk	There is a <i>high probability</i> that <i>severe harm</i> could arise to a designated receptor from an identified hazard at the site without appropriate further action.
High Risk	<i>Harm is likely to arise</i> to a designated receptor from an identified hazard at the site without appropriate further action.
Moderate Risk	<i>It is possible</i> that without appropriate further action <i>harm could arise</i> to a designated receptor. It is relatively <i>unlikely</i> that any such harm would be <i>severe</i> , and if any harm were to occur it is <i>more likely</i> that such harm would be <i>relatively mild</i> .
Low Risk	<i>It is possible</i> that <i>harm could arise</i> to a designated receptor from an identified hazard. It is <i>likely</i> that, at worst, if any harm was realised any effects would be <i>mild</i> .
Very Low Risk	The presence of an identified hazard does not give rise to the potential to cause harm to a designated receptor.

The term 'risk' in this instance refers to the risk that the source, pathway, receptor linkage for a given source of contamination is complete. It does not refer to immediate risk to individuals or features present on the site from potential contaminants and is intended to be used as a tool to assess the necessity of further investigation.

Our Locations

Birmingham

2 The Wharf
Bridge Street
Birmingham
B1 2JS
T. 0121 643 4694
birmingham@curtins.com

Bristol

Quayside
40-58 Hotwell Road
Bristol
BS8 4UQ
T. 0117 302 7560
bristol@curtins.com

Cambridge

50 Cambridge Place
Cambridge
CB2 1NS
T. 01223 631 799
cambridge@curtins.com

Cardiff

3 Cwrt-y-Parc
Earlswood Road
Cardiff
CF14 5GH
T. 029 2068 0900
cardiff@curtins.com

Douglas

Varley House
29-31 Duke Street
Douglas
Isle of Man
IM1 2AZ
T. 01624 624 585
douglas@curtins.com

Dublin

11 Pembroke Lane
Dublin 2
D02 CX82
T. 00353 1 507 9447
dublin@curtins.com

Edinburgh

1a Belford Road
Edinburgh
EH4 3BL
T. 0131 225 2175
edinburgh@curtins.com

Glasgow

Queens House
29 St Vincent Place
Glasgow
G1 2DT
T. 0141 319 8777
glasgow@curtins.com

Kendal

Units 24-25 Riverside Place
K Village
Kendal
LA9 7FH
T. 01539 724 823
kendal@curtins.com

Leeds

Rose Wharf
Ground Floor
Leeds
L29 8EE
T. 0113 274 8509
leeds@curtins.com

Liverpool

51-51 Tithebarn Street
Liverpool
L2 2SB
T. 0151 726 2000
liverpool@curtins.com

London

40 Compton Street
London
EC1V 0BD
T. 020 7324 2240
london@curtins.com

Manchester

Merchant Exchange
17-19 Whitworth Street West
Manchester
M1 5WG
T. 0161 236 2394
manchester@curtins.com

Nottingham

56 The Ropewalk
Nottingham
NG1 5DW
T. 0115 941 5551
nottingham@curtins.com