

NOTICE OF PLANNING PERMISSION

Town and Country Planning Act 1990 Town and Country Planning (Development Management Procedure) (England) Order 2015

To:

Mr Matthew Holland
9 Bolton Road West
Ramsbottom
Bury
BL0 9NA

PART 1 - Particulars of Application

Application Number: 72111

Date of Registration: 26/06/2025

Proposal:

Change of use from restaurant (Class E(b)) to coffee shop/hot food takeaway (Sui Generis) and installation of flue to the rear elevation.

Location:

9 Bolton Road West, Ramsbottom, Bury, BL0 9NA

PART 2 - Particulars of Decision

Bury Metropolitan Borough Council hereby give notice in pursuance of the provisions of the Town and Country Planning Act 1990 that permission has been **GRANTED** for the carrying out of the development referred to in Part 1 hereof in accordance with the application and plans submitted subject to the following conditions:-

- 1 The development must be begun not later than three years beginning with the date of this permission.
Reason. Required to be imposed by Section 91 Town & Country Planning Act 1990.
- 2 This decision relates to drawings -

Proposed floor plans and elevations (Dwg no. 04/05-02) rev C (flue indicative only)
Proposed flue - technical details plan PDP-0073 rev A
Site location plan

and the development shall not be carried out except in accordance with the drawings hereby approved.
Reason. For the avoidance of doubt and to ensure a satisfactory standard of design pursuant to the policies of the Bury Unitary Development Plan and Places for Everyone Joint Development Plan listed.
- 3 Noise from or associated with the proposed activity/development hereby permitted shall not increase the prevailing ambient noise levels as measured at the boundary of the site.
Reason. To safeguard the amenities of the occupiers of nearby residential accommodation pursuant to Policies EN1/2 and EN7/2, .

- 4 Within 60 days of the development hereby approved, a scheme for treating, diluting and dispersing fumes and odours shall be submitted to and approved in writing by the Local Planning Authority. The scheme submitted shall include a written statement from a suitably qualified person who is a member of the Heating and Ventilation Contractors Association (HVCA) or an equivalent professional body, stating that the fume treatment to be installed complies with or exceeds the 'Minimum Requirements For Odour Control' provided by the Guidance on the Control of Odour and Noise from Commercial Kitchen Exhaust Systems :DEFRA 2005 (or if applicable such superseding guidance as shall prevail at the time of commencement of the development).

The scheme to be submitted shall also include the relevant manufacturer and installer instructions for any associated equipment with details of maintenance requirements.

The installation shall be so designed such that the maximum noise emitted does not exceed NR25 (Noise Rating) in the bedrooms of the nearest residential property, with the windows of that residential property being open in the normal manner for ventilation purposes.

The scheme as approved shall be fully implemented and made available for use prior to first use of the development hereby approved and shall be maintained in accordance with the approved scheme whilst it shall serve the development.

Reason. The application contains insufficient detail in order to demonstrate that the required scheme would maintain the residential amenities of nearby residential property from impact upon from fumes and odour pursuant to Policy S2/6 and JP-S5.

- 5 The flue hereby approved shall be finished in a matt black colour and shall thereafter be maintained.

Reason. In the interests of visual amenity and to preserve the character of the Conservation Area pursuant to policies EN1/2, EN2/1, EN2/2 and JP-P2.

Statement in accordance with Article 35(2) Town and Country Planning (Development Management Procedure) (England) (Amendment) Order 2015

The proposal complies with the development plan and would improve the economic, social and environmental conditions of the area. It therefore comprises sustainable development and the Local Planning Authority worked proactively and positively to issue the decision without delay. The Local Planning Authority has therefore implemented the requirement in Paragraph 38 of the National Planning Policy Framework.

The following policies of the Bury Unitary Development Plan, National and Regional Government were considered relevant:

NPPF	National Planning Policy Framework
EC4/1	EC4/1 - Small Businesses
EN1/2	EN1/2 - Townscape and Built Design
EN7/2	EN7/2 - Noise Pollution
HT2/4	HT2/4 - Car Parking and New Development
JP-S5	Clean Air
SPD11	Development Control Policy Guidance Note 11 - Parking Standards in Bury

This decision relates only to the Town and Country Planning Acts and does not include any consent or approval under any other enactment or under the Building Regulations. Any other consent or approval which is necessary must be obtained from the appropriate authority.

Applicant Plan Numbers:

Proposed floor plans and elevations (Dwg no. 04/05-02) rev C (flue indicative only)

Proposed flue - technical details plan PDP-0073 rev A

Site location plan

NOTES TO APPLICANT

Not Applicable

Signed:

A handwritten signature in black ink, appearing to read 'Paul Harris', is written over a dotted line.

3 of 3

.....
On behalf of the Council

Date of Decision: 01/09/2025