












Norwest Holst Soil Engineering Ltd.						Borehole No. 24	
Contract No. F4767		BOREHOLE LOG		Sheet 1 of 1		Chainage	
Location Pilsworth - Bury		SDB0NW 236		Ground Level 95.4 m.A.O.D.		Date 29/11/80	
Client Metropolitan Borough of Bury		8235 0861		Method of Boring Percussion		Diameter of Borehole 150 mm	
Description of Strata	Legend	Depth Below G.L. (m)	O.D. Level (m)	Casing Depth at Sampling	Sampling and Coring	"N"/R.Q.D.%	Daily Progress
TOPSOIL.		0.50	94.9		0.50	33	
Dense brown SAND with subrounded to rounded GRAVEL.					1.50	34	
					2.50	29	
					3.50	28	
					4.50	28	
		5.30	90.1				
Firm grey brown very silty sandy CLAY with much gravel occasional cobbles and bands of sand					5.50	32	
		6.70	88.7		6.50	65	
Stiff brown silty sandy CLAY.					7.00		
		7.80	87.6		7.80	50 for N.P.*	

Type of Sample	Remarks (Observations of Ground Water etc.)
Is S.P.T. Undisturbed Ic. C.P.T. Vane O Jar Water ● Bulk Piezometer	Water seepage from 0.50 m. Water struck at 3.20 m. Casing at 3.00 m. Water standing at 2.60 m, after 20 mins. Chiselling 1½ hr from 7.80 m. Piezometer installed at 4.20 m. Piezometer standing level 4th Dec. 2.1m *N.P. No Penetration.