



SDW architectural design
34 Twisse Road
Bolton
BL2 6NZ

M: 07519 190 770
E: s.d.wardle@gmail.com

069 | 44 Bridge Street, Ramsbottom

Mrs Helen Pressley | Senior Planning Officer
Development Management
Bury Council
3 Knowsley Place
Duke Street
Bury
BL9 0EJ

02nd May 2024

ENERGY STATEMENT JPS2 – Replacement of Existing timber shop front with hybrid timber and new aluminium shop front and stone stall riser to 44 Bridge Street, Ramsbottom, BL0 9AQ

This Energy Statement has been produced in support of the planning application for the replacement of an existing timber frame shop front with a hybrid timber and aluminium shop front incorporating a new stone stall riser to no.44 Bridge Street, Ramsbottom, BL0 9 AQ.

The existing single glazed window will have an average U-value of between 4.8 – 5.8 W/m²K. With regards to the window replacement, this will comply with Table 4.1 of the Approved Document Part L of the Building Regulations:

- Stone Stall Riser – 0.26 W/m²K
- Window – 1.6 W/m²K

Should you wish for me to clarify any of the above, please let me know. I look forward to hearing from you.

Yours Faithfully

A handwritten signature in dark ink, reading 'S.D. Wardle'.

Stephen Wardle | BSc (Hons), MCIAT, CIAT-Accredited Conservationist
for **SDW architectural design**