



'V26' Mineshaft Zone of Influence: Cross Section



'V26' Mineshaft
Zone of Influence:
Plan View





Rev	Drawn	Date	Description
Drawing Status			
Information			
Contract			
Stopes Road, Bolton			
For: Taylor Wimpey (Manchester)			
Drawing Title			
'V26' Mineshaft Zone of Influence			





1st Floor, 15, Oxford Court, Manchester, M2 3
Email: contact@igeconsulting.co.uk
Web: www.igeconsulting.co.uk
Tel: 0161 914 9170

Scale NTS	Date MAY 2025	
Drawn AL	Checked AE	
Contract No. 3524	Drawing No. SI - 18	P



'0015' Mineshaft Zone of Influence: Cross Section



Rev	Drawn	Date	Description
Drawing Status Information			
Contract			
Stopes Road, Bolton			
For: Taylor Wimpey (Manchester)			
Drawing Title			
'OO15' Mineshaft Zone of Influence			
Web: www.igeconsulting.co.uk Tel: 0161 914 9170			
Scale		Date	
NTS		MAY 2025	
Drawn		Checked	
AL		AE	
Contract No.		Drawing No.	
3524		SI - 19 P1	



- Key
- This drawing is indicative and not to scale.
 - This drawing is to be read in conjunction with all relevant Architects and Service Engineers drawings.
 - Electric and Gas easements dictated by red hatch. Electric = 6m, Gas = 5m.
 - This drawing uses the following drawings:
 - JPP Topographical Survey (Ref. 28821Y 03 dated Sep 2024)
 - Taylor Wimpey Proposed Development Plan Rev AG (Ref. TW/LL/CSL01, dated April 2025)
 - Subsite Survey Utility Survey (Ref. 0924-IGE-001 dated Sep 2024)
 - Existing Constraints Masterplan (Ref. C-16417-HYD-XX-XX-DR-C-0010 P03, dated July 2022).
- Grout Take less than 5T
Grout Take greater than 5T
Identified Mineshafts
Areas requiring secondary holes (broken ground / workings)
Interpreted Location of Coal Subcrops



Rev	Drawn	Date	Description
Drawing Status			
Information			

Contract
Stopes Road, Bolton

For: Taylor Wimpey (Manchester)

Drawing Title
Conceptual Ground Model



1st Floor, 15, Oxford Court, Manchester, M2 3WQ
Email: contact@igeconsulting.co.uk
Web: www.igeconsulting.co.uk
Tel: 0161 914 9170

Scale	Date
NTS	MAY 2025

Drawn	Checked
AL	AE



Contract No.	Drawing No.	
3524	SI - 20	P1

Notes

- 1 This drawing is indicative and not to scale.
- 2 This drawing is to be read in conjunction with all relevant Architects and Service Engineers drawings.
- 3 Electric and Gas easements dictated by red hatch.
Electric = 6m, Gas = 5m.
- 4 This drawing uses the following drawings:
 - JPP Topographical Survey (Ref. 28821Y 03 dated Sep 2024)
 - Taylor Wimpey Proposed Development Plan Rev AG (Ref. TWILL/CSL01, dated April 2025)
 - Subsite Survey Utility Survey (Ref. 0924-IGE-001 dated Sep 2024)
 - Existing Constraints Masterplan (Ref. C-16417-HYD-XX-XX-DR-C-0010 P03, dated July 2022).

- Grout Take less than 5T
- Grout Take greater than 5T
- Mineshaft

Indicative Primary and Secondary Grout Spacing.
Secondary Grout Hole grid indicated by dashed lines




Rev	Drawn	Date	Description
Drawing Status			
Information			
Contract			
Land off Stopes Road, Little Lever			
For: Taylor Wimpey Manchester			
Drawing Title			
Completed Grouting Hole Positions			
1st Floor, 15 Oxford Court, Manchester, M2 3WQ email: contact@igeconsulting.co.uk web: www.igeconsulting.co.uk tel: 0161 914 9170			
Scale		Date	
NTS		May 2025	
Drawn		Checked	
AL		AE	
Contract No.		Drawing No.	
3524		GR-02	
		P1	

- 1 This drawing is indicative and not to scale.
- 2 This drawing is to be read in conjunction with all relevant Architects and Service Engineers drawings.
- 3 Electric and Gas easements dictated by red hatch.
Electric = 6m, Gas = 5m.
- 4 This drawing uses the following drawings:
 - JPP Topographical Survey (Ref. 28821Y 03 dated Sep 2024)
 - Taylor Wimpey Proposed Development Plan Rev AG (Ref. TWILL/CSU/L1, dated April 2025)
 - Subsite Survey Utility Survey (Ref. 0924-IGE-001 dated Sep 2024)
 - Existing Consents Masterplan (Ref. C-017-HYD-X-XX-D-C-0010 P03, dated July 2022).

-  Grout Take less than 5T
-  Grout Take greater than 5T
-  Mineshaft

Indicative Primary and Secondary Grout Spacing.
Secondary Grout Hole grid indicated by dashed lines



Enabling works (excavation) may be required to allow holes to be undertaken surrounding existing embankment.

407576N

Surveyed Electric Position (September 2024)

Electric Position Records Only

702.73

702.72

702.71

702.70

702.69

702.68

702.67

702.66

702.65

702.64

702.63

702.62

702.61

702.60

702.59

702.58

702.57

702.56

702.55

702.54

702.53

702.52

702.51

702.50

702.49

702.48

702.47

702.46

702.45

702.44

702.43

702.42

702.41

702.40

702.39

702.38

702.37

702.36

702.35

702.34

702.33

702.32

702.31

702.30

702.29

702.28

702.27

702.26

702.25

702.24

702.23

702.22

702.21

702.20

702.19

702.18

702.17

702.16

702.15

702.14

702.13

702.12

702.11

702.10

702.09

702.08

702.07

702.06

702.05

702.04

702.03

702.02

702.01

702.00

701.99

701.98

701.97

701.96

701.95

701.94

701.93

701.92

701.91

701.90

701.89

701.88

701.87

701.86

701.85

701.84

701.83

701.82

701.81

701.80

701.79

701.78

701.77

701.76

701.75

701.74

701.73

701.72

701.71

701.70

701.69

701.68

701.67

701.66

701.65

701.64

701.63

701.62

701.61

701.60

701.59

701.58

701.57

701.56

701.55

701.54

701.53

701.52

701.51

701.50

701.49

701.48

701.47

701.46

701.45

701.44

701.43

701.42

701.41

701.40

701.39

701.38

701.37

701.36

701.35

701.34

701.33

701.32

701.31

701.30

701.29

701.28

701.27

701.26

701.25

701.24

701.23

701.22

701.21

701.20

701.19

701.18

701.17

701.16

701.15

701.14

701.13

701.12

701.11

701.10

701.09

701.08

701.07

701.06

701.05

701.04

701.03

701.02

701.01

701.00

700.99

700.98

700.97

700.96

700.95

700.94

700.93

700.92

700.91

700.90

700.89

700.88

700.87

700.86

700.85

700.84

700.83

700.82

700.81

700.80

700.79

700.78

700.77

700.76

700.75

700.74

700.73

700.72

700.71

700.70

700.69

700.68

700.67

700.66

700.65

700.64

700.63

700.62

700.61

700.60

700.59

700.58

700.57

700.56

700.55

700.54

700.53

700.52

700.51

700.50

700.49

700.48

700.47

700.46

700.45

700.44

700.43

700.42

700.41

700.40

700.39

700.38

700.37

700.36

700.35

700.34

700.33

700.32

700.31

700.30

700.29

700.28

700.27

700.26

700.25

700.24

700.23

700.22

700.21

700.20

700.19

700.18

700.17

700.16

700.15

700.14

700.13

700.12

700.11

700.10

700.09

700.08

700.07

700.06

700.05

700.04

700.03

700.02

700.01

700.00

699.99

699.98

699.97

699.96

699.95

699.94

699.93

699.92

699.91

699.90

699.89

699.88

699.87

699.86

699.85

699.84

699.83

699.82

699.81

699.80

699.79

699.78

699.77

699.76

699.75

699.74

699.73

699.72

699.71

699.70

699.69

699.68

699.67

699.66

699.65

699.64

699.63

699.62

699.61

699.60

699.59

699.58

699.57

699.56

699.55

699.54

699.53

699.52

699.51

699.50

699.49

699.48

699.47

699.46

699.45

699.44

699.43

699.42

699.41

699.40

699



Rev	Drawn	Date	Description
Drawing Status Information			
Contract Land off Stopes Road, Little Lever For: Taylor Wimpey Manchester			
Drawing Title Completed Grouting Hole Positions			
			
1st Floor, 15 Oxford Court, Manchester, M2 3WQ email: contact@igeconsulting.co.uk web: www.igeconsulting.co.uk tel: 0161 914 9170			
Scale NTS		Date May 2025	
Drawn AL		Checked AE	
Contract No. 3524		Drawing No. GR-02	
		P2	

Notes

- 1 This drawing is indicative and not to scale.
- 2 This drawing is to be read in conjunction with all relevant Architects and Service Engineers drawings.
- 3 Electric and Gas easements dictated by red hatch. Electric = 6m, Gas = 5m.
- 4 This drawing uses the following drawings:
 - JPP Topographical Survey (Ref. 28821Y 03 dated Sep 2024)
 - Taylor Wimpey Proposed Development Plan Rev AG (Ref. TWILJCSL01, dated April 2025)
 - Subsite Survey Utility Survey (Ref. 0924-IGE-001 dated Sep 2024)
 - Existing Constraints Masterplan (Ref. C-16417-HYD-XX-XX-DR-C-0010 P03, dated July 2022).

- Grout Take less than 5T
- Grout Take greater than 5T
- Mineshaft
- Areas requiring secondary holes (broken ground / workings)

Indicative Primary and Secondary Grout Spacing.
Secondary Grout Hole grid indicated by dashed lines



Growing of SUDS pond anticipated to be required but will be re-evaluated subject to ground levels of nearby holes

Enabling works (excavation) may be required to allow holes to be undertaken surrounding existing embankment.

Surveyed Electric Position (September 2024)
Electric Position - Redline Only

Rev	Drawn	Date	Description
Drawing Status			
Information			
Contract			
Land off Stopes Road, Little Lever			
For: Taylor Wimpey Manchester			
Drawing Title			
Completed Grouting Hole Positions & Areas Requiring Secondary Holes			

1st Floor, 15 Oxford Court, Manchester, M2 3WQ
email: contact@igeconsulting.co.uk
web: www.igeconsulting.co.uk
tel: 0161 914 9170

Scale	Date
NTS	May 2025

Drawn	Checked
AL	AE

Contract No.	Drawing No.	
3524	GR-03	P1

APPENDIX 3

DRILL & GROUT LOGS

DAILY SITE RECORD

SITE / JOB No.	Stopes Road, Little Lever	DAY / DATE	Tue 7/1/24	DRILLER	L. Henshaw
-------------------	------------------------------	---------------	------------	---------	------------

[illegible]

REMARKS.	GAS MONITORING
Setting up Rig, running out water lines + working for water tank to fill up.	CH ₄ : 0 % LEL H ₂ S: 0 PPM CO: 0 PPM O ₂ : 20.9 % CO ₂ : 0 %
	R E / SUPERVISOR

DELIVERY	TICKET No.	QUANTITY

DAILY SITE RECORD

SITE / JOB No.	STAPES ROAD LITTLE LEVER	DAY / DATE	WEDNESDAY 8TH JANUARY 2025	DRILLER	R BENNETT
-------------------	-----------------------------	---------------	-------------------------------	---------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PTA	CEMENT	SAND	OTHER
KK	GL	5.80	6m	FILL + CLAY				
91	5.80	2000		MUDSTONE				
	2000	21.70		LOGAN, LEFT RETURNS				
	21.70	28.40		FILL, MUDSTONE RETURNS				
	28.40	28.80		COAL				
	28.80	3000		MUDSTONE				
MM	GL	5.50	6m	FILL + CLAY				
91	5.50	19.20		MUDSTONE				
	19.20	20.50		COAL				
	20.50	27.70		MUDSTONE				
	27.70	28.10		COAL				
	28.10	3000		MUDSTONE				
OO	GL	5.50	6m	FILL + CLAY				
91	5.50	19.40		MUDSTONE				
	19.40	19.60		COAL				
	19.60	26.80		MUDSTONE				
	26.80	27.20		COAL				
	27.20	3000		MUDSTONE				
QQ	GL	5.50	6m	FILL + CLAY				
91	5.50	17.60		MUDSTONE				
	17.60	19.00		COAL				
	19.00	26.00		MUDSTONE				
	26.00	26.50		COAL				
	26.50	3000		MUDSTONE				

REMARKS: BROKE DOWN 8-10.30AM POOR WATER SUPPLY	GAS MONITORING			
	CH ₄ :	0 % LEL	H ₂ S:	0 PPM
	CO:	0 PPM	O ₂ :	20.9 %
	CO ₂ :	0.00 %		
R.E. (SUPERVISOR)				

DELIVERY	TICKET No	QUANTITY



Tel: 01902 885241

DAILY SITE RECORD

STE / JOB No.	Stages Road, Little Ferry	DAY / DATE	Wed 8/1/24	DRILLER	L. Hawthorne
------------------	------------------------------	---------------	------------	---------	--------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PTA	CEMENT	SAND	OTHER
II	CL	5.5	6.0	fin + Clay				
95	5.5	7.5		Mudstone				
	7.5	8.2		coal				
	8.2	26.3		Mudstone				
	26.3	27.5		coal				
	27.5	30.0		Mudstone				
KK	CL	6.0	6.0	fin + Clay				
87	6.0	18.0		Mudstone				
	18.0	19.2		coal				
	19.2	25.0		Mudstone				
	25.0	25.5		coal				
	25.5	30.0		Mudstone				
KK	CL	6.0	6.0	fin + Clay				
F9	6.0	19.5		Mudstone				
	19.5	20.7		coal				
	20.7	26.7		Mudstone				
	26.7	27.3		coal				
	27.3	30.0		Mudstone				
KK	CL	5.5	6.0	fin + Clay				
95	5.5	6.1		coal				
	6.1	24.0		Mudstone				
	24.0	25.2		coal				
	25.2	30.0		Mudstone				

REMARKS:	GAS MONITORING			
Breakdown	CH ₄ : 0	% LEL	H ₂ S : 0	PPM
Sound tm 10am.	CO : 0	PPM	O ₂ : 20.9	%
	CO ₂ : 0	%		
Post-Inciner Supply, Filling Inciner tanks.				
..... R.E./SUPERVISOR				

[illegible]

DAILY SITE RECORD

SITE / JOB No.	Stages Road, Little Lever	DAY / DATE	Thurs 9/1/25	DRILLER	L. Hawthorne
-------------------	------------------------------	---------------	--------------	---------	--------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PEA	CEMENT	SAND	OTHER
KK	0	5.0	6.0	fill + Clay				
96	5.0	6.2		Mudstone				
	6.2	7.0		coal				
	7.0	26.1		Mudstone				
	26.1	27.3		coal				
	27.3	30.0		Mudstone				
KK	0	6.0	6.0	fill + Clay				
93	6.0	22.7		Mudstone				
	22.7	24.0		coal				
	24.0	30.0		Mudstone				
MM	0	5.0	6.0	fill + Clay				
93	5.0	21.0		Mudstone				
	21.0	23.0		Weak drilling, lost flush				
	23.0	30.0		firm drilling				
MM	0	5.5	6.0	fill + Clay				
95	5.5	6.0		coal				
	6.0	23.0		Mudstone				
	23.0	24.5		Weak drilling, coal returns				
	24.5	30.0		Mudstone				
MM	0	5.0	6.0	fill + Clay				
96	5.0	6.2		coal				
	6.2	23.9		Mudstone				
	23.9	25.1		coal				
	25.1	30.0		Mudstone				

[illegible][illegible]

[illegible]

DELIVERY	TICKET No.	QUANTITY

M&J DRILLING SERVICES LTD.
Tel: 01902 885247

DAILY SITE RECORD

1 of 3

[illegible]

DELIVERY	TICKET NO.	QUANTITY

M&J DRILLING SERVICES LTD.
Tel: 01902 885247

DAILY SITE RECORD

2 of 3

SITE / JOB NO.	STOPS ROAD LITTLE EVER	DAY / DATE	THURSDAY 9TH JANUARY 2025	DRILLER	R BENNETT
-------------------	---------------------------	---------------	------------------------------	---------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PEA	CEMENT	SAND	OTHER
QQ	GL	5.70	6m	FILL + CLAY				
89	5.70	16.30		MUDSTONE				
	16.30	17.50		CoAL				
	17.50	23.70		MUDSTONE				
	23.70	24.10		CoAL				
	24.10	30.00		MUDSTONE				
SS	GL	5.50	6m	FILL + CLAY				
89	5.50	14.80		MUDSTONE				
	14.80	16.30		CoAL				
	16.30	22.00		MUDSTONE				
	22.00	22.40		CoAL				
	22.40	30.00		MUDSTONE				
UU	GL	5.00	5m	FILL + CLAY				
89	5.00	12.40		MUDSTONE				
	12.40	13.60		CoAL				
	13.60	20.50		MUDSTONE				
	20.50	20.90		CoAL				
	20.90	30.00		MUDSTONE				
WW	GL	4.60	5m	FILL + CLAY				
89	4.60	9.80		MUDSTONE				
	9.80	12.20		WEAK, SLIGHTLY BROKEN				
	12.20	30.00		FIRM				

REMARKS:	GAS MONITORING			
	CH ₄ :	% LFL	H ₂ S :	PPM
	CO	PPM	O ₂ :	%
	CO ₂	%		
R E / SUPERVISOR _____				

[illegible]

3 of 3

[illegible]

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

STATE / JOB No.	STATE RD L/1000	DAY / DATE	WED 8-1-25	DRILLER	SALLEN
-----------------	-----------------	------------	------------	---------	--------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PPA	CEMENT	SAND	OTHER
				Grouting Mix w-1 Pen-ole				
				1189 KK81				
				1191 KK89				
				1193 KK91				
				1195				
				TOTAL				

[illegible]

DELIVERY	TICKET No.	QUANTITY
PSA alc.	005239 0026720	1958 6.000
	S	

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

STE/ JOB NO.	STOPS IN L/LEVER	DAY/ DATE	TUES 9-1-25	DRILLER	S ALLEN.
-----------------	---------------------	--------------	----------------	---------	----------

BH	DEPTH		CAS NG	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
				Cementing Mix 10-1	PFA - 12			
			Bbl No:	MM91 KK93 QQ93 QQ91 MM95 MM89 QQ91 MM96 QQ91 KK95 QQ97 QQ95 KK96 QQ93 SS89 UU89	An Thou			
				MM93 TAKEU 2T QQ95 " 0.2T SS91 " 4T UU91 " 2T WW91 " 2T XX99 " 2T	An Thou			
Flow (Base)	560 mm 980 / 1000			SS87 " 0.8T Sidegrip				
				TOTAL	15-LITON			

REMARKS:	GAS MONITORING			
	CH ₄	% LEL	H ₂ S :	PPM
	CO	PPM	O ₂ :	%
	CO ₂	%		
R.E./SUPERVISOR _____				

[illegible]

1 of 2

[illegible]

M&J

Tel: 01902 885241

QC 4.1/7C

DAILY SITE RECORD

2 of 2

SITE / JOB No.	STAPES ROAD LITTLE LEVER	DAY / DATE	FRIDAY 10TH JANUARY 2025	DRIVER	R BENNETT
-------------------	-----------------------------	---------------	-----------------------------	--------	-----------

[illegible][illegible][illegible]

D12



Tel: 01902 885241

QC 4.1/7C

DAILY SITE RECORD

SITE / JOB No.	Scopes Road, Little Lever	DAY / DATE	Fri 10/1/25	DRILLER	L. Hawthorn
-------------------	------------------------------	---------------	-------------	---------	-------------

DPI	DEPTH		CASING	FORMATION	FFA	GROUTING		
	FROM	TO				CEMENT	SAND	OTHER
SS	0	4.5	4.0	fill + Clay				
95	4.5	18.1		Mudstone				
	18.1	19.3		coal				
	19.3	26.7		Mudstone				
	26.7	27.0		coal				
	27.0	30.0		Mudstone				
SS	0	4.5	4.0	fill + Clay				
93	4.5	16.6		Mudstone				
	16.6	18.0		coal				
	18.0	24.5		Mudstone				
	24.5	25.0		coal				
	25.0	30.0		Mudstone				
UL	0	4.5	4.0	fill + Clay				
93	4.5	15.0		Mudstone				
	15.0	16.8		break drilling, coal returns				
	16.8	28.3		Mudstone				
	28.3	28.7		coal				
	28.7	30.0		Mudstone				
UL	0	4.0	4.0	fill + Clay				
97	4.0	18.0		Mudstone				
	18.0	20.5		break drilling, coal returns				
	20.5	26.9		Mudstone				
	26.9	27.3		coal				
	27.3	30.0		Mudstone				

REMARKS:	GAS MONITORING			
	CH ₄ :	0 % LEL	H ₂ S:	0 PPM
	CO:	0 PPM	O ₂ :	20.9 %
	CO ₂ :	0 %		
R.E./SUPERVISOR				

DELIVERY	TICKET No.	QUANTITY

M&J DRILLING SERVICES LTD
Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB No.	Stages Road, Little Lever	DAY / DATE	Fri 10/1/25	DRILLER	L. Houssem
-------------------	------------------------------	---------------	-------------	---------	------------

[illegible]

REMARKS	GAS MONITORING					
	CH ₄ :		% LEL	H ₂ S:		PPM
	CO:		PPM	O ₂ :		%
	CO ₂ :		%			
R.F./SUPERVISOR						

DELIVERY	TICKET No.	QUANTITY



Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB NO	Simplex Road, Little Lever	DAY / DATE	Mon 18.1.125	DRILLER	L. Henderson
------------------	-------------------------------	---------------	--------------	---------	--------------

B.H	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
WW	CL	4.0	4.0	fin + Clay				
97	4.0	17.3		Mudstone				
	17.3	19.0		Weak shaling, coal returns				
	19.0	26.3		Mudstone				
	26.3	26.7		coal				
	26.7	30.0		Mudstone				
YV	CL	4.0	4.0	fin + Clay (6m offset)				
97	4.0	16.0		Mudstone				
	16.0	17.4		coal				
	17.4	25.0		Mudstone				
	25.0	25.4		coal				
	25.4	30.0		Mudstone				
ZZ	CL	4.0	4.0	fin + Clay (9m offset)				
97	4.0	15.2		Mudstone				
	15.2	16.4		coal				
	16.4	24.3		Mudstone				
	24.3	24.7		coal				
	24.7	30.0		Mudstone				
ZZ	CL	4.0	4.0	fin + Clay (6m offset)				
98	4.0	15.6		Mudstone				
	15.6	16.8		coal				
	16.8	24.9		Mudstone				
	24.9	25.4		coal				
	25.4	30.0		Mudstone				

REMARKS: _____	GAS MONITORING			
	CH ₄ :	% LEL	H ₂ S :	PPM
	CO :	PPM	O ₂ :	%
_____	CO ₂ :	%		

[illegible]

M&J

QC 4.1/7C

DELIVERY	TICKET No.	QUANTITY
		--

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB No	Stages Road Little Laver	DAY / DATE	Mon 18/1/25	DRIILLER	L. Howdorne
------------------	-----------------------------	---------------	-------------	----------	-------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
CCC	CL	6-0	4-0	fin + Clay (9m offset)				
93	4-0	11-8		Mudstone				
	11-8	13-0		coal				
	13-0	20-5		Mudstone				
	20-5	20-9		coal				
	20-9	23-0		Mudstone				
II	CL	6-0	6-0	fin + Clay				
73	6-0	7-3		Mudstone				
	7-3	8-9		coal				
	8-9	15-2		Mudstone				
	15-2	15-6		coal				
	15-6	30-0		Mudstone				
QQ	CL	5-5	6-0	fin + Clay				
72	5-5	9-7		Mudstone				
	9-7	4-7		coal				
	9-7	28-1		Mudstone				
	28-1	28-7		coal				
	28-7	30-0		Mudstone				
QQ	CL	5-0	6-0	fin + Clay / coal traces				
75	5-0	11-6		Mudstone				
	11-6	12-0		coal				
	12-0	29-8		Mudstone				
	29-8	30-3		coal				
	30-3	32-0		Mudstone				

[illegible]

DELIVERY	TICKET No	QUANTITY

DAILY SITE RECORD

1 of 3

SITE / JOB No.	STOPES ROAD LITTLE LEVER	DAY / DATE	MONDAY 13TH JANUARY 2025	DR LLER	R BENNETT
-------------------	-----------------------------	---------------	-----------------------------	---------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
UU	GL	4.50	5m	FILL+CLAY				
85	4.50	7.60		MUDSTONE				
	7.60	8.90		WEAK COAL, LOST RETURNS				
	8.90	25.00		FIRM, SLIGHT RETURNS				
SS	GL	5.20	6m	FILL+CLAY				
85	5.20	8.80		MUDSTONE				
	8.80	10.90		WEAK, LOST RETURNS				
	10.90	25.00		FIRM, SLIGHT RETURNS				
QQ	GL	5.40	6m	FILL+CLAY				
85	5.40	10.00		MUDSTONE				
	10.00	12.60		WEAK, SLIGHTLY BROKEN				
	12.60	25.00		FIRM				
MM	GL	6.00	6m	FILL+CLAY				
85	6.00	14.50		MUDSTONE				
	14.50	15.80		COAL				
	15.80	22.20		MUDSTONE				
	22.20	22.60		COAL				
	22.60	25.00		MUDSTONE				
KK	GL	6.00	6m	FILL+CLAY				
85	6.00	16.80		MUDSTONE				
	16.80	18.00		COAL				
	18.00	24.20		MUDSTONE				
	24.20	24.60		COAL				
	24.60	27.00		MUDSTONE				

[illegible][illegible]

DAILY SITE RECORD

2 of 3

SITE / JOB No	STOPES ROAD LITTLE LEVER	DAY / DATE	MONDAY 13TH JANUARY 2025	DRILLER	R BENNETT
------------------	-----------------------------	---------------	-----------------------------	---------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
II	GL	5.80	6m	FILL+CLAY				
85	5.80	18.20		MUDSTONE				
	18.20	19.50		CoAL				
	19.50	25.50		MUDSTONE				
	25.50	25.90		CoAL				
	25.90	28.00		MUDSTONE				
II	GL	5.80	6m	FILL+CLAY				
83	5.80	16.00		MUDSTONE				
	16.00	17.20		CoAL				
	17.20	23.70		MUDSTONE				
	23.70	24.10		CoAL				
	24.10	27.00		MUDSTONE				
KK	GL	5.60	6m	FILL+CLAY				
83	5.60	15.00		MUDSTONE				
	15.00	16.30		CoAL				
	16.30	22.00		MUDSTONE				
	22.00	22.40		CoAL				
	22.40	25.00		MUDSTONE				
MM	GL	5.60	6m	FILL+CLAY				
83	5.60	13.50		MUDSTONE				
	13.50	14.80		CoAL				
	14.80	20.90		MUDSTONE				
	20.90	21.30		CoAL				
	21.30	25.00		MUDSTONE				

REMARKS:	GAS MONITORING				
	CH ₄	0	% LEL	H ₂ S	0
	CO	0	PPM	O ₂	20.9
	CO ₂	0.00	%		
R.E / SUPERVISOR					

DELIVERY	TICKET No	QUANTITY

D19

DAILY SITE RECORD

3 of 3

SITE / JOB No.	STAPES ROAD LITTLE LEVER	DAY / DATE	MONDAY 13TH JANUARY 2025	DRIILLER	R BENNETT
-------------------	-----------------------------	---------------	-----------------------------	----------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PPA	CEMENT	SAND	OTHER
00	GL	5.40	6m	Fine + CLAY				
83	5.40	11.30		MUDSTONE				
	11.30	12.50		CLAY				
	12.50	19.60		MUDSTONE				
	19.60	20.00		CLAY				
	20.00	22.00		MUDSTONE				
00	GL	5.00	5m	Fine + CLAY				
83	5.00	9.60		MUDSTONE				
	9.60	11.40		WEAK, SLIGHTLY BROKEN				
	11.40	25.00		FIRM				
SS	GL	4.70	5m	Fine + CLAY				
83	4.70	9.80		MUDSTONE				
	9.80	10.20		CLAY				
	10.20	16.40		MUDSTONE				
	16.40	16.90		CLAY				
	16.90	20.00		MUDSTONE				
SS	GL	4.40	5m	Fine + CLAY				
81	4.40	6.80		MUDSTONE				
	6.80	8.10		CLAY				
	8.10	14.90		MUDSTONE				
	14.90	15.30		CLAY				
	15.30	18.00		MUDSTONE				

REMARKS:	GAS MONITORING			
	CH ₄ :	0	% LEL	1.5 0 PPM
	CO :	0	PPM	O ₂ 20.9 %
	CO ₂ :	0.00	%	
RE / SUPERVISOR				

DELIVERY	TICKET No	QUANTITY

M&J DRILLING SERVICES LTD
Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB No	Stables RD 2/LEVER	DAY / DATE	Fri. 10-1-25	DRIVER	S ALLEN
------------------	-----------------------	---------------	-----------------	--------	---------

[illegible][illegible][illegible]

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB NO.	Stops 1A L/level	DAY / DATE	now 12-1-25	DRILLER	SALLEW.
-------------------	---------------------	---------------	----------------	---------	---------

BII	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
				Grout mix 10-1	PFA OK			
			B. 400 = AA85 2297 mm85 mm83 SS95 2298 KK85 SS93 xx98 II85 WW93 2293 II83 YY97 CCC93 KK83	AM TBUS				
			UU87 TAKEW 3T UU97 " 0.2T UU99 " 0.2T WW97 " 0.3T YY95 " 0.2T YY93 " 0.2T UU85 " 0.7T SS95 " 0.7T QQ85 " 3T	AM TBUS	2.6T			
			QQ83 " 1T	Side grout				
			Flues faced 490 mm 950 / 1000					
				TOTAL	12.1 TON			

REMARKS:	GAS MONITORING			
	CH ₄	% LEL	H ₂ S :	PPM
	CO	PPM	O ₂ :	%
	CO ₂	%		

DELIVERY	TICKET NO	QUANTITY
PFA	005349	19.46

DAILY SITE RECORD

SITE / JOB No.	Stopes Road, Lewes Laver	DAY / DATE	Tue 14 / 1 / 25	DRILLER	L. Howden
-------------------	-----------------------------	---------------	-----------------	---------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
KK	CL	5.5	6.0	fin + Clay				
73	5.5	6.5		coal				
	6.5	13.7		Mudstone				
	13.7	14.4		coal				
	14.4	17.0		Mudstone				
MM	CL	6.0	6.0	fin + Clay / coal trace				
73	6.0	11.9		Mudstone				
	11.9	12.5		coal				
	12.5	30.0		Mudstone				
OO	CL	5.0	6.0	fin + Clay				
73	5.0	10.7		Mudstone				
	10.7	11.1		coal				
	11.1	29.5		Mudstone				
	29.5	30.2		coal				
	30.2	32.0		Mudstone				
OO	CL	6.0	6.0	fin + Clay / coal trace				
75	6.0	12.5		Mudstone				
	12.5	12.9		coal				
	12.9	30.0		Mudstone				
MM	CL	6.0	6.0	fin + Clay / coal trace				
75	6.0	13.9		Mudstone				
	13.9	14.4		coal				
	14.4	17.0		Mudstone				

REMARKS	GAS MONITORING			
	CH ₄ :	0 % LEL	IIJS :	0 PPM
	CO :	0 PPM	O ₂ :	20.7 %
	CO ₂ :	0 %		
R.E./SUPERVISOR				

DELIVERY	TICKET No.	QUANTITY

M&J DRILLING SERVICES LTD.
Tel: 01902 895241

DAILY SITE RECORD

SITE / JOB No.	Stopes Road, Lucie Lever	DAY / DATE	Tue 14 / 1 / 25	DRILLER	L. Hawtorn
-------------------	-----------------------------	---------------	-----------------	---------	------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
KK	CL	5.5	6.0	fin + Clay				
75	5.5	7.0		Mudstone				
	7.0	8.9		Weak drilling, coal returns				
	8.9	15.3		Mudstone				
	15.3	15.7		coal				
	15.7	18.0		Mudstone				
II	CL	5.0	6.0	fin + Clay				
75	5.0	9.0		Mudstone				
	9.0	10.3		Weak drilling, coal returns				
	10.3	16.7		Mudstone				
	16.7	17.1		coal				
	17.1	20.0		Mudstone				
II	CL	5.5	6.0	fin + Clay				
77	5.5	9.5		Mudstone				
	9.5	11.0		Weak drilling, coal returns				
	11.0	18.3		Mudstone				
	18.3	18.7		coal				
	18.7	20.0		Mudstone				
KK	CL	5.5	6.0	fin + Clay				
77	5.5	8.9		Mudstone				
	8.9	10.5		Weak drilling, lost much				
	10.5	20.0		firm drilling				

REMARKS:	GAS MONITORING				
	CH ₄	0	% LEL	H ₂ S	0 PPM
	CO	0	PPM	O ₂	20.9 %
	CO ₂	0	%		
R.E. / SUPERVISOR					

[illegible]

022

DAILY SITE RECORD

SITE / JOB No	Staples Road, Little Lever	DAY / DATE	Tue 14/1/25	DRILLER	L. Henderson
------------------	-------------------------------	---------------	-------------	---------	--------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
MM	CL	5.5	6.0	fin + Clay				
77	5.5	7.7		Mudstone				
	7.7	9.0		Weak drilling, lost flush				
	9.0	20.0		fine dr-mng.				
00	CL	6.0	6.0	fin + Clay				
77	6.0	8.4		coal				
	8.4	14.3		Mudstone				
	14.3	14.6		coal				
	14.6	16.0		Mudstone				
QQ	CL	6.0	6.0	fin + Clay				
77	6.0	6.9		coal				
	6.9	12.9		Mudstone				
	12.9	13.3		coal				
	13.3	30.0		Mudstone				
QQ	CL	5.0	6.0	fin + Clay				
71	5.0	7.7		Mudstone				
	7.7	8.0		coal				
	8.0	26.8		Mudstone				
	26.8	27.3		coal				
	27.3	30.0		Mudstone				

REMARKS:	GAS MONITORING			
	CH ₄ :	% LEL	H ₂ S :	PPM
	CO :	PPM	O ₂ :	20.9 %
	CO ₂ :	%		
R.E./SUPERVISOR				

DELIVERY	TICKET No	QUANTITY

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB No.	Stopper Road, Little Lever.	DAY / DATE	Tue 14 / 1 / 25	DRILLER	L. Howdorn
-------------------	--------------------------------	---------------	-----------------	---------	------------

[illegible]

REMARKS. _____ _____ _____ _____	GAS MONITORING			
	CH ₄ :	<u>0</u>	% LEL	H ₂ S : <u>0</u> PPM
	CO :	<u>0</u>	PPM	O ₂ : <u>21.0</u> %
	CO ₂ :	<u>0</u>	%	
R.E./SUPERVISOR _____				

[illegible]

024

DAILY SITE RECORD

1 of 4

SITE / JOB No.	STAPES ROAD LITTLE LEVER	DAY / DATE	TUESDAY 14TH JANUARY 2025	DRILLER	R. BENNETT
-------------------	-----------------------------	---------------	------------------------------	---------	------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PEA	CEMENT	SAND	OTHER
QQ	GL	5.00	5m	FILL+CLAY				
81	5.00	6.90		MUDSTONE				
	6.90	9.60		WEAK, SLIGHTLY BROKEN				
	9.60	25.00		FIRM				
00	GL	5.20	6m	FILL+CLAY				
81	5.20	9.40		MUDSTONE				
	9.40	11.70		WEAK, SLIGHTLY BROKEN				
	11.70	25.00		FIRM				
44	GL	4.30	5m	FILL+CLAY				
91	4.30	13.60		MUDSTONE				
	13.60	15.00		WEAK, SLIGHTLY BROKEN				
	15.00	25.00		FIRM				
AAA	GL	4.00	4m	FILL+CLAY				
91	4.00	13.00		MUDSTONE				
	13.00	14.30		COAL				
	14.30	20.90		MUDSTONE				
	20.90	21.30		COAL				
	21.30	25.00		MUDSTONE				
CCC	GL	4.00	4m	FILL+CLAY (6 METRE OFFSET)				
91	4.00	11.40		MUDSTONE				
	11.40	12.80		COAL				
	12.80	19.70		MUDSTONE				
	19.70	20.10		COAL				
	20.10	25.00		MUDSTONE				

REMARKS:	GAS MONITORING:	
	CH ₄ : 0 % LEL	H ₂ S: 0 PPM
	CO: 0 PPM	O ₂ : 21.1 %
	CO ₂ : 0.00 %	BH=4491
R.E. / SUPERVISOR		

DELIVERY	TIC KFT No.	QUANTITY

M&J DRILLING SERVICES LTD.

2 of 4

SITE / JOB No.	STOPES ROAD LITTLE LEVER	DAY / DATE	TUESDAY 14TH JANUARY 2025	DRILLER	R BENNETT
-------------------	-----------------------------	---------------	------------------------------	---------	-----------

[illegible][illegible]

3 of 4

[illegible]

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

4 of 4

SITE / JOB NO.	STOPS ROAD LITTLE LEVER	DAY / DATE	TUESDAY 14TH JANUARY 2025	DRILLER	R BENNETT
-------------------	----------------------------	---------------	------------------------------	---------	-----------

[illegible]

REMARKS:	GAS MONITORING			
	CH ₄	% LEL	H ₂ S :	PPM
	CO	PPM	O ₂ :	%
	CO ₂	%		
R.E./SUPERVISOR _____				

[illegible]

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB NO	Stoper Road, Little Laver	DAY / DATE	Wed 15/1/25	DRILLER	L. Houson
------------------	------------------------------	---------------	-------------	---------	-----------

B/I	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
KK	CL	6.0	6.0	fin + Clay / coal traces				
71	6.0	11.9		Mudstone				
	11.9	12.3		coal				
	12.3	30.0		Mudstone				
II	CL	7.0	6.0	fin + Clay / coal traces				
71	7.0	13.2		Mudstone				
	13.2	13.6		coal				
	13.6	16.0		Mudstone				
GG	CL	5.5	6.0	fin + Clay				
95	5.5	8.5		Mudstone				
	8.5	9.6		coal				
	9.6	27.6		Mudstone				
	27.6	28.8		coal				
	28.8	30.0		Mudstone				
EE	CL	5.0	6.0	fin + Clay				
95	5.0	9.8		Mudstone				
	9.8	11.0		coal				
	11.0	29.0		Mudstone				
	29.0	30.1		coal				
	30.1	32.0		Mudstone				

REMARKS: _____ _____ _____ _____ _____	GAS MONITORING:					
	CH ₄ :	<u>0</u>	% LEL	H ₂ S :	<u>0</u>	PPM
	CO :	<u>0</u>	PPM	O ₂ :	<u>20.7</u>	%
	CO ₂ :	<u>0</u>	%			
R.E./SUPERVISOR _____						

[illegible]



Tel: 01902 885241

DAILY SITE RECORD

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PEA	CEMENT	SAND	OTHER
GG	CL	5.5	6.0	fin. + Clay				
93	5.5	7.3		Mudstone				
	7.3	8.5		coal				
	8.5	25.9		Mudstone				
	25.9	26.7		coal				
	26.7	30.0		Mudstone				
EE	CL	5.5	6.0	fin. + Clay				
93	5.5	8.3		Mudstone				
	8.3	9.2		coal				
	9.2	26.7		Mudstone				
	26.7	28.3		coal				
	28.3	30.0		Mudstone				
CC	CL	5.0	6.0	fin. + Clay				
93	5.0	9.1		Mudstone				
	9.1	10.2		coal				
	10.2	28.0		Mudstone				
	28.0	29.2		coal				
	29.2	31.0		Mudstone				
AA	CL	6.0	6.0	fin. + Clay				
93	6.0	10.3		Mudstone				
	10.3	11.4		coal				
	11.4	29.3		Mudstone				
	29.3	30.3		coal				
	30.3	32.0		Mudstone				

REMARKS:	GAS MONITORING		DELIVERY	TICKET No.	QUANTITY
	C-H ₄ : % LEL	H ₂ S : PPM			
	CO : PPM	O ₂ : %			
	CO ₂ : %				

R E. / SUPERVISOR



Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB No.	Stages Road. Live Laver	DAY / DATE	Wed 15/1/25	DRILLER	L. HAWORTH
-------------------	----------------------------	---------------	-------------	---------	------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
AA	CL	6.0	6.0	fin + Clay (3m offset)				
94	6.0	10.9		Mudstone				
	10.9	12.0		coal				
	12.0	28.9		Mudstone				
	28.9	31.0		coal				
	31.0	32.0		Mudstone				
CC	CL	5.5	6.0	fin + Clay				
94	5.5	9.0		Mudstone				
	9.0	10.0		coal				
	10.0	27.7		Mudstone				
	27.7	28.8		coal				
	28.8	30.0		Mudstone				
Y93	CL	5.5	6.0	fine Clay				
	5.5	11.8		Mudstone				
	11.8	12.6		coal				
	12.6	30.3		Mudstone				
W93	CL	6.0	6.0	fin + Clay (2m offset)				
	6.0	12.3		Mudstone				
	12.3	13.5		coal				
	13.5	16.0		Mudstone				
GG	CL	6.0	6.0	fin + Clay / coal traces				
91	6.0	23.8		Mudstone				
	23.8	25.0		coal				
	25.0	30.0		Mudstone				

[illegible][illegible]



Tel: 01902 885241

DAILY SITE RECORD

1 of 2

SITE / JOB No	STOKES ROAD LITTLE LEVER	DAY / DATE	WEDNESDAY 15TH JANUARY 2025	DRILLER	R BENNETT
------------------	-----------------------------	---------------	--------------------------------	---------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
MM	GL	5.20	6m	FILL + CLAY				
81	5.20	11.60		MUDSTONE				
	11.60	13.00		CLAY				
	13.00	18.40		MUDSTONE				
	18.40	18.80		CLAY				
	18.80	21.00		MUDSTONE				
KK	GL	5.50	6m	FILL + CLAY				
81	5.50	12.40		MUDSTONE				
	12.40	14.50		WEAK, LOST RETURNS				
	14.50	25.00		FIRM				
II	GL	5.80	6m	FILL + CLAY				
81	5.80	13.70		MUDSTONE				
	13.70	16.00		WEAK, LOST RETURNS				
	16.00	25.00		FIRM				
II	GL	5.80	6m	FILL + CLAY				
79	5.80	12.50		MUDSTONE				
	12.50	13.90		WEAK, LOST RETURNS				
	13.90	25.00		FIRM, SLIGHT RETURNS				
KK	GL	5.30	6m	FILL + CLAY				
79	5.30	11.00		MUDSTONE				
	11.00	12.60		WEAK, LOST RETURNS				
	12.60	25.00		FIRM, SLIGHT RETURNS				

REMARKS	GAS MONITORING			
	CH ₄ :	% LEL	H ₂ S	PPM
	CO :	PPM	O ₂	%
	CO ₂ :	%		
RE / SUPERVISOR				

[illegible]

032



DRILLING SERVICES LTD

Tel: 01902 885241

QC 4.1/7C

DAILY SITE RECORD

2 of 3

SITE / JOB No.	STOPES ROAD LITTLE LEVER	DAY / DATE	WEDNESDAY 15TH JANUARY 2025	DRI LLER	R EARNETT
-------------------	-----------------------------	---------------	--------------------------------	----------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
M.M	GL	5.00	SM	FILL + CLAY				
79	5.00	9.30		MUDSTONE				
	9.30	10.50		CLAY				
	10.50	16.80		MUDSTONE				
	16.80	17.20		CLAY				
	17.20	20.00		MUDSTONE				
00	GL	4.80	SM	FILL + CLAY				
79	4.80	7.70		MUDSTONE				
	7.70	9.00		CLAY				
	9.00	15.50		MUDSTONE				
	15.50	15.90		CLAY				
	15.90	18.00		MUDSTONE				
QQ	GL	4.80.5m		FILL + CLAY				
79	4.80	6.30.		MUDSTONE				
	6.30	7.70.		CLAY				
	7.70	14.70		MUDSTONE				
	14.70	15.10		CLAY				
	15.10	18.00		MUDSTONE				
EE	GL	6.00	6M	FILL + CLAY				
87	6.00	21.60		MUDSTONE				
	21.60	23.00		CLAY				
	23.00	29.60		MUDSTONE				
	29.60	30.00		CLAY				
	30.00	32.00		MUDSTONE				

REMARKS:	GAS MONITORING			
	CH ₄	% LEL	H ₂ S	PPM
	CO	PPM	O ₂	%
	CO ₂	%		
R.E / 5L/PERV15DR				

DELIVERY	TICKET No.	QUANTITY

M&J

Tel: 01902 885241

DAILY SITE RECORD

3 of 3

SITE / JOB No.	STORES ROAD LITTLE LEAF	DAY / DATE	WEDNESDAY 15TH JANUARY 2025	DRILLER	R BONNET
-------------------	----------------------------	---------------	--------------------------------	---------	----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
CC	CL	6.00	6m	FILL + GRM				
87	6.00	23.20		MUDSTONE				
	23.20	24.50		CLAY				
	24.50	30.00		MUDSTONE				
AA	CL	6.20	7m	FILL + CLAY				
87	6.20	24.70		MUDSTONE				
	24.70	26.20		CLAY				
	26.20	30.00		MUDSTONE				
Y	CL	6.50	7m	FILL + CLAY				
87	6.50	7.00		CLAY				
	7.00	25.50		MUDSTONE				
	25.50	26.90		CLAY				
	26.90	30.00		MUDSTONE				
W	CL	6.50	7m	FILL + GRM				
87	6.50	7.70		MUDSTONE				
	7.70	8.60		CLAY				
	8.60	27.20		MUDSTONE				
	27.20	28.60		CLAY				
	28.60	30.00		MUDSTONE				

REMARKS	GAS MONITORING			
	CH ₄ :	% LEL	H ₂ S :	PPM
	CO :	PPM	O ₂ :	%
	CO ₂ :	%		
_____ R.E./SUPERVISOR				

[illegible]

M&J DRILLING SERVICES LTD.
Tel: 01902 885247

DAILY SITE RECORD

1 of 3

SITE / JOB NO.	STOKES ROAD LITTLE LEAGUE	DAY / DATE	THURSDAY 16TH JANUARY 2025	DRILLER	R. BENNETT
-------------------	------------------------------	---------------	-------------------------------	---------	------------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PGA	CEMENT	SAND	OTHER
U	GL	650	7m	FINET CLAY				
87	650	900		MUDSTONE				
	900	1000		CLAY				
	1000	28.10		MUDSTONE				
	28.10	29.50		CLAY				
	29.50	3200		MUDSTONE				
S	GL	640	7m	FINET CLAY				
81	640	990		MUDSTONE				
	990	1090		CLAY				
	1090	29.30		MUDSTONE				
	29.30	30.70		CLAY				
	30.70	3200		MUDSTONE				
Q	GL	640	7m	FINET CLAY				
87	640	1100		MUDSTONE				
	1100	1200		CLAY				
	1200	3000		MUDSTONE				
O	GL	640	7m	FINET CLAY				
87	640	1260		MUDSTONE				
	1260	1360		CLAY				
	1360	1600		MUDSTONE				
M	GL	660	7m	FINET CLAY				
87	660	1440		MUDSTONE				
	1440	1540		CLAY				
	1540	1800		MUDSTONE				

[illegible][illegible]

035

DAILY SITE RECORD

2 of 3

SITE / JOB No.	STOPES ROAD LITTLE LEVER	DAY / DATE	THURSDAY 16TH JANUARY 2025	DRILLER	R BENNETT
-------------------	-----------------------------	---------------	-------------------------------	---------	-----------

BH	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
K	GL	660	7m	FILL+CLAY				
87	660	1590		MUDSTONE				
	1590	1700		COAL				
	1700	2000		MUDSTONE				
I	GL	680	7m	FILL+CLAY				
87	680	1760		MUDSTONE				
	1760	1860		COAL				
	1860	2100		MUDSTONE				
G	GL	680	7m	FILL+CLAY (1 metre offset)				
87	680	1880		MUDSTONE				
	1880	2000		COAL				
	2000	2300		MUDSTONE				
E	GL	730	8m	FILL+CLAY (3 metre offset)				
87	730	2100		MUDSTONE				
	2100	2230		COAL				
	2230	2500		MUDSTONE				
C	GL	750	8m	FILL+CLAY (3 metre offset)				
87	750	2200		MUDSTONE				
	2200	2330		COAL				
	2330	2500		MUDSTONE				
G	GL	700	7m	FILL+CLAY				
88	700	1940		MUDSTONE				
	1940	2040		COAL				
	2040	2300		MUDSTONE				

REMARKS:	GAS MONITORING	
	CH ₄ : 0 % IFI	H ₂ S : 0 PPM
	CO : 0 PPM	O ₂ : 20.7 %
	CO ₂ : 0.00 %	BH = E87
R.E./SUPERVISOR		

DELIVERY	TICKET No.	QUANTITY

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

3 of 3

SITE / JOB No.	STOPES ROAD LITTLE LEVER	DAY / DATE	THURSDAY 18TH JANUARY 2025	DRILLER	R BENNETT
-------------------	-----------------------------	---------------	-------------------------------	---------	-----------

BH	DEPTH		- CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
E 89	GL	7.00	7m	Fine CLAY (Concrete offset)				
		7.00	21.00	MUDSTONE				
		21.00	22.00	CLAY				
		22.00	25.00	MUDSTONE				
C 85	GL	7.60	8m	Fine CLAY				
		7.60	21.20	MUDSTONE				
		21.20	22.40	CLAY				
		22.40	25.00	MUDSTONE				
E 85	GL	7.40	8m	Fine CLAY				
		7.40	19.90	MUDSTONE				
		19.90	21.00	CLAY				
		21.00	23.00	MUDSTONE				
G 85	GL	7.40	8m	Fine CLAY				
		7.40	18.40	MUDSTONE				
		18.40	19.40	CLAY				
		19.40	22.00	MUDSTONE				

REMARKS:	GAS MONITORING			
	CH_4 :	% LEL	H_2S :	PPM
	CO :	PPM	O_2 :	%
	CO_2 :	%		

[illegible]

D37

OC 4.1/7C



DAILY SITE RECORD

SITE / JOB NO	Stopes Road, Little Limer	DAY / DATE	Thurs 16 / 1 / 25	DRILLER	L. Hawson
------------------	------------------------------	---------------	-------------------	---------	-----------

BII	DEPTH		CASING	FORMATION	GROUTING			
	FROM	TO			PFA	CEMENT	SAND	OTHER
EE	0	6.0	6.0	fin + Clay				
91	6.0	6.3		Mudstone				
	6.3	6.7		coal				
	6.7	25.6		Mudstone				
	25.6	26.8		coal				
	26.8	30.0		Mudstone				
CC	0	5.5	6.0	fin + Clay				
91	5.5	7.8		Mudstone				
	7.8	8.8		coal				
	8.8	27.1		Mudstone				
	27.1	28.2		coal				
	28.2	30.0		Mudstone				
* Rig Breakdown from till 3.30pm.								

REMARKS:	GAS MONITORING			
	CH ₄	% LEL	H ₂ S	PPM
	CO	PPM	O ₂	%
	CO ₂	%		
R.E. / SUPERVISOR				

[illegible]

SITE / DB NO.	STOPS RD E/LEVER	DAY / DATE	TUES 14-1-25	DRILLER	S ALLEN.
------------------	---------------------	---------------	-----------------	---------	----------

[illegible]

REMARKS:	GAS MONITORING			
	CH_4 :	% LEL	H_2S	PPM
	CO	PPM	O_2	%
	CO_2	%		
FILL IN SUPERVISOR				

[illegible]

M&J DRILLING SERVICES LTD.
Tel: 01902 885241

DAILY SITE RECORD

SITE / JOB No	STOPS RD L/LAVER	DAY / DATE	Wed 5-1-25	DRILLER	5 ALLEN
------------------	---------------------	---------------	---------------	---------	---------

[illegible]

REMARKS: _____ _____ _____ _____ _____ _____ _____	GAS MONITORING			
	CH ₄	% LEL	H ₂ S	PPM
	CO	PPM	O ₂	%
	CO ₂	%		
R.E. / SUPERVISOR				

[illegible]