





www.slrconsulting.com

Drawing Status & Suitability Code

FOR REVIEW & COMMENT

Designed IW	Drawn IW	Checked NM	Authorised NM
Date 17.09.2024	Date 17.09.2024	Date 17.09.2024	Date 17.09.2024

Drawing Number
010063-SLR-HGN-XXX-DR-CH-0101

Client
TAYLOR WIMPEY (MANCHESTER)

Project
**SECTION 278 HIGHWAY WORKS
STOPES ROAD, BURY**

Drawing Title
VEHICLE TRACKING PLAN

P03	SITE ACCESS POSITION CHANGED	08.04.25	IW	NM	NM
P02	DRAWING STATUS CHANGED	29.01.25	IW	NM	NM
P01	FIRST ISSUE	17.09.24	IW	NM	NM

Rev Amendments Date By Chk Auth

AWAITING TECHNICAL APPROVAL




This drawing has NOT been technically approved by Local Authority and/or Water Authority.
All works subject to change through technical review process with relevant approving authorities.

Rev Amendments Date By Chk Auth

NOTES:

0 2.5 5 10 15
1:250 SCALE (m)

VEHICLE INFORMATION:

 FTA Design Articulated Vehicle (2016) Overall Length 16.480m Overall Width 2.550m Overall Body Height 3.870m Min Body Ground Clearance 0.515m Track Width 2.470m Lock to lock time 3.00s Kerb to Kerb Turning Radius 6.600m	 Phoenix 2-25W (with Volvo FM12 chassis) Overall Length 11.125m Overall Width 2.530m Overall Body Height 3.205m Min Body Ground Clearance 0.410m Track Width 2.500m Lock to lock time 4.00s Kerb to Kerb Turning Radius 9.250m	 DB32 Fire Appliance Overall Length 8.680m Overall Width 2.180m Overall Body Height 3.455m Min Body Ground Clearance 0.337m Track Width 2.121m Lock to lock time 6.00s Kerb to Kerb Turning Radius 7.910m
--	--	---

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION

PLEASE REFER TO THE HEALTH AND SAFETY FILE FOR A FULL LIST OF THE HAZARDS ASSOCIATED WITH THIS WORK - THE FOLLOWING ARE THE MOST SIGNIFICANT ITEMS TO BE AWARE OF.

CONSTRUCTION

1. ATTENTION IS DRAWN TO THE EXISTENCE OF BOTH EXISTING UNDERGROUND AND OVERHEAD UTILITIES
2. WORKING ADJACENT TO LIVE CARRIAGEWAY / RES OF WORKFORCE AND CONSTRUCTION PLANT CONFLICT WITH THE PUBLIC
3. WORKING AT HEIGHTS INSTALLING SIGN PLATES
4. WORKING IN CLOSE PROXIMITY TO LIVE SERVICES AND POSSIBLE UNCHARTED SERVICES
5. WORKING IN THE VICINITY OF OVERHEAD POWER CABLES
6. EXCAVATION WITH POSSIBLY CONTAMINATED GROUND
7. WORKING WITH HAZARDOUS SUBSTANCE, SUCH AS BITUMINOUS MATERIALS, MORTARS, CONCRETE ETC.
8. MANUAL HANDLING OF HEAVY LOADS SUCH AS KERBS AND PAVING MATERIALS
9. DUST AND DEBRIS ARISING FROM THE CUTTING OF MATERIALS

ENVIRONMENTAL

1. CONSIDERATION GIVEN TO NOISE LEVELS GIVEN PROXIMITY TO EXISTING PROPERTIES.
2. CONSIDERATION GIVEN TO GROUND CONDITIONS. CONTRACTOR TO REVIEW GEOTECHNICAL INFORMATION PRIOR TO UNDERTAKING EXCAVATION WORKS.

WORK CAN ONLY BE CARRIED OUT BY SUITABLY TRAINED AND BRIEFED PERSONNEL.