

CONTAMINATED LAND – CONDITION

The site currently occupied as grassed amenity area in a residential street. Current uses in the surrounding area include residential and public open space. Previous uses at the site have included a man-made channel or goit likely constructed to take water from the River Roch to Mount Sion Bleach Works and Hampsons Mills Print Works. The goit was constructed prior to 1848 and appears to have been infilled in the 1980s. Previous uses the surrounding land uses have included allotment gardens and more recently housing. The site is not within 250m of a landfill, however, a former infilled goit is present on site. The River Roch is situated 20m to the east. The site is situated on alluvial deposits and glacial till over the Trencherbone Rock Sandstone Secondary A Aquifer.

A Desk Study Report has been submitted and commented on in the attached response.

In line with the National Planning Policy Framework, the site is proposed for a sensitive end use we recommend that the following contaminated land conditions are placed on any grant of permission:

CLA1 - Contaminated Land Preliminary Risk Assessment, Site Investigation, Detailed Risk Assessment and Remediation Strategy.

CLA2 - Contaminated Land implementation of Remediation Strategy and Site Verification Report.

Reason: This is to secure the satisfactory development of the site in terms of human health, controlled waters and the wider environment and pursuant to the National Planning Policy Framework.

INFORMATIVE - AIR QUALITY

EV Charging provision – COMMENT

Bury Council has been identified by DEFRA as an area requiring to significantly improve air quality. The required measures to do this are currently under discussion. Due to this requirement, and the requirements of the new building regulations (The Building Regulations 2010, Approved Document S, Infrastructure for the charging of electric vehicles), please supply details of the proposed provision for electric vehicle charging.

Reason: In accordance with the NPPF, to encourage the uptake of ultra-low emission vehicles and ensure the development is sustainable. To safeguard residential amenity, public health and quality of life.

INFORMATIVE - The Control of Noise Regulations 1975, Section 60. Control of Noise on Construction Sites

Works carried out in connection with the planning permission shall comply with the above regulations which require the following:

1. All works and ancillary operations which are audible at the boundary of the nearest house or noise receptor, or at such other place as may be agreed with the Council, shall be carried out only between the hours of 0800 and 1800 on Mondays to Fridays and between the hours of 0900 and 1400 on Saturdays and at no time on Sundays and Bank Holidays.

2. The best practicable means, as defined in section 72 of the Control of Pollution Act 1974, to reduce noise to a minimum shall be employed at all times.
3. All plant and machinery in use shall be properly silenced and maintained in accordance with the manufacturer's instructions.
4. Any emergency deviation from the above (1 – 3) shall be notified to Bury Council without delay.

Any contravention of these requirements will trigger the serving of a Notice under Section 60 of The Control of Noise Regulations 1975.