



- GENERAL NOTES
- G1. DO NOT SCALE THIS DRAWING.
- G2. ANY DIMENSIONAL DISCREPANCIES SHOULD BE NOTIFIED TO THE ENGINEER IMMEDIATELY.
- G3. ALL DIMENSIONS ARE IN MILLIMETRES - (mm)
ALL LEVELS ARE IN METRES - (m) AND ARE ABOVE ORDNANCE DATUM AT NEWLYN, CORNWALL UNLESS NOTED OTHERWISE.
- G4. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT SPECIFICATIONS, DRAWINGS, DETAILS AND OTHER DESIGN INFORMATION.
- G5. ALL DRAWINGS AND WRITTEN MATERIAL CONTAINED WITHIN, CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE ENGINEER AND MAY NOT BE DUPLICATED, USED, REPRODUCED OR DISCLOSED WITHOUT WRITTEN CONSENT OR EXPRESS PERMISSION FROM THE ENGINEER.
- G6. ALL INFORMATION CONTAINED IN THIS DOCUMENT IS COPYRIGHT ©
- G7. WHERE THE CONTRACTOR UNDERTAKES OR ENGAGES A THIRD PARTY TO UNDERTAKE TEMPORARY WORKS DESIGN, OR VARIES THE PELL FRISCHMANN DESIGN IN ANY WAY, THEN THE CONTRACTOR WILL TAKE FULL RESPONSIBILITY AND LIABILITY FOR ALL DESIGN ASPECTS, INCLUDING A DESIGN RISK ASSESSMENT. THE CONTRACTOR SHALL INFORM PELL FRISCHMANN OF ANY PROPOSED VARIANCES TO THE DESIGN.

- SERIES NOTE:
- S1. CARRIAGEWAY RESURFACING EXTENTS SUBJECT TO CONFIRMATION OF EXISTING PAVING CONSTRUCTION AND CONDITION
- KEY:
- C1 - PROPOSED CARRIAGEWAY RESURFACING
SURFACE COURSE: 40mm THICK AC10 CLOSE SURF 100/150 (CLAUSE 912) (PSV = 55min)
BINDER COURSE: 60mm THICK AC20 HDM BIN 40/60 DES (CLAUSE 929).
- C2 - PROPOSED FULL DEPTH CARRIAGEWAY CONSTRUCTION
SURFACE COURSE: 40mm THICK AC10 CLOSE SURF 100/150 (CLAUSE 912) (PSV = 55min)
BINDER COURSE: 60mm THICK AC20 HDM BIN 40/60 DES (CLAUSE 929).
BASE COURSE: 240mm THICK AC32 HDM BASE 40/60 DES (CLAUSE 929).
SUB-BASE: 300mm THICK GRANULAR TYPE 1

P03	UPDATED TO CLIENT COMMENTS	EP	AH	AH	23.04.26
P02	UPDATED TO CORRECT LAYOUT	EP	AH	AH	09.03.26
P01	FIRST ISSUE	IC	EP	AH	11.02.26
REV	DESCRIPTION	DRN	CHK	APP	DATE

Pell Frischmann

4th FLOOR, ONE ST JAMES SQUARE, MANCHESTER, M2 6DN
Telephone +44 (0)161 826 9400
Email: pfmanchester@pellfrischmann.com
www.pellfrischmann.com

Architect/Client/Contractor

Westchurch Homes

Project

**DUMERS LANE
DETAILED DESIGN**

Drawing Title

**HIGHWAYS
PAVEMENTS**

Drawing Status			
WORK IN PROGRESS			
	Name	Date	Status Code
Drawn	I.CALGOTRA	11.02.26	S1
Designed	I.CALGOTRA	11.02.26	
Eng Chk	E.PHYTHIAN	11.02.26	Scale
Approved	A.HALL	11.02.26	Revision
Drawing No.			P03

110081 - PEF -S228-HPV- DR - C - 00001

