

NOTICE OF PLANNING PERMISSION

Town and Country Planning Act 1990 Town and Country Planning (Development Management Procedure) (England) Order 2015

To:

Mr Steven Rowland
Oakbay Design Limited
29 Bradford Road
Eccles
M30 9FF

On Behalf Of:

Mr John Bottomley
RTK Grab Hire Limited
Plant Hire Yard
Wellington Street
Bury
BL8 2BD

PART 1 - Particulars of Application

Application Number: 71528

Date of Registration: 26/03/2025

Proposal:

Erection of single storey warehouse and storage building for Class use B8 with steel portal frame, rendered blockwork base, steel clad roof, walls and doors, including extension to service area and carparking from existing contractors service yard

Location:

RTK Grab Hire Ltd, Plant Hire Yard,
Wellington Street, Bury, BL8 2BD

PART 2 - Particulars of Decision

Bury Metropolitan Borough Council hereby give notice in pursuance of the provisions of the Town and Country Planning Act 1990 that permission has been **GRANTED** for the carrying out of the development referred to in Part 1 hereof in accordance with the application and plans submitted subject to the following conditions:-

- 1 The development must be begun not later than three years beginning with the date of this permission.
Reason. Required to be imposed by Section 91 Town & Country Planning Act 1990.

- 2 This decision relates to drawings -

Location plan Z344.000 rev 1
Warehouse floorplan Z344.001 rev 1344.002 rev 2
New warehouse site plan Z344.003 rev 3
Planning boundaries Z344.004
Existing site plan Z344.005
Landscape proposals plan Z344.006
Existing and proposed levels Z344.007
Route for articulated vehicles and swept paths Z344.009
Swept paths for simple full lock turn for articulated vehicles Z344.101
Carbon and energy and Digital connectivity statements
Transport Statement by DPM Transport Consulting Ltd 28/02/2025

and the development shall not be carried out except in accordance with the drawings hereby approved.

Reason. For the avoidance of doubt and to ensure a satisfactory standard of design pursuant to the policies of the Bury Unitary Development Plan and Places for Everyone Joint Development Plan listed.

- 3 Prior to the commencement of development, details of a sustainable surface water drainage scheme and a foul water drainage scheme shall be submitted to and approved in writing by the Local Planning Authority. The drainage schemes must include:
- (i) An investigation of the hierarchy of drainage options in the National Planning Practice Guidance (or any subsequent amendment thereof). This investigation shall include evidence of an assessment of ground conditions and the potential for infiltration of surface water in accordance with BRE365;
 - (ii) A restricted rate of discharge of surface water agreed with the local planning authority (if it is agreed that infiltration is discounted by the investigations);
 - (iii) Levels of the proposed drainage systems including proposed ground and finished floor levels in AOD;
 - (iv) Incorporate mitigation measures to manage the risk of sewer surcharge where applicable; and
 - (v) Foul and surface water shall drain on separate systems.

The approved schemes shall also be in accordance with the Non-Statutory Technical Standards for Sustainable Drainage Systems (March 2015) or any subsequent replacement national standards.

Prior to occupation of the proposed development, the drainage schemes shall be completed in accordance with the approved details and retained thereafter for the lifetime of the development.

Reason. The current application contains insufficient information regarding the proposed drainage scheme to fully assess the impact. To promote sustainable development and reduce flood risk pursuant to Policies JP-S4 and chapter 14 - Meeting the challenge of climate change, flooding and coastal change of the NPPF.

- 4 The development hereby approved shall be carried out in accordance with the soft landscaping proposals on the approved landscaped proposals plan Z344.006. The approved scheme shall be implemented not later than 12 months from the date the building is first occupied/brought into use or within the first available tree planting season,; and any trees or shrubs removed, dying or becoming severely damaged or becoming severely diseased within five years of planting shall be replaced by trees or shrubs of a similar size or species to those originally required to be planted.

Reason. To secure the satisfactory development of the site and in the interests of visual amenity pursuant to Policies EN1/2 - Townscape and Built Design, PfE Policy JP-G8 and chapter 15 - Conserving and enhancing the natural environment of the NPPF.

- 5 No development shall commence unless and until a 'Construction Traffic Management Plan' (CTMP), has been submitted to and agreed in writing with the Local Planning Authority and shall confirm/provide the following:

- A scheme of appropriate warning/construction traffic speed signage in the vicinity of the site and its access onto Wellington Street;
- Confirmation of hours of operation and number of vehicle movements;
- Arrangements for the turning and manoeuvring of vehicles within the curtilage of the site and/or measures to control/manage delivery vehicle manoeuvres;
- Parking on site or on land within the applicant's control of operatives' and construction vehicles, together with storage on site of construction materials;

- Measures to ensure that all mud and other loose materials are not spread onto the adjacent adopted highways as a result of the groundworks operations or carried on the wheels and chassis of any vehicles leaving the site and measures to minimise dust nuisance caused by the operations.

The approved plan shall be adhered to throughout the construction period and the measures shall be retained and facilities used for the intended purpose for the duration of the construction period.

The areas identified shall not be used for any other purposes other than the turning/parking of vehicles and storage of construction materials.

Reason. Information not submitted at application stage. To mitigate the impact of the construction traffic generated by the proposed development on the adjacent residential streets, and ensure adequate off street car parking provision and materials storage arrangements for the duration of the construction period and that the adopted highways are kept free of deposited material from the ground works operations, in the interests of highway safety pursuant to Policies EN1/2 - Townscape and Built Design and JP-C8.

- 6 The turning facilities within the curtilage of the site indicated on the approved plans shall be provided before the development is brought into use and the areas used for the manoeuvring of vehicles shall subsequently be maintained free of obstruction at all times.
Reason. In the interests of highway safety and to minimise the standing and turning movements of vehicles on the highway in the interests of road safety pursuant to policies JP-C5 and JP-C8.
- 7 The car parking indicated on the approved plans shall be surfaced, demarcated and made available for use to the written satisfaction of the Local Planning Authority prior to the development hereby approved being brought into use and thereafter maintained at all times.
Reason. To ensure adequate off-street car parking and to allow adequate space to maintain a vehicle clear of the highway in the interests of road safety pursuant to policy HT2/4 - Car Parking and New Development of the Bury Unitary Development Plan.
- 8 The developmemnt hereby approved shall be constructed in materials detailed on approved plan 'warehouse elevations' Z344.002 rev 2.
Reason. In the interests of visual amenity and to ensure a satisfactory development pursuant to Policy EN1/2 - Townscape and Built Design of Bury Unitary Development Plan.
- 9 The development hereby approved within any approved phase shall not be brought into use until written confirmation is provided to the Local Planning Authority that unexpected or previously unidentified contamination was not encountered during the course of development works.

If, during development, unexpected contamination is found to be present on the site, no further works shall be carried out at the affected location until the following are submitted to the Local Planning Authority for approval:

- I. Risk Assessment (GQRA or DQRA);
- II. Remediation Strategy & Verification Plan;

If remediation is required, it shall be carried out in accordance with the approved Remediation Strategy. Upon completion of remediation works, a Verification Report shall be submitted for approval. The Verification Report must include information validating all remediation works carried out; details of imported materials

(source/quantity/suitability); details of exported materials; and details of any unexpected contamination.

Reason. To prevent unacceptable risk to Human Health and Controlled Waters and to prevent pollution of the environment in accordance with the aims and Paragraphs 187(f), 196 and 197 of the National Planning Policy Framework (December 2024).

- 10 Any soil or soil forming materials to be brought to site for use in garden areas, soft landscaping, filling and level raising shall be tested for contamination and suitability for use.

Proposals for contamination testing including testing schedules, sampling frequencies and allowable contaminant concentrations (as determined by appropriate risk assessment) and source material information shall be submitted to the Local Planning Authority for approval prior to any soil or soil forming materials being brought onto site.

The approved contamination testing shall then be carried out and validatory evidence (soil descriptions, laboratory certificates, photographs etc.) submitted to Local Planning Authority for approval prior to the development being brought into use.

Reason. To prevent unacceptable risk to Human Health and Controlled Waters and to prevent pollution of the environment in accordance with the aims and Paragraphs 187(f), 196 and 197 of the National Planning Policy Framework (December 2024).

- 11 Prior to occupation the applicant shall provide:

- A minimum of 1 no. electric vehicle (EV) charging point (minimum 7kW*) and at least one in every five remaining parking spaces must be provided with cable routes.

Certification and photographic evidence of the installation of the agreed electric vehicle charge points shall be submitted to Local Planning Authority for approval prior to the development being brought into use. The infrastructure shall be maintained and operational in perpetuity.

*Mode 3, 7kW (32A) single phase, or 22kW (32A) three phase, and for 50kW Mode 4 rapid charging may be required. British Standard BS EN 61851-1:2019 to be used. Further information regarding minimum standards can be found at <https://www.gov.uk/transport/low-emission-and-electric-vehicles>.

Reason. To encourage the uptake of ultra-low emission vehicles and ensure the development is sustainable and to safeguard residential amenity, public health and quality of life with respect to Local Air Quality, in accordance with paragraphs 112e, 117e, 187e and 199 of the National Planning Policy Framework (December 2024) and Places for Everyone Policy JP-S5 (Clean Air).

Statement in accordance with Article 35(2) Town and Country Planning (Development Management Procedure) (England) (Amendment) Order 2015

The Local Planning Authority worked positively and proactively with the applicant to identify various solutions during the application process to ensure that the proposal comprised sustainable development and would improve the economic, social and environmental conditions of the area and would accord with the development plan. These were incorporated into the scheme and/or have been secured by planning condition. The Local Planning Authority has therefore implemented the requirement in Paragraph 38 of the National Planning Policy Framework.

The following policies of the Bury Unitary Development Plan, National and Regional Government were considered relevant:

NPPF	National Planning Policy Framework
EC1/1	EC1/1 - Land For Business (B1), General Industrial (B2) and Warehousing Uses (B8)
EC2/1	EC2/1 - Employment Generating Areas
EC6/1	EC6/1 - New Business, Industrial and Commercial Development
MW1/1	MW1/1 - Areas of Search
GMMW	GMMWP - Greater Manchester Minerals and Waste Plan
P	
EN1/2	EN1/2 - Townscape and Built Design
EN7/2	EN7/2 - Noise Pollution
HT2/4	HT2/4 - Car Parking and New Development
JP-C2	Digital Connectivity
JP-C5	Streets For All
JP-C6	Walking and Cycling
JP-C8	Transport Requirements of New Development
JP-J2	Employment Sites and Premises
JP-J4	Industry and Warehousing Development
JP-S2	Carbon and Energy
SPD11	Development Control Policy Guidance Note 11 - Parking Standards in Bury

This decision relates only to the Town and Country Planning Acts and does not include any consent or approval under any other enactment or under the Building Regulations. Any other consent or approval which is necessary must be obtained from the appropriate authority.

Applicant Plan Numbers:

Location plan Z344.000 rev 1
Warehouse floorplan Z344.001 rev 1344.002 rev 2
New warehouse site plan Z344.003 rev 3
Planning boundaries Z344.004
Existing site plan Z344.005
Landscape proposals plan Z344.006
Existing and proposed levels Z344.007
Route for articulated vehicles and swept paths Z344.009
Swept paths for simple full lock turn for articulated vehicles Z344.101
Carbon and energy and Digital connectivity statements
Transport Statement by DPM Transport Consulting Ltd 28/02/2025

NOTES TO APPLICANT

. United utilities advisory Note

Please note, United Utilities is not responsible for advising on rates of discharge to the local watercourse system. This is a matter for discussion with the Lead Local Flood Authority and / or the Environment Agency (if the watercourse is classified as a main river).

To discuss their drainage proposals the applicant should contact our Developer Services team by email at SewerAdoptions@uuplc.co.uk. Alternative ways to contact the team are detailed in the Appendix, Section 4.0 'Contacts'.

When considering their drainage proposal, the applicant should investigate the existence of any pipelines and/or apparatus that might impact their detailed design (see Section 'UNITED UTILITIES' PROPERTY, ASSETS AND INFRASTRUCTURE').

United Utilities will not carry out an assessment on the acceptability of submitted drainage proposals in relation to our water pipelines when responding to a planning

application. It is the applicant's responsibility to ensure that any detailed drainage plans comply with our 'Standard Conditions for Works Adjacent to Pipelines' which can be found on our website: Working near our pipes - United Utilities. Failure to consider existing pipelines when designing a drainage proposal may result in the applicant having to redesign proposals at a later date.

Management and maintenance of Sustainable Drainage Systems (SuDS)

Without effective management and maintenance SuDS can fail or become ineffective which may have a detrimental impact on the surrounding area. There is also a risk ineffective SuDS could impact the performance of the public sewer network where the two systems interact. Therefore, when SuDS is included in a proposed development, we recommend the Local Authority include a condition relating to SuDS management and maintenance in any subsequent Decision Notice. We provide an example condition below that may be suitable in many circumstances.

Prior to occupation of the development a sustainable drainage management and maintenance plan for the lifetime of the development shall be submitted to the local planning authority and agreed in writing. The sustainable drainage management and maintenance plan shall include as a minimum:

(i)

Arrangements for adoption by an appropriate public body or statutory undertaker, or, management and maintenance by a resident's management company; and (ii)

Arrangements for inspection and ongoing maintenance of all elements of the sustainable drainage system to secure the operation of the surface water drainage scheme throughout its lifetime.

The development shall subsequently be completed, maintained and managed in accordance with the approved plan.

Reason: To ensure that management arrangements are in place for the sustainable drainage system in order to manage the risk of flooding and pollution during the lifetime of the development.

Please note United Utilities cannot provide comment on an asset that is owned by a third-party management and maintenance company. Therefore, whilst we recommend the inclusion of a management and maintenance condition, United Utilities would not be involved in its discharge.

UNITED UTILITIES' PROPERTY, ASSETS AND INFRASTRUCTURE

It is the applicant's responsibility to investigate the existence of any pipelines that might cross or impact their proposed site and also to demonstrate the exact relationship between United Utilities' assets and the proposed development. The applicant should not rely solely on the detail contained within asset maps when considering a proposed layout.

It is important that the supporting information contained in the Appendix, Section 2.0 'United Utilities' Property, Assets and Infrastructure', is read in conjunction with this letter. This provides information that might impact a proposed layout and additional guidance that an applicant or developer must consider when United Utilities assets are located in, or in the locality of, the proposed site.

Where United Utilities' assets exist, it is essential that the applicant, or any subsequent developer, contacts our Developer Services team prior to commencing any works on site, including trial holes, groundworks or demolition. See Appendix, Section 4.0 'Contacts'

WATER EFFICIENCY IN NEW DEVELOPMENT

Local planning authorities have the option to set additional technical requirements in respect of water use for the construction of new build dwellings, exceeding the minimum standards required by Building Regulations. All new homes are required to meet the mandatory national standard of 125 litres of water used per person per day as set out in Building Regulations Approved Document G. Where there is a clear

local need, a local planning authority's development plan policies can require new-build dwellings to meet the tighter Building Regulations optional requirement of 110 litres of water used per person per day. If your adopted development plan includes a policy that implements the tighter water efficiency standard for new-build dwellings in Part 3 of Building Regulations, you should ensure that this is a condition of any planning permission you may grant. You should also consider whether there is any adopted development plan policy relating to a water efficiency in the construction of non-residential development. As this is a matter for the local planning authority / building control body, United Utilities would not be involved in the discharge of conditions relating to water efficiency.

Coal Authority Informative

1 - Ground Investigations and groundworks

Under the Coal Industry Act 1994 any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) require the prior written permission of the Coal Authority since these activities can have serious public health and safety implications. Such activities could include site investigation boreholes, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Failure to obtain permission to enter or disturb our property will result in the potential for court action. Application forms for Coal Authority permission and further guidance can be obtained from The Coal Authority's website at:
www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property .

2 - Requirement for Incidental Coal Agreements

If any future development has the potential to encounter coal seams which require excavating, for example excavation of building foundations, service trenches development platforms, earthworks, non-coal mineral operations, an Incidental Coal Agreement will be required from the Coal Authority. Further information regarding Incidental Coal Agreements can be found at:
www.gov.uk/government/publications/incidental-coal-agreement/guidance-notes-for-applicants-for-incidental-coal-agreements.

3 - Shallow coal seams

In areas where shallow coal seams are present caution should be taken when carrying out any on site burning or heat focused activities.

Applications for Building Over Agreements or sewer diversions should be obtained by telephoning United Utilities PLC on 01925 464714

Signed:



7 of 8

.....
On behalf of the Council

Date of Decision: 21/05/2025