



Total glazing Area of proposed side extension = **6.0m² (Not Exceed**
 Total area of openings in existing side wall = 2.00 m²
 Total floor area of side extension = 16.38 m²
 25% of floor area + area of openings = 4.09 m² + 2.00 m² = **6.09 m²**
(Hence SAP calculations are not required)

This drawing is the copyright of LDM Group.
All dimensions to be checked on site.
All levels to be checked on site and refer to Ordnance Survey Datum Newlyn unless alternative datum given.
All errors and omissions to be reported to the Architect prior to commencement.
This drawing must be read in conjunction with the relevant specification clauses.
This drawing must not be used on site unless issued for construction.



KEY

	SMOKE DETECTOR
	HEAT DETECTOR
	EXISTING ESCAPABLE WINDOWS
	PROPOSED ESCAPABLE WINDOWS
	60 MINUTE FIRE RESISTANT DOOR
	30 MINUTE FIRE RESISTANT DOOR
	FIRE EXTINGUISHER - WATER
	FIRE EXTINGUISHER - CARBON MONOXIDE
	FIRE ALARM
	FIRE ALARM, MANUALLY OPERATED (PULL BUTTON)
	FIRE RESISTING CONSTRUCTION, MINIMUM 60 MINUTE FIRE RESISTANCE
	FIRE RESISTING CONSTRUCTION, MINIMUM 30 MINUTE FIRE RESISTANCE
	FIRE RATED CEILING
	FAB, EXIT
	PROTECTED STAIRWAY
	DIRECTION OF EGRESS
	COMMUNICATION/DISPERING A FLAT FROM ONE OTHER PART OF THE BUILDING OR OTHER OCCUPANCIES
	CRITICAL SAFETY HAZING LOCATION



Single storey rear and side extension



PROJECT: 2 Lee Street, Bury BL9 6SF

SHEET :	Proposed Drawings
---------	-------------------

CLIENT : **Joël & Florence Ekolongeni**

Scale (@ A1): As indicated

Drawn by : BA	DRAWING NUMBER : DR_203	REV : P6
Checked by : 136		