

Dark grey (Anthracite) Onduline
Roof Sheeting securely fixed to
38x25mm pre-treated softwood battens,
on trussed rafters designed by truss
manufacturer.

Treated 'Larch' Cladding, 50x50mm
pre-treated softwood battens, on 140mm
blockwork walls. Glivent insect protection
screen at high and low level.

Existing ground level

Stall

150x150mm feature timber posts to
provide support to canopy overhang.

Canopy

Courtyard

Canopy

Stall

Existing ground level

Foundations/retaining wall to be as
Structural Engineers Design/Details

Concrete lintel over proposed stable door

Proposed Sections A-A

Dark grey (Anthracite) Onduline
Roof Sheeting securely fixed to
38x25mm pre-treated softwood battens,
on trussed rafters designed by truss
manufacturer.

Existing ground level

Stall

Stall

Stall

Stall

Foundations/retaining wall to be as
Structural Engineers Design/Details

Roof extended between stables to form
covered walkway. Roof and dimishing
jack rafters to be designed by specialist
truss manufacturer and underdrawn with
timber cladding.

Covered
walkway

Feeding
Store

Existing ground level

Proposed Sections B-B

SCALE BAR 1:50



DRAWING FOR INFORMATION PURPOSES ONLY
This drawing and all its dimensions to be checked and verified by the
contractor prior to work commencing on site. for clarification of queries
contact studio John Bridge Ltd. (www.studiojohnbridge.co.uk) Contractor to
ensure that all proposed materials are to Local Authority Approval. The
Contractor shall take into account everything necessary for the proper
execution of the works including all relevant Building Regulations, nhbc and
British Standards where applicable, whether or not indicated on the drawings.
please refer to structural and drainage designs to be prepared by others.
Subject to services and statutory authority information & approval.

NB: ALL DRAWINGS SUBJECT TO FURTHER DETAIL AND
ALL LOCAL AUTHORITY APPROVALS.

Copyright to studio John Bridge Ltd. All rights reserved.
No duplication allowed, unless consent has been granted.

CLIENT: Mr Paul Warner	DATE: July, 22'
PROJECT: Jackson Fold Farm, Pillsworth Road, Bury	REVISION: -
TITLE: Proposed Stable Sections	SCALE: 1:100@A2
DWG NO.: 2239-P09	STUDIO JOHN BRIDGE
01772 939959 admin@studiojohnbridge.co.uk	3 Caxton Road Preston, PR2 9ZZ
	www.studiojohnbridge.co.uk